

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, April 4, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

CHEVRON APPALACHIA, LLC 700 CHERRINGTON PARKWAY

CORAOPOLIS, PA 15108

Permit approval for HICKS M09H Re: 47-051-01994-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: HICKS M09H

Farm Name: THOMAS E. HICKS

U.S. WELL NUMBER: 47-051-01994-00-00

Horizontal 6A New Drill

Date Issued: 4/4/2018

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street Charleston, WV 25304 (304) 926-0450 fax (304) 926-0452 Jim Justice, Governor Austin Caperton, Cabinet Secretary www.dep.wv.gov

ORDER ISSUED UNDER WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A

TO: Chevron Appalachia, LLC P.O. Box 611 Moon Township, PA 15108 DATE: February 22, 2017 ORDER NO.: 2017-W-4

INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 et seq. to Chevron Appalachia, LLC (hereinafter "Operator"), collectively the "Parties."

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

- 1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 et seq., and the rules and regulations promulgated thereunder.
- 2. Chevron Appalachia, LLC is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as P.O. Box 611, Moon Township, Pennsylvania.
- 3. On December 1, 2016, Chevron Appalachia, LLC submitted well work permit applications identified as API#s 47-051-01897, 47-051-01898, 47-051-01899, 47-051-01900, 47-051-01901, 47-051-01902 and 47-051-01913. The proposed wells are to be located on the Hicks Pad in Clay District of Marshall County, West Virginia.
- 4. On December 1, 2016, Chevron Appalachia, LLC requested a waiver for Wetland W-02 outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit applications identified as API#s 47-051-01897, 47-051-01898, 47-051-01900, 47-051-01901, 47-051-01902 and 47-051-01913.

CONCLUSIONS OF LAW

- 1. West Virginia Code §22-1-6(d) requires, in part, that "[i]n addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to...(3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing."
- 2. West Virginia Code §22-6A-2(a)(6) requires, in part, that "Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter."
- 3. West Virginia Code §22-6A-12(b) requires, in part, that "[n]o well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary."

ORDER

West Virginia Code §22-6A-12(b) requires, in part, that "[n]o well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetland W-02 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit applications identified as API#s 47-051-01897, 47-051-01898, 47-051-01899, 47-051-01900, 47-051-01901, 47-051-01902 and 47-051-01913. The Office of Oil and Gas hereby **ORDERS** that Chevron Appalachia, LLC shall meet the following site construction and operational requirements for the Hicks Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24") in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland W-02 shall have two layers of thirty-inch (30") silt fence to prevent any sediment from reaching the wetland or stream from the well pad and adjacent tank pad. Orange construction fence also delineates the LOD boundary near the wetland to minimize the change of disturbance.
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½") rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

JAMES A. MARTIN CHIE

1 ٧

11/3/14 Wetland and Perennial Stream Waiver Req	uest Operator's Well Number:
AAGUGUU GUU LEIGIUUGI SUGGU AAGIAEI VEA	dest Operator's Well Number.
Well Operator: Chevron Appalacia	LLC
Well Number:	Well Pad Name: Hicks Well Site
County, District, Quadrangle of Well Locati	Marchall County Clay District Moundaville & Glan Faston WV

Answer the questions below to request a waiver from West Virginia Department of Environmental Protection for any wetlands or perennial streams which lie within one hundred feet of proposed project Limit of Disturbance (LOD), which includes any erosion and sediment control devices to be used.

This waiver shall be requested pursuant to Chapter 22 Article 6A Section 12 of West Virginia Code, which states:

§22-6A-12(b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows:

- (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir.
- (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake.
- (3) For a groundwater source, the distance shall be measured from the wellhead or spring.

The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary.

§22-6A-12(c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section.

11/3/14
Wetland and Perennial Stream Waiver Request

API Number:	
Operator's Well Number:	

Answer in the space provided, or use additional pages as necessary to fully answer the questions below:

1. Describe the proposed project location, including unique identifying names of all wetlands, and the names of perennial streams for which the waiver is sought.

The project site consists of forest and meadow with an existing road. The proposed alterations to the project area include clearing approximately 0.1 acres of forest, construction of a combined well pad and tank pad, the improvement of existing private road and the construction of new access road for natural gas operations. The proposed development will disturb approximately 27.4 acres. The waiver is sought for wetland W-02, for which the buffer between the wetland and the limit of disturbance (LOD) is 14 feet. No perennial streams are located within the project area. Please refer to the Erosion and Sediment Control Drawings for the location of wetland W-02.

- 2. Justify the proposed activity by describing alternatives to this project that were considered.
 - a. Include a No-Action Alternative as to show "the future without the project"
 - b. Location Alternatives must be shown
 - c. Must demonstrate why a one hundred foot buffer cannot be maintained
 - d. Describe how the proposed project is the least environmentally damaging practicable alternative
 - A. The No-Action Alternative for this site would involve the construction of four additional pad sites to access the natural gas resources that will be covered by the Hick's Site. The construction of the four alternate locations would cause a greater disturbance to the surrounding environment and region.
 - B. Chevron investigated several alternate locations in conjunction with the Hick's site. The Hick's Well site was designed to combine all of three separate locations and a portion of a fourth location into one pad site. By combining these alternate sites, the total disturbance to the existing land, forested areas and other critical natural resources has been minimized.
 - C. Due to the surrounding topography and site conditions, maintaining a 100 foot buffer between the limit of disturbance and wetland W-02 is not viable.
 - D. The Hick's Well site was designed to utilize the topography of the site in the most practical and efficient manner. Temporary soil stock piles were placed to minimize the overall disturbance to the site. Alternate locations would increase disturbed area and expand the overall limit of disturbance. The proposed stockpile locations minimize the surface area of the stockpile, thus minimizing the disturbed area. Additional E&S controls will be implemented to protect the wetland from adverse impacts.

11/3/14
Wetland and Perennial Stream Waiver Request

API Number:	
Operator's Well Number:	

3. Identify sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. This description should include all additional erosion and sediment control measures and devices that will be used.

Temporary erosion and sediment control measures including, erosion control blanket, rock filters, riprap aprons, channels, silt fence, a sediment basin, stone construction entrances, mountable berms and temporary seeding and mulching will be used to protect the waters of the state.

Permanent erosion control measures include permanent seeding and mulching and aggregate surfacing. Any areas that are not permanently stabilized with aggregate will be seeded and mulched according to the seeding specifications. Temporary erosion and sediment control measures will remain in place until the site has reached a uniform 70% perennial vegetative cover on all disturbed areas.


Additional details, including maintenance guidelines, have been included on the attached Erosion and Sediment Control Plan. The contractor(s) will be responsible for inspecting and maintaining all temporary and permanent erosion and sediment control best management practices.

- 4. Provide mapping, plans, specifications and design analysis for the preferred alternative to the project.
 - a. Specify in writing what additional controls, measures, devices, monitoring, etc. will be used to protect these wetlands and/or perennial streams for which the waiver is sought.

All erosion and sediment control features have been designed and shall be installed in accordance with the 2006 West Virginia Erosion and Sediment Control Best Management Practice Manual and the West Virginia Erosion and Sediment Control Field Manual (dated 2012).

A double layer of 30" silt fence will be installed as additional protection between the disturbed area and wetland W-02.

HICKS WETLAND WAIVER - ATTACHMENT I



WW-6B (04/15)

4705101994

API NO. 47-051 OPERATOR WELL NO. M09H
Well Pad Name: Hicks

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator:	Chevron Ap	palachia, LLC	49449935	Marshall	Clay	Glen Easton 7.5'
			Operator ID	County	District	Quadrangle
2) Operator's Well	Number: M0	9H	Well Pad	Name: Hicks		
3) Farm Name/Sur	face Owner:	Thomas E Hick	s Public Road	d Access: Forl	k Ridge Ro	I/WV-17
4) Elevation, curre	nt ground:	1161.57 E	levation, proposed	oost-construction	on: 1140	
, ,,) Gas X :her	Oil	Unde	rground Storag	ge	
(b)		llow X	Deep			
6) Existing Pad: Y						
7) Proposed Targe Marcellus, 6,362	` '		cipated Thickness a	nd Expected Pr	essure(s):	
8) Proposed Total	Vertical Deptl	n: 6,366				
9) Formation at To	tal Vertical D	epth: Marcellu	s			·
10) Proposed Tota	l Measured De	epth: 16,889				
11) Proposed Hori	zontal Leg Le	ngth: 7,560				
12) Approximate F	resh Water St	trata Depths:	430'			
13) Method to Det	ermine Fresh	Water Depths:	1' mile radius sear	ch around pac	dlocation	
14) Approximate S	Saltwater Dept	ths: 1147', 175	1', 2112'			
15) Approximate (Coal Seam Dep	pths: 398', 678'				
16) Approximate I	Depth to Possi	ble Void (coal m	ine, karst, other):	None		
17) Does Proposed directly overlying				No	<u>x</u>	
(a) If Yes, provid	le Mine Info:	Name:				
• •		Depth:		_		
		Seam:				
		Owner:				-

WW-6B (04/15) PINO. 47- 657 05 101994

OPERATOR WELL NO. Magh Well Pad Name: Hicks

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20	New			60	60	CTS
Fresh Water	13.375	New	J-55	54.5	480	480	CTS
Coal							
Intermediate	9.625	New	L-80	40	2,024	2,024	CTS
Production	5.50	New	v P110 20 16,889 16,889		16,889	2,524' (500' below	
Tubing							9.625" shoe)
Liners							

11/7/17

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20	26					
Fresh Water	13.375	17.5	0.38	2,730	1911	Class A	1.2
Coal							
Intermediate	9.625	12.375 & 12.25	0.395	5,750	2768	Class A	1.19
Production	5.5	8.75 & 8.5	0.361	14,360	9975	Class A,G or H	1.25
Tubing							
Liners							

PACKERS

Kind:	
Sizes:	PECEIVED Office of Oil and Gas
	UES 6 2017
Depths Set:	WV Department of Spylronmental Protection

WW-6B (10/14) API NO. 44 7, 05 101994

OPERATOR WELL NO. MOSH

Well Pad Name: Hicks

81/3/17

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill vertical depth to the Marcellus at an estimated total vertical depth of approximately 6,366 feet. Drill horizontal leg.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Slickwater completion with 200' stage length, 1750 lbs/ft proppant (max anticipated rate/pressure will be 115 bpm/9900 psi, respectively)

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 27.4
- 22) Area to be disturbed for well pad only, less access road (acres): 19.7
- 23) Describe centralizer placement for each casing string:

Surface: (1) on shoe track w/stop collar & (1) per jt over coupling to surface; Intermediate: (1) on shoe track w/stop collar & (1) per 3 jts over coupling; Production String: (1) centralizer every jt in the lateral and curve & (1) every other joint from KOP to surface.

24) Describe all cement additives associated with each cement type:

For the Water String the blend will contain Class A cement 3% CaC12, and flake. The intermediate will contain Class A cement, 3% CaC12, Salt and flake. The Production cement will have a lead and tail cement. The lead will contain Class A, G or H cement, KCl, dispersant, suspension agent, and retarder. the tail will contain Class A, G or H cement, Calcium Carbonate, KCl, dispersant, de-foamer, suspension agent and friction reducer.

25) Proposed borehole conditioning procedures:

Air sections ensured to be clean via air circulation once TD is reached. Fluid sections will be circulated a minimum of 2 bottoms up once casing point has been reached and until uniform reached are achieved.

DEC 6 2017

W/ Department of Environmental Protection

*Note: Attach additional sheets as needed.

Hicks Marcellus - Cement Additives

Attachment WW-6B

For the Water String the blend will contain Class A cement, 3% CaC12, and flake.

The intermediate will contain Class A cement, 3% CaC12, and flake.

The Production cement will have a lead and tail cement.

The lead will contain Class A, G, or H cement, KCI, dispersant, suspension agent, and retarder.


The tail will contain Class A, G, or H cement, Calcium Carbonate, KCI, dispersant, de-foamer, suspension agent, and friction reducer.

RECEIVED Gas

DEC 6 2017

WV Department of Environmental Protection

				Hicks M09	11		
wv						Ground Level Elev. (ft above SL):	1,138
CENTRALIZER	CASING SIZE /	DEP	тн	WELLHEAD DESIGN H	IDLE	CASING	CEMENT
PROGRAM	FORMATION	MD (FT)	TVD (FT)		X 36. 1	344	PROGRAM
	20" Conductor	60	60	INC AZM	26	20" API 5L	Grout to Surface
Bow Spring: [1) an shoe track w' dop collar & (1) per it over coupling to surface						Surface Casing 13-3/8* 54.5t J-55 BTC 0.380* Wall Coupling OD (in) 14.375 ID (in) 12.615 Idnft ID (in) 12.459 Burst (psi) 2,730 Collapse (pv) 1,130 Vield (It Strength 1,000 lbs) 853	Surface Blend (Class A) Cement to Surface
	13-3/8" Casing	480	480		17.5	Minimum 50 ft past deepest k	nown fresh water
Bow Spring: [1] on shoe track w/ stop collar & (1) ps. 3 jts over coupling						Intermediate Casing 9-5/8" 40AL-80 BTC 0.395" Wall Coupling CD (in) 10.825 ID (in) 8.835 Drift ID (in) 8.679 Burst (psi) 5,750 Collapse (psi) 3,080 Yield (Jf Strength 1,000 lbs) 916	Intermediate II Blend (Class A Cement to Surface
Bow Spring: [1] per every other it over coupling SpiraGlider or Centek: [1] per it of csg to KOP	9-5/8" Casing	2,024	2,024			Production Casing 5-1/2" 20# P-110, 0.361" Wall Coupling CD (in) 6.300 ID (in) 4.778 Drift ID (in) 4.853 Burst (psi) 14,360 Collapse (psi) 12,090 Yield (Jt Strength 1,000 los) 729	Production Lead Sturry Cement to 500' below 9-5/8" sho
						DEC 62 WV Departure	Gas Production Tail Slurry Profession and Surry Profession Profession
Float Equip.							
	Bow Spring: (1) on shoe track w' stop collar & (1) per ji over coupling to surface Bow Spring: (1) on shoe track w' stop collar & (1) per 3 jts over coupling Bow Spring: (1) per every other jt over coupling SpiraGlider or Centek: (1) per jt of csg to KOP	CENTRALIZER PROGRAM 20" Conductor Bow Spring: [1) on shoe track w' stop collar & (1) per ji over coupling to surface Bow Spring: [1] on ahoe track wi stop collar & (1) per 3 jts over coupling Bow Spring: [1] per every other jt over coupling SpiraGilder or Centek: [1] per ji of csg to KOP	CENTRALIZER PROGRAM FORMATION 20° Conductor Bow Spring: (1) on shoe track will stool collar & (1) per jit over coupling to surface Bow Spring: (1) on shoe track will stool collar & (1) per jit over coupling Bow Spring: (1) per every other jit over coupling SpitraGilder or Centek: (1) per jit of osg to KOP	CENTRALIZER PROGRAM CASING SIZE / FORMATION TVD (FT) 20" Conductor 60 60 Bow Spring: (1) on shoe reak wildoc collar & (1) per 1 per 2 ps over coupling to surface 13-3/8" Casing 480 480 Bow Spring: (1) on shoe reak wildoc collar & (1) per 3 ps over coupling 60 10 Bow Spring: (1) per every other pover coupling SpiraGilder or Centeke: (1) per per 6 sg to KOP	CENTRALIZER PROGRAM FORMATION Bow Spring: This already radia will be called a first	CENTRALZER PORMATION MO TO TO SIZE (R) SIZE S	Continue C





CHEVRON APPALACHIA, LLC 700 CHERRINGTON PARKWAY CORAOPOLIS, PA 15108

LEGEND

ACTIVE WELL

HICKS AREA OF REVIEW MAP MARSHALL COUNTY CLAY DISTRICT

CLAY DISTRICT WEST VIRGINIA

TOPO QUAD: GLEN EASTON, WV

SCALE: 1" = 4000' DATE: OCTOBER 2, 2017 WW-9 (4/16)

1000	A	2.4
API	Number	47 -

Operator's Well No. Hicks M09H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Chevron Appalachia, LLC OP Code 49449935	
Watershed (HUC 10) Middle Grave Creek-Grave Creek Quadrangle Glen Easton, WV 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes V No	
Will a pit be used? Yes No 🗸	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Number)	
Reuse (at API Number_at next anticipated well Off Site Disposal (Supply form WW-9 for disposal location)	
Other (Explain	
Will closed loop system be used? If so, describe: Yes, we will be utilizing multiple open/closed top tanks.	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Air to KOP, SBM from KOP to TMD	
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	
Additives to be used in drilling medium? Barite, fluid loss, emulsifiers, rheological control	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed offsite	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA	
-Landfill or offsite name/permit number? Arden Landfill #100172; South Hills Landfill #100592; Short Creek Landfill #WW0109517	
-Landini of offsite name/perint number? Adda cardin #100172, Godin tims cardin #100322, Glob Greek cardin #1000377	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. RECEIVED Office of Oil and Gas Company Official Signature	
Company Official (Typed Name) Jenny Hayes DEC 6 2017	
Company Official Title Permitting Team Lead WV Department of Environmental Protection	
Subscribed and sworn before me this 30th day of October, 2017	
COMMONWEALTH OF PENNSY	LVANI
My commission expires 07/07/2018 Notary Public Notary Public Regina Logue, Notary Public New Sewickley Twp., Beaver Could My Commission Expires July 7, 2	018

Proposed Revegetation Treatment	nt: Acres Disturbed _+/-4 a	Prevegetation pH Per soils testing report
Lime 3	Tons/acre or to correct to	pH unless otherwise noted in soils report
Fertilizer type 10-20-	20	
Fertilizer amount_300	W.	_lbs/acre
Mulch_3	Tor	ns/acre
	<u>s</u>	seed Mixtures
Temp	orary	Permanent
Seed Type Annual Ryegrass	lbs/acre 50	Seed Type Ibs/acre Non Aricultural Upland and Hayfield, Pastureland and Cropland
Winter Wheat	75	Tall Fescue 100, Orchard Grass 80, Perennial Ryegrass 33,
Winter Wheat	75	Tall Fescue 100, Orchard Grass 80, Perennial Ryegrass 33, Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20,
Attach: Maps(s) of road, location, pit an provided). If water from the pit v acreage, of the land application a	d proposed area for land app will be land applied, include area	Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20, Birdsfoot-Trefoil 18, Ladino Clover 20, Red Top 6
Attach: Maps(s) of road, location, pit an provided). If water from the pit vacreage, of the land application a	d proposed area for land app will be land applied, include area	Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20, Birdsfoot-Trefoil 18, Ladino Clover 20, Red Top 6
Attach: Maps(s) of road, location, pit an provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appwill be land applied, include area. 7.5' topographic sheet.	Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20, Birdsfoot-Trefoil 18, Ladino Clover 20, Red Top 6
Attach: Maps(s) of road, location, pit an provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appwill be land applied, include area. 7.5' topographic sheet.	Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20, Birdsfoot-Trefoil 18, Ladino Clover 20, Red Top 6 Dilication (unless engineered plans including this info have been dimensions (L x W x D) of the pit, and dimensions (L x W), and
Attach: Maps(s) of road, location, pit an provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appwill be land applied, include area. 7.5' topographic sheet.	Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20, Birdsfoot-Trefoil 18, Ladino Clover 20, Red Top 6 Dilication (unless engineered plans including this info have been dimensions (L x W x D) of the pit, and dimensions (L x W), and
Attach: Maps(s) of road, location, pit an provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appwill be land applied, include area. 7.5' topographic sheet.	Timothy 80, Ladino Clover 18, Birdsfoot-Trefoil 20, Birdsfoot-Trefoil 18, Ladino Clover 20, Red Top 6 Dilication (unless engineered plans including this info have been dimensions (L x W x D) of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W), and a second control of the pit, and dimensions (L x W).



Chevron

Appalachian LLC WV Well Site Safety Plan

Pad: Hicks Pad A Well # M09H

> 271 Arbor Lane Moundsville, WV 26041 **Clay District** Marshall County, WV

Access Point - [39.872100°N, 80.711825°W] Well Site - [39.871558°N, 80.717794°W] Marshall County, West Virginia

PEDEIVED Luffice of Oil and Gas


UEL 6 2017

WV Decar Hent of Environmental Protection



WATER SUPPLY EXHIBIT HICKS PAD





Surface Owner: THOMAS E. HICKS

Oil/Gas Owner: THOMAS E. HICKS

Well Operator: CHEVRON APPALACHIA, LLC

Address: 700 CHERRINGTON PARKWAY

CORAOPOLIS, PA 15108

Phone: 724-564-3700

County: MARSHALL

Township: MOUNDSVILLE, WV


GROUNDWATER & ENVIRONMENTAL

Surveyor: SERVICES, INC.

Address: 301 COMMERCE PARK DR

CRANBERRY TOWNSHIP, PA 16066

Phone: 800-267-2549



HICKS M09H PAGE 2 OF 2

	LESSOR	DIST-TM/PAR
A	CHRISTA DAWN HICKS ET AL	4-8/37
В	SIDNEY P. POND ET UX	4-8/36.1
C	LILLIE LAVERN GAREY	4-8/36
D.	SIDNEY P. POND ET UX	4-8/36.2
E F	MABEL J. WILLIAMS	4-8/23
F	*BONAR FAMILY IREV TRST DTD 2/12/2009	4-8/18
G	*ROBERT D. RICHMOND ET UX	4-12/5
	*SUSAN V. PANNECK	
	*LINDA MARGARET JENKINS	
	*DANIEL EDWARD BRUNOFF	1
	*GRETA BRUONOFF DURAN	1
	*ZELMA PLATON GRUNOFF	1
	*JOAN TOWNSEND SHRUM	1
	*JEANNE K. GRAY	1
	*DAVID MARK BURLEY	1
	*JOAN MARIE FELDNER	
	*MARGARET BURLEY CARRINGTON	
Н	ROBERT D. RICHMOND ET UX	4-8/20
J	CAROL J. RICHMOND	4-8/20.1
	DAVID P. ROBINSON	
K	CNX GAS COMPANY LLC	4-12/25
L	DIOCESES OF WHEELING - CHARLESTON	4-10/1
	ROBERT S. WUERTHELE	
	MARK K. WUERTHELE	
	JEFFREY A. WUERTHELE	1
	MICHAEL D. WUERTHELE	1
	SISTERS OF ST. FRANCIS OF THE PROVIDENCE OF GOD	1
	MARY ANN BAKER	
	ULMAN TRUST MARY ANN BAKER TRSTE	
	SUSAN M. & BERNARD LUKE ZIDAR	
	LAUREN M. TEKELY IRREVOCABLE TRUST	
М	HARRY ROUSH	4-11/3
N	HARRY ROUSH	4-11/6
P	ROY A. CLARK ET UX	4-10/9

SURFACE HOLE LOCATION (SH	L)
UTM 17-NAD83(N N:4413551.431 E:524104.848	1)
NAD83, WV NORTH N:501923.045 E:1626612.993	
APPROX. LANDING POINT	
UTM 17-NAD83(N N:4412661.21 E:523202.50	4)
NAD83, WV NORTH N:499051.277 E:1623603.099	
BOTTOM HOLE LOCATION (BH	L)
UTM 17-NAD83(N N:4410871.42 E:524666.36	4)
NAD83, WV NORTH N:493097.810 E:1628308.595	

	SURFACE OWNER	DIST-TM/PAR
1	THOMAS E. HICKS	4-8/37
2	VICKIE L. & SIDNEY P. POND	4-8/36.1
3	LILLIE LAVERN GAREY	4-8/36
4	SIDNEY P. POND ET UX	4-8/36.2
5	MABEL JUANITA WILLIAMS	4-8/23
6	HENRY W. & LINDA M. ASTON	4-8/19
7	*BONAR FAMILY IRREVOCABLE TR	4-8/18
8	*ROBERT D. & VIRGINIA RICHMOND	4-12/5
9	ROBERT D. & VIRGINIA RICHMOND	4-8/20
10	CAROL J. & DAVID P. ROBINSON	4-8/20.1
11	GLENN H. KESSELRING ET UX	4-8/21
12	SAMUEL HARLON & MISTY L. HALL	4-8/22
13	KERMIT E. PERSINGER ET UX	4-8/23.1
14	KERMIT E. PERSINGER ET UX	4-8/24
15	ANN M. STEVEY	4-8/23.2
16	MARILYN MARTIN	4-8/23.3
17	CONSOLIDATION COAL COMPANY/MURRAY ENERGY C/O LAND DEPT.	4-12/25
18	CITY OF MOUNDSVILLE	4-10/1
19	HARRY F. ROUSH ET UX	4-11/3
20	HARRY F. ROUSH ET UX	4-11/6
21	ROY A. & SANDRA F. CLARK	4-10/9

OCTOBER 2, 2017



* - DENOTES PARCEL WITHIN 30 FEET OF PLANNED WELL BORE

WW-6A1 (5/13)

Operator's Well No.	Hicks	M09H
---------------------	-------	------

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan:
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Chevron Appalachia, LLC

By:

Its: Par

Permitting Team Lead

Page 1 of 1

WV Department of Environmental Protection

Hicks Unit #9H

			TICKS OTHER #3FI				
Plat ID	Lessor	Lessee	Royalty	Book/Page	Assignment #1	Assignment #2	Assignment #3
4-8-37	Hicks, Christa Dawn et al	Chevron U.S.A. Inc.	0.18	841/246	n/a	n/a	n/a
4-8-36.1	Pond, Sidney P. et ux	Chevron U.S.A. Inc.	0.18	876/295	n/a	n/a	n/a
					24/180	756/332	
4-8-36	Garey, Lillie Lavern	TriEnergy Holdings, LLC	0.16	707/9	TriEnergy Holdings, LLC	NPAR, LLC to Chevron	n/a
				_	to NPAR, LLC	U.S.A. Inc.	
4-8-36.2	Pond, Sidney P. et ux	Chevron U.S.A. Inc.	0.18	876/295	n/a	n/a	n/a
4-8-23	Williams, Mabel J.	Chevron U.S.A. Inc.	0.18	837/386	n/a	n/a	n/ags
4-8-18	Bonar Family Irev Trst DTD 2/12/2009	Chevron U.S.A. Inc.	0.14	787/485	n/a	n/a	15 TO 2015
	Richmond, Robert D. et ux	Chevron U.S.A. Inc.	0.14	787/485	n/a	n/a	office of Oil and DEC 6 201
	Panneck, Susan V.	Chevron U.S.A. Inc.	0.14	901/119	n/a	n/a	
	Jenkins, Linda Margaret	Chevron U.S.A. Inc.	0.14	901/113	n/a	n/a	nigio
	Brounoff, Daniel Edward	Chevron U.S.A. Inc.	0.14	909/465	n/a	n/a	
	Duran, Greta Brounoff	Chevron U.S.A. Inc.	0.14	901/44	n/a	n/a	n/ax ox
4-12-5	Brounoff, Zelma Platon	Chevron U.S.A. Inc.	0.14	901/74	n/a	n/a	l/a ff con the control of the contro
	Shrum, Joan Townsend	Chevron U.S.A. Inc.	0.14	897/269	n/a	n/a	n/a O
	Gray, Jeanne K.	Chevron U.S.A. Inc.	0.14	899/240	n/a	n/a	n/a
	Burley, David Mark	Chevron U.S.A. Inc.	0.14	899/473	n/a	n/a	n/a
	Feldner, Joan Marie	Chevron U.S.A. Inc.	0.14	901/116	n/a	n/a	n/a
	Carrington, Margaret Burley	Chevron U.S.A. Inc.	0.14	909/462	n/a	n/a	n/a
4-8-20	Richmond, Robert D. et ux	Chevron U.S.A. Inc.	0.14	882/269	n/a	n/a	n/a
					25/449	756/332	
	Richmond, Carol J.	TriEnergy Holdings, LLC	0.16	737/244	TriEnergy Holdings, LLC	NPAR, LLC to Chevron	n/a
4-8-20.1					to NPAR, LLC	U.S.A. Inc.	
	Deliver De 110	T'S 11.11' 11.6	0.46	707/046	25/449	756/332	- 1-
	Robinson, David P.	TriEnergy Holdings, LLC	0.16	737/246	TriEnergy Holdings, LLC	NPAR, LLC to Chevron	n/a
4 40 00	0.00			040/540	to NPAR, LLC	U.S.A. Inc.	,
4-12-25	CNX Gas Company LLC	Chevron U.S.A. Inc.	0.2	818/549	n/a	n/a 20/201	n/a
	Discoura Of Wheeling Charles	T 15 11-1 11 11 6	0.40	700/500	26/123	26/201	/-
	Diocese Of Wheeling - Charleston	TriEnergy Holdings, LLC	0.18	738/509	TriEnergy Holdings, LLC	NPAR, LLC to Chevron	n/a
	Winds I. Och - 45	Ch 11 C A 1	0.10	053/63	to NPAR, LLC	U.S.A. Inc.	1
	Wuerthele, Robert S.	Chevron U.S.A. Inc.	0.18	853/63	n/a	n/a	n/a
	Wuerthele, Mark K.	Chevron U.S.A. Inc.	0.18	853/79	n/a	n/a	n/a
	Wuerthele, Jeffrey A.	Chevron U.S.A. Inc.	0.18	853/127	n/a	n/a	n/a
	Wuerthele, Michael D.	Chevron U.S.A. Inc.	0.18	853/103	n/a	n/a	n/a
4-10-1	Sisters of St. Francis of the Providence of God	Fee acreage	n/a	886/595	n/a	n/a	n/a
	Baker, Mary Ann	Chevron U.S.A. Inc.	0.16	808/518	n/a	n/a	n/a
	Ulman Trust Mary Ann Baker TRSTE	Chevron U.S.A. Inc.	0.16	808/550	n/a 36/168	n/a	n/a
	Zidar, Susan M. & Bernard Luke	TH Exploration, LLC	0.18	877/222	TH Exploration, LLC to	n/a	n/a
	,	ב	5.55	,	Chevron U.S.A. Inc.	.,-	- 7 -
					36/168		
	Lauren M. Tekely Irrevocable Trust	TH Exploration, LLC	0.18	876/177	TH Exploration, LLC to	n/a	n/a
	and a second second second second	TT Exploration, EEG	0.10	0.0,1	Chevron U.S.A. Inc.	.,, .	.,, .
4-11-3	Roush, Harry	Chevron U.S.A. Inc.	0.16	838/381	n/a	n/a	n/a
4-11-6	Roush, Harry	Chevron U.S.A. Inc.	0.16	838/381	n/a	n/a	n/a
7 11 0	nousing thairty	Chevion O.S.A. Inc.	0.10	030/301	21/288	·	ii) u
					Central Michigan	33/276	
4-10-9	Clark, Roy A. et ux	Central Michigan Exploration LLC	0.125	670/574	Exploration, LLC to	Stone Energy	n/a
4-10-3	Cidik, Noy A. Et ux	CENTIAL MICHIGAN EXPIORATION LEC	0.123	0/0/3/4		Corporation to Chevron	ily a
					Stone Energy	U.S.A. Inc.	
					Corporation		

WV Decare profession



Branden Weimer Permitting Team Lead Chevron Appalachia, LLC 800 Mountain View Drive Smithfield, PA 15478 Tel 724 564 3745 Fax 724 564 3894 bwkb@chevron.com

January 6, 2015

West Virginia D.E.P. Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

To Whom It May Concern:

Please be advised that Chevron Appalachia, LLC and Chevron U.S.A. Inc. are affiliated entities. Unless and until revoked, and as evidenced by the signatures of authorized representatives of each entity below, Chevron Appalachia, LLC is authorized to operate assets owned by Chevron U.S.A. Inc. which are located in West Virginia, including oil and gas leases. More particularly, Chevron Appalachia, LLC is authorized to obtain well work permits for assets owned by Chevron U.S.A. Inc. I trust that this will alleviate any concerns the Department may have about Chevron Appalachia, LLC applying for well work permit applications on properties either leased or owned by Chevron U.S.A. Inc. If you have any further questions or concerns, please do not hesitate to contact me.

Branden Weimer

Attorney-In-Fact for Chevron Appalachia, LLC

Marc Tate

Attorney-In-Fact for Chevron U.S.A. Inc.

Office of Oil and Gas

UEU 6 2017

Environmental Protection



October 23, 2017

West Virginia D.E.P. Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

RE: Hicks 8H, 9H, 10H, 20H, 21H

Madline Stygalol

To whom it may concern:

This letter is to confirm that Chevron U.S.A. Inc. has the rights to access minerals under any road along the above referenced laterals. If you should have any further questions or need additional documentation, please feel free to contact me.

Sincerely,

Madeline Fitzgerald Land Representative

Office of Oil and Gas

DEC 6 2017

Environmental Protection

Date of Notice Certification:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47-

Operator's Well No. MO9H

		Well Pad Na	ame; Hicks		
Notice has l			a bar contra		
	ne provisions in West Virginia Code (tract of land as follows:	§ 22-6A, the Operator has provided the requ	nred parties v	with the Notice Forms list	
State:	West Virginia	Easting:	524104.848		
County:	Marshall	— UIWINADAS	4413551.431 Fork Ridge Road/VW-17 Hicks		
District:	Clay				
Quadrangle:	Glen Easton, WV 7.5'				
Watershed:	Middle Grave Creek-Grave Creek				
prescribed by it has provide information re of giving the requirements Virginia Code	the secretary, shall be verified and s ed the owners of the surface describ equired by subsections (b) and (c), so surface owner notice of entry to su of subsection (b), section sixteen of	every permit application filed under this hall contain the following information: (14) bed in subdivisions (1), (2) and (4), subsection sixteen of this article; (ii) that the requirvey pursuant to subsection (a), section to f this article were waived in writing by the ender proof of and certify to the secretary that.	A certification (b), sequirement was en of this article surface over the surface over the certification of the surface over	on from the operator that ction ten of this article, deemed satisfied as a re- cle six-a; or (iii) the not vner; and Pursuant to W	
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the require ECK ALL THAT APPLY	perator has attached proof to this Notice Ce and parties with the following:	ertification	OOG OFFICE USE ONLY	
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED BECAUSEISMIC ACTIVITY WAS CONDUCT		RECEIVED/ NOT REQUIRED	
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	/EY or NO PLAT SURVEY WAS CO	NDUCTED	☐ RECEIVED	
■ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECAU NOTICE OF ENTRY FOR PLAT SURV WAS CONDUCTED or		RECEIVED/ NOT REQUIRED	
		WRITTEN WALKED DWGUDEAG			
		☐ WRITTEN WAIVER BY SURFAC (PLEASE ATTACH)	E OWNER		
■ 4. NO	TICE OF PLANNED OPERATION			RECEIVED	
	TICE OF PLANNED OPERATION BLIC NOTICE	(PLEASE ATTACH) Office of Oil	/ED and Gas 2017	☐ RECEIVED ☐ RECEIVED	

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt eard or other postal receipt for certified mailing.

Its:

Certification of Notice is hereby given:

Well Operator: Chevron Appalachia, LLC

By:

Permitting Team Lead

Telephone: 412-865-1533

Address: 700 Cherrington Parkway

Coraopolis, PA 15108

Facsimile: 412-865-2403
Email: jzyk@chevron.com

COMMONWE ACTA OF PENNSYLVANIA

NOTARIAL SEAL Regina Logue, Notary Public New Sewickley Twp., Beaver County My Commissio. Expires July 7, 2018

MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

Subscribed and sworn before me this 27th day of NOV. 2017

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Office of Oil and Gas

DEC 6 2017

Environmental Protection

WW-6A (9-13) API NO. 47-47 0 5 7 0 1 9 9 4 OPERATOR WELL NO. MO9H

Well Pad Name: Hicks

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 11/01/2017 Date Permit Application Filed: Notice of: PERMIT FOR ANY CERTIFICATE OF APPROVAL FOR THE **WELL WORK** CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) **PERSONAL** ☐ REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A **SERVICE** MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Notice ☐ Well Plat Notice is hereby provided to: RECEIVED Office of Oil and Gas ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: Thomas E. Hicks 6 2017 Name: Consol Mining Company, LLC Address: 353 Arbor Lane Address: 1000 Consol Energy Drive Moundsville, WV 26041 WV Department of Canonsburg, PA 15317 Environmental Protection Name: M COAL OPERATOR Address: Name: Murray Energy Address: 46226 National Road ☐ SURFACE OWNER(s) (Road and/or Other Disturbance) St. Clairsville, OH 43950 Name: Jeffrey Ryan ☑ SURFACE OWNER OF WATER WELL Address: 141 Clover Lane AND/OR WATER PURVEYOR(s) Moundsville, WV 26041 Name: see attached Name: Address: Address: OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: Address: *Please attach additional forms if necessary

WW-6A (8-13)

Office of Oil and Gas

DEC 6 2017 **API NO. 47**-OPERATOR WELL NO. M09H Well Pad Name: Hicks

WV Department of Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)

API NO. 47-OPERATOR WELL NO. M09H Well Pad Name: Hicks

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments associated location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas

DEC 6 2017

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) 4705101994

API NO. 47-___-OPERATOR WELL NO. M09H

Well Pad Name: Hicks

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

DEC 6 2017

WV Department of Environmental Protection The first of the second of The first of the second of

Salatina i j

Market Commence The second secon

land of the first The large was the comparison of the comparison of the control of t A PLANT OF THE PROPERTY OF THE

garandighinang canadighing palamengan a transport mengang berbai balan ang bilang bilang bilang bilang bilang Magjanggan ang mangganggan ang magkanan ang manggan ang manggan palamengan panghinang panghinang mangkan di and the second of the second o

And the contract of the state o and the sound after the confession of the sound of the so

tering and the second of the confidence of the second of t akt disk all las islamit for sami las a landares a disk or had bedi islamit to disk disk at order a fill of th Analysis particis and any of the called a last orderes as a golden grant of a grant of the grant of a bedieve the โอรู้ซัดเลี้ยงเลือดได้ ยิงกุรัสสุดสู้ก็กับ เลลี้ และสิ้น

eso bin 50 o opinc

Qarottox,

क्षेत्रिकोत् संदेशको प्रोत्तिक क्षेत्रको अस्ति । अस्ति क्ष्रि Satisfied and the first of the same of

DEC GROW

le transcotton Environneille Proleotion

WW-6A	
(8-13)	

4705 101994

OPERATOR WELL NO. MOSH
Well Pad Name: Hicks

Notice is hereby given by:	HINNY	Have	W
Well Operator: Chevron Appalachia, LLC		/	1
Telephone: 412-865-1533	V	L	_

Address: 700 Cherrington Parkway
Coraopolis, PA 15108

Email: izyk@chevron.com

Facsimile:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

COMMONWEALTH OF PENNSYLVANIA

NOTARIAL SEAL
Regina Logue, Notary Public
New Sewickley Twp., Beaver County
My Commission Expires July 7, 2018
MARKAER, PENNSYLVANIA ASSOCIATION OF NOTARIES

Subscribed and sworn before me this 3 day of Oct, 2017


My Commission Expires

Notary Public

Office of Oil and Gas

DEC 6 2017


WV Department . I Environmental Protection





WATER SUPPLY EXHIBIT HICKS PAD





Surface Owner: THOMAS E. HICKS

Oil/Gas Owner: THOMAS E. HICKS

Well Operator: CHEVRON APPALACHIA, LLC

Address: 700 CHERRINGTON PARKWAY

CORAOPOLIS, PA 15108

Phone: 724-564-3700

County: MARSHALL

Township: MOUNDSVILLE, WV

GROUNDWATER & ENVIRONMENTAL

Surveyor: SERVICES, INC.

Address: 301 COMMERCE PARK DR

CRANBERRY TOWNSHIP, PA 16066

Phone: 800-267-2549

Attachment

API No. 47	
OPERATOR WELL NO. M09H	
Well Pad Name: Hicks	

⊠ COAL OWNER OR LESSEE

Name: Christa Dawn Hicks

Address: 65 Clover Lane

Moundsville, WV 26041

⊠ COAL OWNER OR LESSEE

Name: Leslie Mae Hicks Address: 1611 Skye Drive

Chapel Hill, NC 27516

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR

Name: Lillie & Lavern Garey

Address: 798 Big Grave Creek Road

Moundsville, WV 26041

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR

Name: Vickie L. & Sidney P. Pond

Address: 3331 Big Grave Road

Moundsville, WV 26041

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR

Name: Kenneth B. Tagg

 \boxtimes

Address: 3303 Big Grave Creek Road

Moundsville, WV 26041

RECEIVED
Office of Oil and Gas

DEC 6 2017

WV Department of Environmental Protection WW-6A4 (1/12) Operator Well No. MO9H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time R Date of Notice	equirement: Notice shall be provided at least 11/01/2017 Date Permit A	t TEN (10) days prior to filing a	a permit application.
Delivery meth	od pursuant to West Virginia Code § 22-6A	a-16(b)	
☐ HAND DELIVER	CERTIFIED MAIL RETURN RECEIPT REQUES	TED	
receipt requeste drilling a horize of this subsection subsection may and if available	Va. Code § 22-6A-16(b), at least ten days pried or hand delivery, give the surface owner no ontal well: <i>Provided</i> , That notice given pursuon as of the date the notice was provided to the be waived in writing by the surface owner. It is a facsimile number and electronic mail address	otice of its intent to enter upon to uant to subsection (a), section to subsection (a), section to surface owner: <i>Provided, ho</i> . The notice, if required, shall income sof the operator and the operator.	the surface owner's land for the purpose of en of this article satisfies the requirements wever, That the notice requirements of this clude the name, address, telephone number
	eby provided to the SURFACE OWNE	* *	
Name: Thomas E. Address: 363 Art		Name: Jeffrey L. Ryan	
Moundsville, WV 26		Address: 141 Clover Lane Moundsville, WV 26041	
State: No County: District: Quadrangle: County: County	st Virginia Code § 22-6A-16(b), notice is her er's land for the purpose of drilling a horizont west Virginia Marshall Clay Glen Easton, 7.5' Middle Grave Creek - Grave Creek	tal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:	billows: 524104.848 4413551.431 Fork Ridge Road/WV-17 Hicks
related to horize	hall Include: est Virginia Code § 22-6A-16(b), this notice er and electronic mail address of the operat ontal drilling may be obtained from the Secr 7 th Street, SE, Charleston, WV 25304 (304-9)	or and the operator's authorize etary, at the WV Department of	ed representative. Additional information
Notice is here	by given by:		RECEIVED
Well Operator:	Chevron Appalachia, LLC	Authorized Representative:	Office of Oil and Cas
Address:	700 Cherrington Parkway	Address:	DE.C &
Coraopolis, PA 1510	08		
Telephone:	412-865-1533	Telephone:	WV Depar
Email:	jzyk@chevron.com	Email:	Environmental ?.o.sotion
Facsimile:	412-865-2403	Facsimile:	
0" · ~ =			

Oil and Gas Privacy Notice:

WW-6A5 (1/12)

Operator Well No. MO9H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF PLANNED OPERATION**

Notice Time Date of Noti	Requirement: notice shall be provided no ce: 11/01/2017 Date Permit Ap	later than the filing date of permit plication Filed:	t application.
Delivery me	thod pursuant to West Virginia Code § 2	2-6A-16(c)	
	FIED MAIL RN RECEIPT REQUESTED	HAND DELIVERY	
return receip the planned required to b drilling of a damages to the	requested or hand delivery, give the surface operation. The notice required by this subsection (b), section ten of horizontal well; and (3) A proposed surface are surface affected by oil and gas operations	ce owner whose land will be used for baction shall include: (1) A copy of this article to a surface owner who ce use and compensation agreements to the extent the damages are company of the extent the damages are compensation.	ication, an operator shall, by certified mail for the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the not containing an offer of compensation for opensable under article six-b of this chapter, sted in the records of the sheriff at the time
Notice is her (at the address Name: Thomas Address: 353 Moundsville, W	Arbor Lane	me of notice): Name: Jeffrey L. Ryan Address: 141 Clover Lane Moundsville, WV 26041	
operation on State:	eby given: /est Virginia Code § 22-6A-16(c), notice is the surface owner's land for the purpose of West Virginia	furilling a horizontal well on the transplant of the transplant Easting:	act of land as follows: 524104.848 BECEIVED
County: District: Quadrangle:	Marshall Clay Glen Easton, 7.5'	Northing: Public Road Access: Generally used farm name:	Fork Ridge Road/WV-17 Hicks Office of Oil and Gas DEC 6 2017
District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information r headquarters,	Glen Easton, 7.5' Middle Grave Creek - Grave Creek Shall Include: Vest Virginia Code § 22-6A-16(c), this notice of by W. Va. Code § 22-6A-10(b) to a sull; and (3) A proposed surface use and come of by oil and gas operations to the extent elated to horizontal drilling may be obtain located at 601 57th Street, SE, Charles	Public Road Access: Generally used farm name: ce shall include: (1)A copy of this race owner whose land will be a pensation agreement containing at the damages are compensable under the from the Secretary at the WV	Fork Ridge Road/WV-17
District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information r	Glen Easton, 7.5' Middle Grave Creek - Grave Creek Shall Include: Vest Virginia Code § 22-6A-16(c), this notice by W. Va. Code § 22-6A-10(b) to a sull; and (3) A proposed surface use and comed by oil and gas operations to the extent elated to horizontal drilling may be obtain located at 601 57th Street, SE, Charles ault.aspx.	Public Road Access: Generally used farm name: ce shall include: (1)A copy of this race owner whose land will be a pensation agreement containing at the damages are compensable under the from the Secretary at the WV	Fork Ridge Road/W-17 Hicks DEC 6 2017 WV Department of Environmental Protection code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-thway

WW-6AW (1-12)

API NO. 47	
OPERATOR WELL NO.	M09H
Well Pad Name: Hicks	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

issue the well	work permit at any time.			non of an each persons, the secretary may
1, Sidney	+ Vickie hereby state that I have rea	ad the Instruct	ions to Persons Na	amed on Page WW-6A and the associated
provisions use	ed above, and that I have received copies of	a Notice of A	pplication, an App	plication for a Well Work Permit on Form
ww-bA and	attachments consisting of pages one (1) this	rough	, including	the erosion and sediment control plan, if
State:	West Virginia		Easting	52/404 040
County:	Marshall	objection to the planned work described in these materials, and I have no objection to a permit being		
District:	Clay	Public Roa	•	
Quadrangle:	Glen Easton, WV 7.5'			
Watershed:	Middle Grave Creek-Grave Creek	.		
*Please check	the box that applies		FOR EXECUT	ION BY A NATURAL PERSON
□ SURFAC	E OWNER			1 (I feel freday 1 -
□ SURFAC	E OWNER (Road and/or Other Disturban	nce)	Signature: John Print Name: 3/6 Date: 11/3/	LNex P+VICKIEL Pond
☐ SURFAC	E OWNER (Impoundments/Pits)		, ,	
□ COAL O	WNER OR LESSEE		Company:	ION BY A CORPORATION, ETC. RECEIVED Office of Oil and Gan
☐ COAL O	PERATOR		lts:	0.77
■ WATER	PURVEYOR			140/5
□ OPERAT	OR OF ANY NATURAL GAS STORAG	GE FIELD	Date:	WV Departmental Production

Oil and Gas Privacy Notice:

API NO. 47-	47	0	5	7	0	1	Ç
OPERATOR	WELL	NO.	MC	9H			_
Well Pad Nam	e Hick	s					-

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

	VOLUNTARY STAT	EMENT	OF N	NO OBJ	JECTION
1, Sidnes	+ Vikie Phèreby state that I have read	d the Instructi	ions to	Persons Na	amed on Page WW-6A and the associated
provisions list	led above, and that I have received copies of a	Notice of A	pplicati	on, an App	dication for a Well Work Permit on Form
WW-6A and	attachments consisting of pages one (1) thro	ugh	,	including t	the erosion and sediment control plan, if
required, and t	the well plat, all for proposed well work on the	tract of land a	as follo	ws:	•
State:	West Virginia	UTM NAD	\n2 []]	Easting:	524104.848
County:	Marshall	UTMINAD	[ده ر	Northing:	4413551.431
District:	Clay	Public Road	d Acces	ss:	Fork Ridge Road/WV-17
Quadrangle:	Glen Easton, WV 7.5'	Generally u	used far	m name:	Hicks
Watershed:	Middle Grave Creek-Grave Creek	-			
	the box that applies		FOR	EXECUTI	ON BY A NATURAL PERSON
☐ SURFAC	CE OWNER			ture	LO DO
□ SURFAC	E OWNER (Road and/or Other Disturband	ce)		Name: 3 , 6	ducy P+Vickel Pond 3-17
□ SURFAC	E OWNER (Impoundments/Pits)		EOD	EVECUTI	ON DV A CORPORATION FITS
□ COAL O	WNER OR LESSEE		Comp	anu.	ON BY A CORPORATION, ETC.
COAL O	PERATOR		By:		Office of Oil and Garage
■ WATER	PURVEYOR				DEC 6 2577
□ OPERAT	OR OF ANY NATURAL GAS STORAG	E FIELD	Date:		WV Departma Environmental Picaria

Oil and Gas Privacy Notice:

API NO. 47	
OPERATOR WELL NO.	M09H
Well Pad Name: Hicks	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS OLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

1, Kenneth	B. Tago, hereby state that I have rea	d the Instructi	ons to Persons N	amed on Page WW-6A and the associated
	ted above, and that I have received copies of			
	attachments consisting of pages one (1) thr			the erosion and sediment control plan, if
required, and	the well plat, all for proposed well work on the	e tract of land	as follows:	
State:	West Virginia	UTM NAD	Easting:	524104.848
County:	Marshall	OTWINAL	Northing:	4413551.431
District:	Clay	Public Roa	d Access:	Fork Ridge Road/WV-17
Quadrangle:	Glen Easton, WV 7.5'	ised farm name:	Hicks	
Watershed:				
I further state issued on thos	that I have no objection to the planned work dese materials.	escribed in the	ese materials, and	I have no objection to a permit being
*Please check	the box that applies		FOR EXECUT	TION BY A NATURAL PERSON
□ SURFAC	CE OWNER		Signature: K	mitt B Jagg
□ SURFAC	CE OWNER (Road and/or Other Disturbar	nce)	Print Name: K	SUNETH B TAGG
□ SURFAC	CE OWNER (Impoundments/Pits)			
□ COAL O	WNER OR LESSEE		Company:	TION BY A CORPORATION, ETC.
□ COAL O	PERATOR		By: Its:	RECEIVED Office of Oil and Oil
■ WATER	PURVEYOR			DEC 6 2017
□ OPERA	TOR OF ANY NATURAL GAS STORAG	GE FIELD	Date:	

Oil and Gas Privacy Notice:



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Jim Justice Governor

November 15, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Hicks Pad A Well Site, Marshall County Hicks A M09H

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #06-2016-0504 for the subject site to Chevron Appalachia, LLC for access to the State Road for the well site located off of Marshall County Route 17 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E. Regional Maintenance Engineer

Day K. Clayton

Central Office Oil &Gas Coordinator

Cc: Mandy Fordyce

Chevron Appalachia, LLC

CH, OM, D-6

File

Office of City DEC 6 2017 Wy Department of Environmental Protection

	Fracture Date:
wv	State:
Marshall	County:
047-51-00000	API Number:
Chevron	Operator Name:
Hicks	Well Pad Name:
39 872100	Longitude:
80 711825	Latitude:
NAD 83	Long/Lat Projection:
	Production Type:
	True Vertical Depth (TVD).
116001,000	Total Water Volume (gal) *:

Hydrau ic Fracturing Fluid Add tives:

Trade Name	Supplier	Purpose	Ingredients	Chemical Abstract Service Number (CAS #)	Comments
Corrosion Inhibitor A264	Schl umberger	Correston whilattor	Methanol/Al phatic Acids/Prop-2-ym-1- ol/Ali phatic Alcohols, ethoxylated #1	Mature	
28% HCIAcid	Schlumberger	Used toopen perfs	HydrocHaric Acid	7647-01-0	
Breaker J134	Schlumberger	GetBreaker	Hemicelulase Enzyme	9012-54-8	
Water Gelling Agent 1580	Schlumberger	Water Viscosifier	Carbohydrate Polymer	Proprietary	
Friction Reducer 3609	Schlumberger	Friction Reducer	Ammonium Sulfate	7783-23-2	
Iron Stab lize r L58	Schlumberger	Iron Stabilizer	Sodium Erythorbate	6381-77-7	
EC6116A	Nalco	piocide	Dibromoacetontrile/2,2-Dibromo-3- ntril cpropionam de/Polyethylene Glycol	Moture	
EC 6486AScale inhibitor	Nalco	Scale inhibitor	Amine Triphosphate/Ethylene Glycol	Mixture	
NALCO EC6673W	Nalco	Iron Control	Ethylene Glycol	107-21-1	
8012-3050	Schlumberger	Proppart	Crystalline Silica	14808-60-7	
5012-4070	Schlumberger	Propp ant	Crystalline Schoa	14808-60-7	

* Total Water Volume sources may include fresh water, produced water, and/or recycled water

All component information I sted was obtained from the supplier's Material Safety Data Sheets (MSDS). As such, the Operator is not responsible for inaccurate and/or incomplete information. Any questions regarding the content of the MSDS should be directed to the supplier who provided it. The Occupational Safety and Health Administration's (OSHA) regulations govern the criteria for the disclosure of this information. Please note that Federal Law protects "proprietary". "trade secret", and "confidential business information" and the criteria for how this information is reported on an MSUS in subject to 29. OFR 1910.1200(i) and Appendix D.





HICKS W

EROSION AND SEDIM

CLAY DISTRICT, MARSHAL

PREPAI

CONSULTANTS

BLUE MOUNTAIN AEKIM MAPPING 11023 MASON DIXON HIGHWAY BURTON, WEST VIRGINIA 26562 304-662-2625

TOTAL WOODED ACRES	TOTAL AFFECTED AREA	WELL PAD	ACCESS ROADS	IMPACTS TO H	TOTAL WOODED ACRES	TOTAL AFFECTED AREA	WELL PAD	ACCESS ROADS	IMPACTS TO H	TOTAL WOODED ACRES DISTURBED	TOTAL AFFECTED AREA	WELL PAD	ACCESS FOADS	IMPACTS TO RYAN JEFFREY L	TOTAL WOODED ACRES DISTURBED	TOTAL AFFECTED AREA	WELL PAD	ACCESS ROADS	TOTAL SITE
0.1	25.0	19.9	5.2	IMPACTS TO HICKS THOMAS E	0.0	0.1	0,0	1.0	IMPACTS TO HICKS LUCILLE E	0.0	22	0.0	2.2	YAN JEFFREY L	1.0	27.4	19.7	7.7	SITE

START OF ARREST LOVE AT FORK BIOGE ROAD
LATITUDE: 39873767 N LONGITUDE 80 707481 W
START OF ACCESS ROAD AT ARBOR LANE
LATITUDE: 39871847 N LONGITUDE 80 718254/
WELL PIN "MH"
LATITUDE: 39871847 N LONGITUDE 80 718257 W
WELL PIN "MSH"
LATITUDE: 39.871878 N LONGITUDE: 80 717811 W

EASED ON NAD 83 WEST VIRGINIA, STATE PLANE NORTH ZONE.
U.S. FOOT
WATERSHED NAME (VAY WATER PLAN), UPFER OHIO - WHEELING
WATERSHED NAME (VAY WATER PLAN), UPFER OHIO - WHEELING
RECEIVING STREAM (USGS BLUE LINE), GRAVE CREEK
DISTANCE TO RECREES TUGSOS BLUE LINE STREAM = 1081 FT
NO ANTICIPATED WETLAND IMPACTS

CHEVRON API 800 MOUNTA SMITHFIEL



SITE LO USGS 7.5' TOPOGRA MOUNDSVILLE & C

ES - DOOR SILL	MB - MAILBOX	PM - PARKING METER	STD - STANDARD	CO - CLEAN OUT	FH - FIRE HYDRANT	GV - GAS VALVE	WW - WATER WALVE	FL - FLOW UNE	TOP - TOP OF CASTING	ATCHNAM - HW	\$1 -5JQRM	SAM SAMITARY	BS - BOTTOM OF SLOPE	TS - TOP OF SLOPE	BW - BOTTOM OF WALL	TW . TOP OF WALL	G - GUTTER	TO - TOP OF DURB	LEGEND
	2	FIRST COLD III .												141					
	WARRETH.		BAT BEING IS	5.00.5	11 本型/変元 ヤーモ	# 287 - 1 M # 1					201 N 19-11	DATE CREEK						74 · 14	EXISTING

AD (C.R. 17) CONTROL PLANS

COUNTY, WEST VIRGINIA

VIEW DRIVE

PA 15478

ALACHIA,

FOR:







GE 500 ES 118

GE 503 GE 502

GEDTECHNICAL SUBSURFACE DETAILS AND NOTES GEOTECHNICAL TEST BORING INFORMATION GEOTECHNICAL CROSS SECTIONS GEOTECHNICAL SUBSURFACE SUMMARY ROAD CROSS SECTIONS
GEOTECHNICAL SUBSURFACE SUMMARY

RECLAMATION PLAN WITH AFRIAL



EASTON, WV 1997

RECEIVED Gas DEC 6 2017

COVER

Drawing Scale AS SHOWAN Date issued 10-13-2016 Index Number Urawn By JAC Checked By BJR yed Manager TMP CS000

WV Department of Environmental Protection

HICKS WELL PAD FORK RIDGE ROAD - C.R. 17 CLAY DISTRICT, MARSHALL COUNTY

PREPARED FOR CHEVRON APPALACHIA, LLC 800 MOUNTAIN VIEW DRIVE SMITHFIELD, PA 15478

Date	No	REVISION RECORD
2-21-2016	05	REVISED PER WY DEP COMMENTS
	02	
	03	
-	04	-
11	05	,
	06	-
14)	07	
-	08	-



Michael Baker

INTERNATIONAL

MICHAEL BAKER INTERNATIONAL CONSULTING ENGINEERS MOON TOWNSHIP, PENNSYLVANIA



SITE LOCATION MAP USGS MOUNDSVILLE & GLEN EASTON QUADS $\eta^{\prime\prime}=2000^{\prime\prime}$

- SILT FENCE, CROSS DRAINS AND ROCK FILTERS SHALL REMAIN CPERATIONAL UNTIL THE SITE HAS BEEN RESTORED TO ORIGINAL TOPOGRAPHY.
- ALL CROSS DRAINS, ROCK FILTERS AND ROCK CHECK DAMS SHALL REMAIN IN PLACE WITHIN THE GRAVEL ACCESS ROAD, UNLESS OTHERWISE NOTED
- OMPACTION OF RECLAMATION FILL MATERIAL TO BE 50% OF THE FAMOURE PROCTOR DENSITY PER ASTM D556, ±3% OF OPTIMUM OISTURE 24 INDH MAX LIFT THICKNESS (TYP, ALL RECLAMATION FILL

TE RESTORATION SEQUENCE

- ONCE OPERATIONS ARE COMPLETE, SLEID AND MULCH ALL DISTURBED AREAS, USING THE SPECIFIED SEEDING REQUIREMENT FOUND ON THE DETIMICED PLAN ALL DISTURBED AREAS MUST BE LEAPOTARILY STABILIZED FE REMONING IDLE, OR ANTICIPATED TO REMAIN IDLE
- RESEED ALL DISTURBED AREAS IF VEGETATION IS NOT ESTABLISHED WITHIN 30 DAYS.
- DEWATER THE BASIN AS NECESSARY USING A PUMPED WATER FILTER
- REVOVE THE TEMPORARY RISER, OUTLET PIPE AND RIPKAP OUTLET PROTECTION.
- REGRADE THE BASIN TO THE ORIGINAL TOPOGRAPHY
- REMOVE ALL SILT FÉNDE AND ROCK FILTERS FOLLOWING COMPLETION OF THE ABOVE STEPS AND AFTER THE SITE HAS A UNIFORM 70% PEREMINAL VEGETATIVE COVER
- SPREAD ROCK FILTER RIPRAP OVER RIP
- WALVES ON PAD DRAINAGE SUMPS S AND COMPLETIONS OPERATIONS AR REMAIN IN PLACE FOR LIFE OF THE V NEEDED TO ENSURE OPERABILITY.

DISTURBED AREA = 27.4 AC TOTAL AREA = 27.4 AC



Know what's below Call before you dig

SITE RESTORATION LEGEND



DISTURBANCE/PROJECT LIMIT

- PERMANENT SEED AND MULCH



