

west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, April 4, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

# CHEVRON APPALACHIA, LLC 700 CHERRINGTON PARKWAY

CORAOPOLIS, PA 15108

Re: Permit approval for HICKS M21H 47-051-01997-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 4/4/2018

Promoting a healthy environment.

API Number:

# PERMIT CONDITIONS 4705101997

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

# CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

**API Number:** 

# PERMIT CONDITIONS 4705101997

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

.



west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street Charleston, WV 25304 (304) 926-0450 fax (304) 926-0452 Jim Justice, Governor Austin Caperton, Cabinet Secretary www.dep.wv.gov

# ORDER ISSUED UNDER WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A

TO: Chevron Appalachia, LLC P.O. Box 611 Moon Township, PA 15108 DATE: February 22, 2017 ORDER NO.: 2017-W-4

# **INTRODUCTION**

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 *et seq*. to Chevron Appalachia, LLC (hereinafter "Operator"), collectively the "Parties."

# **FINDINGS OF THE CHIEF**

In support of this Order, the Chief hereby finds the following:

- 1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 *et seq.*, and the rules and regulations promulgated thereunder.
- 2. Chevron Appalachia, LLC is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as P.O. Box 611, Moon Township, Pennsylvania.
- On December 1, 2016, Chevron Appalachia, LLC submitted well work permit applications identified as API#s 47-051-01897, 47-051-01898, 47-051-01899, 47-051-01900, 47-051-01901, 47-051-01902 and 47-051-01913. The proposed wells are to be located on the Hicks Pad in Clay District of Marshall County, West Virginia.
- On December 1, 2016, Chevron Appalachia, LLC requested a waiver for Wetland W-02 outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit applications identified as API#s 47-051-01897, 47-051-01898, 47-051-01899, 47-051-01900, 47-051-01901, 47-051-01902 and 47-051-01913.

# **CONCLUSIONS OF LAW**

- 1. West Virginia Code §22-1-6(d) requires, in part, that "[i]n addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to...(3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing."
- 2. West Virginia Code §22-6A-2(a)(6) requires, in part, that "Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter."
- 3. West Virginia Code §22-6A-12(b) requires, in part, that "[n]o well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary."

# <u>ORDER</u>

West Virginia Code §22-6A-12(b) requires, in part, that "[n]o well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetland W-02 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit applications identified as API#s 47-051-01897, 47-051-01898, 47-051-01899, 47-051-01900, 47-051-01901, 47-051-01902 and 47-051-01913. The Office of Oil and Gas hereby **ORDERS** that Chevron Appalachia, LLC shall meet the following site construction and operational requirements for the Hicks Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24") in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland W-02 shall have two layers of thirty-inch (30") silt fence to prevent any sediment from reaching the wetland or stream from the well pad and adjacent tank pad. Orange construction fence also delineates the LOD boundary near the wetland to minimize the change of disturbance.
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½") rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

Thus ORDERED, the 22nd day of February, 2017.

4705101997

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

By: JAMES A. MARTIN, CHIEF

Order No. 2017-W-4 Page 4

11/3/14 Wetland and Perennial Stream Waiver Request API Number: \_\_\_\_\_ Operator's Well Number: \_\_\_\_\_

Well Operator:	Chevron Appalacia, LLC
Weil Number:	Well Pad Name: Hicks Well Site
-	Quadrangle of Well Location: Marshall County, Clay District, Moundsville & Glen Easton, WV

Answer the questions below to request a waiver from West Virginia Department of Environmental Protection for any wetlands or perennial streams which lie within one hundred feet of proposed project Limit of Disturbance (LOD), which includes any erosion and sediment control devices to be used.

This waiver shall be requested pursuant to Chapter 22 Article 6A Section 12 of West Virginia Code, which states:

§22-6A-12(b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows:

(1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir.

(2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake.

(3) For a groundwater source, the distance shall be measured from the wellhead or spring.

The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary.

§22-6A-12(c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section.

API Number: \_\_\_\_\_\_
Operator's Well Number: \_\_\_\_\_\_

Answer in the space provided, or use additional pages as necessary to fully answer the questions below:

1. Describe the proposed project location, including unique identifying names of all wetlands, and the names of perennial streams for which the waiver is sought.

The project site consists of forest and meadow with an existing road. The proposed alterations to the project area include clearing approximately 0.1 acres of forest, construction of a combined well pad and tank pad, the improvement of existing private road and the construction of new access road for natural gas operations. The proposed development will disturb approximately 27.4 acres. The waiver is sought for wetland W-02, for which the buffer between the wetland and the limit of disturbance (LOD) is 14 feet. No perennial streams are located within the project area. Please refer to the Erosion and Sediment Control Drawings for the location of wetland W-02.

# 2. Justify the proposed activity by describing alternatives to this project that were considered.

- a. Include a No-Action Alternative as to show "the future without the project"
- b. Location Alternatives must be shown
- c. Must demonstrate why a one hundred foot buffer cannot be maintained
- d. Describe how the proposed project is the least environmentally damaging practicable alternative

A. The No-Action Alternative for this site would involve the construction of four additional pad sites to access the natural gas resources that will be covered by the Hick's Site. The construction of the four alternate locations would cause a greater disturbance to the surrounding environment and region.

B. Chevron investigated several alternate locations in conjunction with the Hick's site. The Hick's Well site was designed to combine all of three separate locations and a portion of a fourth location into one pad site. By combining these alternate sites, the total disturbance to the existing land, forested areas and other critical natural resources has been minimized.

C. Due to the surrounding topography and site conditions, maintaining a 100 foot buffer between the limit of disturbance and wetland W-02 is not viable.

D. The Hick's Well site was designed to utilize the topography of the site in the most practical and efficient manner. Temporary soil stock piles were placed to minimize the overall disturbance to the site. Alternate locations would increase disturbed area and expand the overall limit of disturbance. The proposed stockpile locations minimize the surface area of the stockpile, thus minimizing the disturbed area. Additional E&S controls will be implemented to protect the wetland from adverse impacts.

11/3/14 Wetland and Perennial Stream Waiver Request

API Number: \_\_\_\_\_\_
Operator's Well Number: \_\_\_\_\_\_

3. Identify sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. This description should include all additional erosion and sediment control measures and devices that will be used.

Temporary erosion and sediment control measures including, erosion control blanket, rock filters, riprap aprons, channels, silt fence, a sediment basin, stone construction entrances, mountable berms and temporary seeding and mulching will be used to protect the waters of the state.


Permanent erosion control measures include permanent seeding and mulching and aggregate surfacing. Any areas that are not permanently stabilized with aggregate will be seeded and mulched according to the seeding specifications. Temporary erosion and sediment control measures will remain in place until the site has reached a uniform 70% perennial vegetative cover on all disturbed areas.

Additional details, including maintenance guidelines, have been included on the attached Erosion and Sediment Control Plan. The contractor(s) will be responsible for inspecting and maintaining all temporary and permanent erosion and sediment control best management practices.

- 4. Provide mapping, plans, specifications and design analysis for the preferred alternative to the project.
  - a. Specify in writing what additional controls, measures, devices, monitoring, etc. will be used to protect these wetlands and/or perennial streams for which the waiver is sought.

All erosion and sediment control features have been designed and shall be installed in accordance with the 2006 West Virginia Erosion and Sediment Control Best Management Practice Manual and the West Virginia Erosion and Sediment Control Field Manual (dated 2012).


A double layer of 30" silt fence will be installed as additional protection between the disturbed area and wetland W-02.



-0 5 meta 0 mil 0

1

- man



WW-6B (04/15) API NO. 47-051 OPERATOR WELL NO. M21H Well Pad Name: Hicks

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: C	hevron Ap	palachia, LLC	49449935	Marshall	Clay	Glen Easton 7.5'
/ I			Operator ID	County	District	Quadrangle
2) Operator's Well Nu	umber: <u>M2</u>	1H	Well P	ad Name: Hick	S	
3) Farm Name/Surfac	e Owner: 1	Thomas E Hicks	s Public Ro	ad Access: Fo	rk Ridge Ro	d/WV-17
4) Elevation, current	ground: 1	161.57 E	levation, propose	d post-construct	tion: <u>1140</u>	
5) Well Type (a) Ga Other		Oil	Un	derground Stora	ige	
(b)If		low <u>X</u> zontal X	Deep			
6) Existing Pad: Yes						
7) Proposed Target For Marcellus, 6,362, 6			ipated Thickness	and Expected I	Pressure(s):	
8) Proposed Total Ven	rtical Depth	: 6,366				
9) Formation at Total	Vertical De	epth: Marcellus	3			
10) Proposed Total M	leasured De	pth: 15,735				
11) Proposed Horizon	ntal Leg Len	igth: 8,729				
12) Approximate Fres	sh Water Sti	rata Depths:	430'			
13) Method to Determ	nine Fresh V	Water Depths:	1' mile radius se	arch around pa	ad location	
14) Approximate Salt	water Depti	ns: <u>1147', 175</u> 1	', 2112'			
15) Approximate Coa	l Seam Dep	ths: <u>398', 678'</u>				
16) Approximate Dep	oth to Possib	ole Void (coal m	ine, karst, other):	None		
17) Does Proposed we directly overlying or a			ms Yes	N	o <u>x</u>	
(a) If Yes, provide N	Mine Info:	Name:				
· · · •		Depth:				
		Seam:				
		Owner:				

2

APINO. 47.5.0 5 101997

OPERATOR WELL NO. M21H

Well Pad Name: Hicks

WW-6B (04/15)

18)

# CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	<u>Grade</u>	<u>Weight per ft.</u> (lb/ft)	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20	New			60	60	CTS
Fresh Water	13.375	New	J-55	54.5	480	480	CTS
Coal			1				
Intermediate	9.625	New	L-80	40	2,024	2,024	CTS
Production	5.50	New	P110	20	15,735	15,735	2,524' (500' below
Tubing							9.625" shoe)
Liners			1				

Ju/2/17

ТҮРЕ	Size (in)	<u>Wellbore</u> <u>Diameter (in)</u>	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20	26					
Fresh Water	13.375	17.5	0.38	2,730	1911	Class A	1.2
Coal							
Intermediate	9.625	12.375 & 12.25	0.395	5,750	2768	Class A	1.19
Production	5.5	8.75 & 8.5	0.361	14,360	9975	Class A,G or H	1.25
Tubing							
Liners			1				

# PACKERS

Kind:	
Sizes:	
Depths Set:	RECEIVED Office of Oil and Gas

DEC 0 6 2017

WV Department of Environmental Protection

Page 2 of 3

WW-6B (10/14)

# API NO. 47 05 101997

OPERATOR WELL NO. <u>M21H</u> Well Pad Name: Hicks

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill vertical depth to the Marcellus at an estimated total vertical depth of approximately 6,366 feet. Drill horizontal leg.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Slickwater completion with 200' stage length, 1750 lbs/ft proppant (max anticipated rate/pressure will be 115 bpm/9900 psi, respectively)

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 27.4

22) Area to be disturbed for well pad only, less access road (acres): 19.7

23) Describe centralizer placement for each casing string:

Surface: (1) on shoe track w/stop collar & (1) per jt over coupling to surface; Intermediate: (1) on shoe track w/stop collar & (1) per 3 jts over coupling; Production String: (1) centralizer every jt in the lateral and curve & (1) every other joint from KOP to surface.

24) Describe all cement additives associated with each cement type:

For the Water String the blend will contain Class A cement 3% CaC12, and flake. The intermediate will contain Class A cement, 3% CaC12, Salt and flake. The Production cement will have a lead and tail cement. The lead will contain Class A, G or H cement, KCI, dispersant, suspension agent, and retarder. the tail will contain Class A, G or H cement, KCI, dispersant, de-foamer, suspension agent and friction reducer.

25) Proposed borehole conditioning procedures:

Air sections ensured to be clean via air circulation once TD is reached. Fluid sections will be circulated a minimum of 2 bottoms up once casing point has been reached and until uniform mud properties are achieved.

RECEIVED Office of Oil and Gas

DEC 0 8 2017

WV Department of Environmentals Protection

\*Note: Attach additional sheets as needed.

Hicks Marcellus – Cement Additives

Attachment WW-6B

For the Water String the blend will contain Class A cement, 3% CaC12, and flake.

The intermediate will contain Class A cement, 3% CaC12, and flake.

The Production cement will have a lead and tail cement.

The lead will contain Class A, G, or H cement, KCI, dispersant, suspension agent, and retarder.

The tail will contain Class A, G, or H cement, Calcium Carbonate, KCI, dispersant, de-foamer, suspension agent, and friction reducer.

.

# RECEIVED Office of Oil and Gas

DEC 0 6 2017

WV Department of Environmental Protection

HEVENED Office & Officed Case


· •

MON OF THE

WV Department of environmental Protection

Cherror				Hicks M	21H		
Clay Twp, Marshall Co,	, wv		_			Ground Level Elev. (ft above SL):	1,138
DRILLING FLUID / BIT TYPE / TFA	CENTRALIZER PROGRAM	CASING SIZE / FORMATION	DEPTH MD TVD (FT) (FT)	WELLHEAD DESIGN	HOLE SIZE (IN)	CASING SPECS	CEMENT PROGRAM
Core Barrel / Auger		20" Conductor	60 60	INC AZM	26	Conductor 20" API 5L Minimum 40 ft from GL or at M	Grout to Surface
	Bow Spring: (1) on shoe track w' stop collar & (1) per it over coupling to surface					Surface Casing           13-3/8" 54.58 J-55 BTC           0.380" Wall           Coupling OD (in)         14.375           ID (in)         12.615           Drift: ID (in)         12.459           Burst (pil)         2.750           Collapse (rsv)         1.130           Yield (It Strength 1,000 lbs)         553	Surface Blend (Class A) Cement to Surface
		13-3/ð" Casing	480 480		17.5	Minimum 50 (t past deepos	
	Bow Spring: (1) on ahoe treak w' stop coller & (1) per 3 its over coupling					Intermediate Casing           9-5/8* 404L-80 BTC           0.395* Wail           Coupling CD (in)         10.625           ID (in)         8.835           Drift ID (in)         8.679           Burst (psi)         5,750           Collapse (psi)         3,080           Yield (Jt Strength 1,000 lbs)         916	Intermediate II Bland (Class A) Cement to Surface
		9-5/8" Casing	2,024 2,024		12.375 - 12.25		
	Bew Spring: (1) por every other it over coupling SpiraGilder er Centek: (1) per it of cag to KOP					Production Casing           5-1/2" 208 P-110,           0.351" Wall           Coupling DD (in)         6.300           10 (in)         4.778           Drift ID (in)         4.653           Eurat (psi)         14.360           Collapse (psi)         12.000           Yield (JI Strength 1,000 lbs)         729	<u>Production Lead Sivrry</u> Cement to 500' below 9-5/8' shoe
Non-Conservation	Float Equip. (2) Jts of Osg Float Equip.	5-1/2" Casing	15,735		8.75- 8.5	REC Office of (	Production Tail Slurry TOD minimum 200° above Marcellus EIVED Dil and Gas 6 2017

WV Department of Environmental Protection



API Number 47 -

Operator's Well No. Hicks M21H

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_Chevron Appalachia, LLC OP Code 49449935	
Watershed (HUC 10) Middle Grave Creek-Grave Creek Quadrangle Glen Easton, WV 7.5'	_
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes $\checkmark$ No $\checkmark$ Will a pit be used? Yes No $\checkmark$	_
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application Underground Injection (UIC Permit Number	)
<ul> <li>Reuse (at API Number at next anticipated well</li> <li>Off Site Disposal (Supply form WW-9 for disposal location)</li> <li>Other (Explain</li> </ul>	)
Will closed loop system be used? If so, describe: Yes, we will be utilizing multiple open/closed top tanks.	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etcAir to KOP. SBM from Ko	OP to TMD

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Barite, fluid loss, emulsifiers, rheological control

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed offsite

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA

-Landfill or offsite name/permit number? Arden Landfill #100172: South Hills Landfill #100592; Short Creek Landfill #WW0109517

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Jenny Hayes Hayp	RECEIVED Office of Oil and Gas
Company Official Title Permitting Team Lead	DEC 0 6 2017
Subscribed and sworn before methis 30th day of GCLober	WV Department of , 20 17 Environmental Protection
Hy commission expires September 17 2018	Notary Public Georges Twp., Fayette County

WEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

Operator's Well No. Hicks M21H

# Chevron Appalachia, LLC

Proposed Revegetation Treatme	nt: Acres Disturbed +/	-4 acres	Prevegetation pH	Per soils testing report
Lime 3	Tons/acre or to correc	t to pHunless otherwis	e noted in soils report	
Fertilizer type _10-20-	20			
Fertilizer amount 300	/	lbs/acre		
Mulch3		_Tons/acre		
		Seed Mixtures		
Temp	orary		Perman	ent
Seed Type	lbs/acre		Seed Type	lbs/acre
Annual Ryegrass	50	Non Ari	icultural Upland and Hayfield,	, Pastureland and Cropland
Winter Wheat	75	Tall Fe	scue 100, Orchard Grass 8	0, Perennial Ryegrass 33,
		Timot	hy 80, Ladino Clover 18	3, Birdsfoot-Trefoil 20,
		Birdsfo	oot-Trefoil 18, Ladino (	Clover 20, Red Top 6

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Jun Under	
Comments:	
	RECEIVED
Title: Oil & Gres (uspector Date: 11/3/17	Office of Oil and Gas
Title: Dild Gres (uspector Date: 11/3/17 Field Reviewed? (Yes ()No	DEC 0 6 2017
	WV Department of

Environmental Protection



Chevron

# Appalachian LLC WV Well Site Safety Plan Pad: Hicks Pad A Well # M21H

271 Arbor Lane Moundsville, WV 26041 Clay District Marshall County, WV Access Point – [39.872100°N, 80.711825°W] Well Site – [39.871558°N, 80.717794°W] Marshall County, West Virginia

> RECEIVED Office of Oil and Gas


> > DEC 0 6 2017

WV Department of Environmental Protection

REGENED

的这种自己的

W/V Department of Environmental Pratriction



NOTICE: THE INTENT OF THIS EXHIBIT IS TO IDENTIFY EXISTING WATER SUPPLIES IN THE VICINITY OF A PROPOSED GAS WELL, AND IS NOT A COMPLETE BOUNDARY SURVEY. PROPERTY LINES AND OWNER INFORMATION WERE OBTAINED FROM DEEDS, TAX RECORDS, AERIAL PHOTOGRAPHY, GIS, AND FIELD SURVEYED EVIDENCE.

I BHLI	s located on topo m	apfeet south of Latitu	ıde: 39 * 52 ' 30 "
	s located on topo m		ide: 39 * 52 ' 30 "
	SEE PAGE 2 FOR S	SURFACE OWNERS AND LESSON	
A sweet su	. 1	utter utter	
13 40 100	with the second with	nite in usion	UTM 17-NAD83(M)
WELL WELL	A stan un	With Units (Inte	UTM 17-NADB3(M) N:4413548.944 E:524114.761 ST 문
HICKS M21H	ARBOR AND WORK UN	r winn (29) (320)	NAD83, WV NORTH 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
BIS GRAVE GREEK ATTO	With Million Mil	2 100 U23H U34H	E:1626645.385 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		NI N21H NSA 194	UTM 17-NAD83(M) te te
	NOVA NOVA	NIS	E:524043.23
POINT POINT	OXIMATE LANDING 7 F OF HORIZONTAL LEG	1/ ST	N:500682.194 E:1626389.992 DOTE: USC CONTAN (01)
CRAVE ZREEN		A INX	BOITUM HOLE LUGATION (DEL)
		HAN Y	UTM 17-NAD83(M) N:4411123.25 E:525741.39
		TO SY	NADRE WAY NORTH 1 1
	· 500"	FISHING BREAM	N:493865.207 E:1631850.125
CRAVE CREEK	Xin		
	ASIAN REA	/ / X -	feet
PROPOSED HORIZ.	11-1	51013220	
AZ: 141"18"26"			H - TOPO MAP POINT ☆ - WELL ♀ ♀
CANE CRICK NOT			O - ALL ARE POINTS UNLESS
		· / ~ ]-	
	N X		PARCEL LINES UL CL.
NOTES: DRAND CRECK TIN YY	fill to		- PROPOSED
There are no water wells or developed springs within 250 of     proposed well.		7	- ROAD
<ol> <li>Proposed well is greater than 100' from perennial stream, wedand, pond, reservoir or lake.</li> </ol>	A CREEK		- STREAM CENTER UNE 15 5
There are no native trout streams within 300 of proposed well.     Proposed well is greater than 1000 from surface groundwater	0 1	The CRAVE SPECK THE	() - SURFACE OWNERS
intake or public water supply. 5. It is not the purpose or intention of this plat to represent surveyed	A YT		GAS WELLS • - EXISTING WELLS
locations of the surface or mineral parcels depicted hereon. The location of the boundary lines, as shown, are based on record deed descriptions, field evidence found endfor fax map position, unless	ADDIN PORT ROL	HICKS M21H	, PLUGGED WELLS
otherwise noted. 6. There are no existing buildings within 525' of proposed well.			
	No.		BEARING DISTANCE
	AND	$r_{d}$ $q_{d}$ $\frac{R1}{R2}$ $R3$	N 02'18'45" W 153.39' N 29'20'06" W 186.13'
Blue Mountain Inc.	CONF. (		N 70°26'08" W 656.13' N 15'59'53" W 1366.65'
11023 MASON DIXON HIGHWAY BURTON, WV 26562	L-EIG	ORAVE OPECK PO	N 43'30'46" E 1570.01'
PHONE: (304) 662-6486		DIANED LIEDEDY ACATION THAT THE	OBGE D
FILE #: HICKS M21H		SIGNED, HEREBY CERTIFY THAT THIS THE BEST OF MY KNOWLEDGE AND	No. 2000 STATE OF BOOM
DRAWING #: HICKS M21H	BELIEF AND SHOWS A	L THE INFORMATION REQUIRED BY	No 2000
SCALE: 1" = 2000'		TIONS ISSUED AND PRESCRIBED BY ENVIRONMENTAL PROTECTION.	STATE OF
MINIMUM DEGREE	M.	Christian Christian	RON VIRGINI
OF ACCURACY: 1/2500	Signed:	nge aller	SIONAL SURVINI
PROVEN SOURCE OF ELEVATION: THOMAS 1498 81	R.P.E.:	L.L.S.: P.S. No. 2000	PLACE SEAL HERE
OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON			PLACE SEAL HERE
UNITED STATES TOPOGRAPHIC MAPS	COL WEST US	DATE: OCTOBER 2,	2017
WVDEP OFFICE OF OIL & GAS	and the second	OPERATOR'S WELL #:	HICKS M21H
601 57TH STREET		API WELL #: 47	51 01997
CHARLESTON, WV 25304	State of the second	47	UNTY PERMIT
Well Tuper CO'L CWere Discord			
Well Type: Oil Waste Disposal			Storage Shallow
WATERSHED: MIDDLE GRAVE CREEK-GRAVE CF		ELEVATION:	
COUNTY/DISTRICT: MARSHALL / CLAY		QUADRANGLE:GLEN EAST	
SURFACE OWNER:THOMAS E. HICKS		ACREAGE:	the second se
OIL & GAS ROYALTY OWNER:CHRISTA			
DRILL X CONVERT DRILL DEEPER		the second second second second second	a server a commence of the server server and the
PERFORATE NEW FORMATION DLUG &	ABANDON CLEA	AN OUT & REPLUG 🗌 OTHER CH	ANGE
(SPECIFY):			
(SPECIFY):		ESTIMATED DEPTH: IVD: 6,3	20'± TMD: 15,734.08'±
TARGET FORMATION: MARCELLUS WELL OPERATOR CHEVRON APPALACHIA,		DESIGNATED AGENT KENNETH	E. TAWNEY
TARGET FORMATION:       MARCELLUS         WELL OPERATOR       CHEVRON APPALACHIA,         Address       700 CHERRINGTON PARKWAY			E. TAWNEY 1600

HICKS M21H PAGE 2 OF 2

	LESSOR	DIST-TM/PAR
A	CHRISTA DAWN HICKS ET AL	4-8/37
в	LILLIE LAVERN GAREY	4-8/36
C	JAMES L. COSTER ET AL	4-10/3
	FLOYD G. GREATHOUSE ET UX	
	PAUL R. BLAZER ET UX	
	ROBERT A. HOWARD EDGE JR. ET UX	
	THOMAS A. MONTI ET UX	
	G. JEANETTE SOUTH	-
	RONALD L. LANCH ET UX	
	MICHAEL E. RHODEHAMEL ET UX	
	EDWARD D. YEATER	
	ROBERT A. EDGE ET UX	
	KENNETH R. RUNYAN ET UX	
	KENNETH R. RUNYAN ET UX	
	DANIEL G. MAY ET UX	
	KEVIN R. DURBIN ET UX	
	GARY D. HINERMAN ET UX	
D	ELAIN A. FONTES	4-10/4
	THE DAKAN FAMILY REVOCABLE LIVING TRUST	
	RONALD W. DAKAN	
	DAVID H. DAKAN	
	SUZANNE SWIFT	
	BARBARA D. FURFARI	
	DIANE WILLIS ET VIR	
	LESLIE MARIE BUTTS	
E	ELAIN A. FONTES	4-10/4.3
	THE DAKAN FAMILY REVOCABLE LIVING TRUST	
	RONALD W. DAKAN	
	DAVID H. DAKAN	
	SUZANNE SWIFT	
	BARBARA D. FURFARI	
	DIANE WILLIS ET VIR	
	LESLIE MARIE BUTTS	
F	ELAIN A. FONTES	4-10/4.1
	THE DAKAN FAMILY REVOCABLE LIVING TRUST	
	RONALD W. DAKAN	
	DAVID H. DAKAN	
	SUZANNE SWIFT	
	BARBARA D. FURFARI	
	DIANE WILLIS ET VIR	
	LESLIE MARIE BUTTS	
G	CHARLES EMERY ET UX	4-10/7.2
н	JOSEPH W. GOULDSBERRY ET UX	4-10/7
J	LEE TAYLOR ET UX	4-10/21
К	ROBERT M. SULLIVAN	4-10/15

UTN		-NAD	N (SHL) B3(M) 4
E:5	2411- 83. W	4.761	Ш
E:1	6266 PROX. LA	45.38	15
N:4	4131 2404	72.27	B3(M)
N:5	83, WA 0068 6263	2.194	F.
BOTTO	N HOLE	LOCATIO	N (BHL)
N:4	4111 2574	23.25	B3(M)
N:4	83, W 9386 6318	5.207	7

	SURFACE OWNER	DIST-TM/PAR
1	THOMAS E. HICKS	4-8/37
2	LILLEY LAVERN GAREY	4-8/36
3	SIDNEY P. POND ET UX	4-8/36.2
4	CONSOLIDATION COAL COMPANY/MURRAY ENERGY C/O LAND DEPT	4-12/25
5	JAMES L. COSTER	4-10/3
6	DENNIS D. WINGROVE ET UX	4-10/4
7	DENNIS D. WINGROVE ET UX	4-10/4.3
8	RONALD K. LILLEY SR. ET UX	4-10/4.1
9	CHARLES E. & DEBBY R. EMERY - TOD	4-10/7.1
10	CHARLES E. & DEBBY R. EMERY - TOD	4-10/7.3
11	CHARLES EDWARD EMERY - TOD	4-10/7.2
12	JOSEPH W. GOULDSBERRY ET UX	4-10/7
13	LEE R. TAYLOR ET UX	4-9/27
14	LEE R. TAYLOR ET UX	4-10/21
15	ROBERT MORRIS SULLIVAN - ROBERT W. SULLIVAN	4-10/15

# **OCTOBER 2, 2017**



WW-6A1 (5/13) Operator's Well No. Hicks M21H

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

See Attached

RECEIVED Office of Oil and Gas

DEC 0 6 2017

# WV Department of Environmental Protection

# Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Chevron Appalachia, LLC
By:	Jenny Jako
Its:	Permitting Team lead

Page 1 of 1

Plat ID	Lessor	Lessee	Royalty	Book/Page	Assignment #1	Assignment #2	Assignment #3
4-8-37	Hicks, Christa Dawn et al	Chevron U.S.A. Inc.	0.18	841/246	n/a 24/180	n/a 756/332	n/a
4-8-36	Garey, Lillie Lavern	TriEnergy Holdings, LLC	0.16	707/9	TriEnergy Holdings, LLC to NPAR, LLC	NPAR, LLC to Chevron U.S.A. Inc.	n/a
	Coster, James L. et al	Chevron U.S.A. Inc.	0.16	873/233	n/a	n/a	n/a
	Greathouse, Floyd G. et ux	Chevron U.S.A. Inc.	0.16	817/473	n/a	n/a	n/a
	Blazer, Paul R. et ux	Chevron U.S.A. Inc.	0.16	817/564	n/a	n/a	n/a
	Edge, Robert A. Howard Jr. et ux	Chevron U.S.A. Inc.	0.16	816/430	n/a	n/a	n/a
	Monti, Thomas A. et ux	Chevron U.S.A. Inc.	0.16	816/436	n/a	n/a	n/a
	South, G. Jeanette	Chevron U.S.A. Inc.	0.16	819/115	n/a	n/a	n/a
	Lanch, Ronald L. et ux	Chevron U.S.A. Inc.	0.16	821/195	n/a	n/a	n/a
4-10-3	Rhodehamel, Michael E. et ux	Chevron U.S.A. Inc.	0.16	821/201	n/a	n/a	n/a
	Yeater, Edward D.	Chevron U.S.A. Inc.	0.16	819/121	n/a	n/a	n/a
	Edge, Robert A. et ux	Chevron U.S.A. Inc.	0.16	822/486	n/a	n/a	n/a
	Runyan, Kenneth R. et ux	Chevron U.S.A. Inc.	0.16	826/162	n/a	n/a	n/a
	Runyan, Kenneth R. et ux	Chevron U.S.A. Inc.	0.16	826/152	n/a	n/a	n/a
	May, Daniel G. et ux	Chevron U.S.A. Inc.	0.16	835/207	n/a	n/a	n/a
	Durbin, Kevin R. et ux	Chevron U.S.A. Inc.	0.16	829/555	n/a	n/a	n/a
	Hinerman, Gary D. et ux	Chevron U.S.A. Inc.	0.16	835/255	n/a 30/461	n/a	n/a
	Fontes, Elaine A.	Chesapeake Appalachia, L.L.C.	0.1875	708/525	Chesapeake Appalachia, L.L.C. to Chevron U.S.A.	n/a	n/a
4-10-4	The Dakan Family Revocable Living Trust	Chesapeake Appalachia, L.L.C.	0.1875	708/528	Inc. 30/461 Chesapeake Appalachia, L.L.C. to Chevron U.S.A.	n/a	n/a
	Dakan, Ronald W.	Chevron U.S.A. Inc.	0.16	837/154	Inc. n/a	n/a	n/a
	Dakan, David H.	Chevron U.S.A. Inc.	0.16	837/145	n/a	n/a	n/a
	Swift, Suzanne	Chevron U.S.A. Inc.	0.16	839/373	n/a	n/a	n/a
	Furfari, Barbara D.	Chevron U.S.A. Inc.	0.16	847/364	n/a	n/a	n/a
	Willis, Diane et vir	Chevron U.S.A. Inc.	0.18	849/636	n/a	n/a	n/a
	Butts, Leslie Marie	Chevron U.S.A. Inc.	0.18	849/630	n/a 30/461	n/a	n/a
	Fontes, Elaine A.	Chesapeake Appalachia, L.L.C.	0.1875	708/525	Chesapeake Appalachia, L.L.C. to Chevron U.S.A.	n/a	n/a
MV Denartmont					Inc. 30/461		
Van DEC 1)	The Dakan Family Revocable Living Trust Dakan, Ronald W. Dakan, David H. Swift, Suzanne	Chesapeake Appalachia, L.L.C.	0.1875	708/528	Chesapeake Appalachia, L.L.C. to Chevron U.S.A.	n/a	n/a
<					inc.		
	O T Dakan, Konald W.	Chevron U.S.A. Inc.	0.16	837/154	n/a	n/a	n/a
DEC		Chevron U.S.A. Inc.	0.16	837/145	n/a	n/a	n/a
	G C Furfari, Barbara D.	Chevron U.S.A. Inc.	0.16	839/373	n/a	n/a	n/a
		Chevron U.S.A. Inc.	0.16	847/364	n/a	n/a	n/a
	Butts, Leslie Marie-	Chevron U.S.A. Inc.	0.18	849/636	n/a	n/a	n/a
2017		Chevron U.S.A. Inc.	0.18	849/630	n/a	n/a	n/a
17	Willis, Diane et vir Butts, Leslie Marie-						
<b>6</b> 2017	Gas						
•	m						

	Fontes, Elaine A.	Chesapeake Appalachia, L.L.C.	0.1875	708/525	30/461 Chesapeake Appalachia, L.L.C. to Chevron U.S.A. Inc. 30/461	n/a	n/a
4-10-4.1	The Dakan Family Revocable Living Trust	Chesapeake Appalachia, L.L.C.	0.1875	708/528	Chesapeake Appalachia, L.L.C. to Chevron U.S.A. Inc.	n/a	n/a
	Dakan, Ronald W.	Chevron U.S.A. Inc.	0.16	837/154	n/a	n/a	n/a
	Dakan, David H.	Chevron U.S.A. Inc.	0.16	837/145	n/a	n/a	n/a
	Swift, Suzanne	Chevron U.S.A. Inc.	0.16	839/373	n/a	n/a	n/a
	Furfari, Barbara D.	Chevron U.S.A. Inc.	0.16	847/364	n/a	n/a	n/a
	Willis, Diane et vir	Chevron U.S.A. Inc.	0.18	849/636	n/a	n/a	n/a
	Butts, Leslie Marie-	Chevron U.S.A. Inc.	0.18	849/630	n/a	n/a	n/a
4-10-7.2	Emery, Charles et ux	Mountaineer Natural Gas Company	0.125	679/389	21/359 Mountaineer Natural Gas Company to Anchor OGM, L.L.C.	21/362 Anchor OGM, L.L.C. to AB Resources LLC	756/397 AB Resources LLC to Chevron U.S.A. Inc.
4-10-7	Gouldsberry, Joseph W. et ux	Central Michigan Exploration LLC	0.125	671/502	21/288 Central Michigan Exploration, LLC to Stone Energy Corporation 19/138	33/276 Stone Energy Corporation to Chevron U.S.A. Inc. 756/397	n/a
4-10-21	Taylor, Lee et ux	TriEnergy, Inc.	0.125	741/94	TriEnergy, Inc. to AB Resources LLC	AB Resources LLC to Chevron U.S.A. Inc.	n/a
4-10-15	Sullivan, Robert M.	Chevron U.S.A. Inc.	0.16	579/77	n/a	n/a	n/a

# WV Department n' Environmental Protec on DEC 0,6 2017

# RECEIVED Office of Oil and Gas

-

4705101997



Branden Weimer Permitting Team Lead Chevron Appalachia, LLC 800 Mountain View Drive Smithfield, PA 15478 Tel 724 564 3745 Fax 724 564 3894 bwkb@chevron.com

January 6, 2015

West Virginia D.E.P. Office of Oil & Gas 601 57<sup>th</sup> Street SE Charleston, WV 25304-2345

To Whom It May Concern:

Please be advised that Chevron Appalachia, LLC and Chevron U.S.A. Inc. are affiliated entities. Unless and until revoked, and as evidenced by the signatures of authorized representatives of each entity below, Chevron Appalachia, LLC is authorized to operate assets owned by Chevron U.S.A. Inc. which are located in West Virginia, including oil and gas leases. More particularly, Chevron Appalachia, LLC is authorized to obtain well work permits for assets owned by Chevron U.S.A. Inc. I trust that this will alleviate any concerns the Department may have about Chevron Appalachia, LLC applying for well work permit applications on properties either leased or owned by Chevron U.S.A. Inc. If you have any further questions or concerns, please do not hesitate to contact me.

Branden Weimer Attorney-In-Fact for Chevron Appalachia, LLC

Marc Tate Attorney-In-Fact for Chevron U.S.A. Inc.

RECEIVED Office of Oil and Gas

DEC 0 6 2017

WV Department of Environmental Protection



Madeline Fitzgerald Land Representative

October 23, 2017

West Virginia D.E.P. Office of Oil & Gas 601 57<sup>th</sup> Street SE Charleston, WV 25304-2345

RE: Hicks 8H, 9H, 10H, 20H, 21H

To whom it may concern:

This letter is to confirm that Chevron U.S.A. Inc. has the rights to access minerals under any road along the above referenced laterals. If you should have any further questions or need additional documentation, please feel free to contact me.

Sincerely,

Machline Aggabil

Madeline Fitzgerald Land Representative

Appalachian Mountain Business Unit Chevron North America Exploration and Production Company A Division of Chevron U.S.A. Inc. 700 Chemington Parkway, Coraopolis, PA 15108 Tel 412 865 1584 Mobile 719 859 0110 MadelineFitzgerald@chevron.com

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification:

API No. 47-	1.1 <del>2</del> m.
Operator's Well N	No. M21H
Well Pad Name:	Hicks

### Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	Easting:		524114.761	
County:	Marshall	UTM NAD 83	Northing:	4413548.944	
District:	t: Clay Public Road Access:		cess:	Fork Ridge Road/WV-17	
Quadrangle:	Glen Easton, WV 7.5'	Generally used t	farm name:	Hicks	
Watershed:	Middle Grave Creek-Grave Creek				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has atta that the Operator has properly served the required parties with		
*PLEASE CHECK ALL THAT APPLY		OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTIC SEISMIC A	E NOT REQUIRED BECAUSE NO CTIVITY WAS_CONDUCTED	RECEIVED/ NOT REQUIRED
$\Box$ 2. NOTICE OF ENTRY FOR PLAT SURVEY or $\Box$ N	O PLAT SURVEY WAS CONDUCTED	RECEIVED
	E NOT REQUIRED BECAUSE FENTRY FOR PLAT SURVEY DUCTED or	RECEIVED/ NOT REQUIRED
(PLE	EN WAIVER BY SURFACE OWNER ASE A内国の臣IVED Office of Oil and Gas	RECEIVED
5. PUBLIC NOTICE	DEC 0 6 2017	RECEIVED
6. NOTICE OF APPLICATION	WV Department of invironmental Protection	RECEIVED

### **Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

### Certification of Notice is hereby given:

# THEREFORE, 1 Jenny Hayes

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Chevron Appalachia, LLC	Address:	700 Cherrington Parkway	
By:	Jenny Harfly	and the second	Coraopolis, PA 15108	
Its:	Permitting Team Lead	Facsimile:	412-865-2403	
Telephone:	412-865-1533	Email:	jzyk@chevron.com	
	IONWEAT THE OFAPENNSYLVANIA NOTARIAL SEAL Regina Logue, Notary Public New Savickley Twp., Beaver County Ay Commission Expires July 7, 2018 R. PENNSYLVANIA ASSOCIATION OF NOTABLES	Subscribed and swo Kogy My Commission E:	orn before me this <u>274</u> play of <u>NOV</u> na Logue xpires July 7, 2018	Notary Public

### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas DEC 0.6 2017 WV Department of

Environmental Protection

WW-6A	
(9-13)	

API NO. 47- 4705 701997

OPERATOR WELL NO. <u>M21H</u> Well Pad Name: Hicks

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

	e of Notice: <u>11/01/2017</u> ice of:	Date Permit Applicat	ion Filed:	RECEIVED Office of Oil and Gas
7	PERMIT FOR AN WELL WORK		CATE OF APPROVAL FOR THE UCTION OF AN IMPOUNDMENT OR PIT	100 cm
Deli	very method pursu	ant to West Virginia Co	de § 22-6A-10(b)	WV Department of
	PERSONAL SERVICE	REGISTERED MAIL	METHOD OF DELIVERY THAT REC RECEIPT OR SIGNATURE CONFIR	QUIRES A TOTOLOCTION
Purs certi	uant to W. Va. Code ficate of approval for	§ 22-6A-10(b) no later that the construction of an imp	n the filing date of the application, the applicant for a second se	for a permit for any well work or for a leliver, by personal service or by

registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

□ Application Notice □ WSSP Notice □ E&S Plan Notice □ Well Plat Notice is hereby provided to:

☑ SURFACE OWNER(s)	COAL OV
Name: Thomas E. Hicks	Name: Conse
Address: 353 Arbor Lane	Address: 10
Moundsville, WV 26041	Canonsburg, PA
Name:	COAL OF
Address:	Name: Murra
	Address: 46
SURFACE OWNER(s) (Road and/or Other Disturbance)	St. Clairsville, O
Name: Jeffrey Ryan	SURFACI
Address: 141 Clover Lane	AND/OR W
Moundsville, WV 26041	Name: see a
Name:	Address:
Address:	
	OPERAT
□ SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	

COAL OWNER OR LESSEE
Name: Consol Mining Company, LLC
Address: 1000 Consol Energy Drive
Canonsburg, PA 15317
COAL OPERATOR
Name: Murray Energy
Address: 46226 National Road
St. Clairsville, OH 43950
SURFACE OWNER OF WATER WELL
AND/OR WATER PURVEYOR(s)
Name: see attached
Address:
OPERATOR OF ANY NATURAL GAS STORAGE FIELD

\*Please attach additional forms if necessary

WW-6A (8-13)

API NO. 47-\_\_\_\_ OPERATOR WELL NO. <u>M21H</u> Well Pad Name: Hicks

### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

### **Well Location Restrictions**

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 3 RECEIPTIO the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizon appells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the sected of the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items DEC. **0** 6 2017

> WV Department of Environmental Protection

WW-6A (8-13)

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

# Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED Office of Oil and Gas DEC 0 6 2017

Such persons may request, at the time of submitting written comments, notice of the permit deciding dealist of persons qualified to Environmental Protection test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

OPERATOR WELL NO. <u>M21H</u> Well Pad Name: Hicks

## Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

# **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <u>http://www.dep.wv.gov/oil-and-gas/Horizontal-</u> <u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

# Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

DEC 0,6 2017

WV Department of Environmental Protection

WW-6A	API NO. 47- 4/0510199
(8-13)	OPERATOR WELL NO. M21H
	Well Pad Name: Hicks
Notice is hereby given by: Well Operator: Chevron Appalachia, LLC	Address: 700 Cherrington Parkway Coraopolis, PA 15108
Email: jzyk@chevron.com	Facsimile:

### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

	NOTARIAL SE	ENNSYLVA
Regin	a Logue, Notar	v Public
New Sewi	ckley Twp., Be	aver County
My Commi	ssion Expires	July 7, 2018

Subscribed and sworn before me this 30th day of OCI	, 2017 .
Ragina Loque	Notary Public
My Commission Expires 7/7/18	

RECEIVED Office of Oil and Gas DEC 0,6 2017 WV Department of WV Department of Environmental Protection

Attachment

API No. 47- \_\_\_\_ - \_\_\_\_\_

OPERATOR WELL NO. M21H

Well Pad Name: Hicks

### COAL OWNER OR LESSEE

Name: Christa Dawn Hicks Address: 65 Clover Lane Moundsville, WV 26041

## COAL OWNER OR LESSEE

Name: Leslie Mae Hicks Address: 1611 Skye Drive Chapel Hill, NC 27516

RECEIVED Office of Oil and Gas DEC 0,6 2017 WV Department of Environmental Protection

# SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR Name: Lillie & Lavern Garey

Address: 798 Big Grave Creek Road 4 Moundsville, WV 26041

# SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR

Name: Vickie L. & Sidney P. Pond

Address: 3331 Big Grave Road Moundsville, WV 26041


## SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR

Name: Kenneth B. Tagg Address: 3303 Big Grave Creek Road Moundsville, WV 26041



# WATER SUPPLY EXHIBIT HICKS PAD





NOTICE: THE INTENT OF THIS EXHIBIT IS TO IDENTIFY EXISTING WATER SUPPLIES IN THE VICINITY OF A PROPOSED GAS WELL, AND IS NOT A COMPLETE BOUNDARY SURVEY. PROPERTY LINES AND OWNER INFORMATION WERE OBTAINED FROM DEEDS, TAX RECORDS, AERIAL PHOTOGRAPHY, GIS, AND FIELD SURVEYED EVIDENCE.

Operator Well No. M21H

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: <u>11/01/2017</u> Date Permit Application Filed:

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL	
DELIVERY	<b>RETURN RECEIPT REQU</b>	ESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

### Notice is hereby provided to the SURFACE/OWNER(s):

Name: Thomas E. Hicks	Name: Jeffrey L. Ryan
Address: 363 Arbor Lane	Address: 141 Clover Lane
Moundsville, WV 26041	Moundsville, WV 26041

### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	 UTMANIAD 02	Easting:	524114.761	
County:	Marshall	UTM NAD 83	Northing:	4413548.944	
District:	Clay	 Public Road Acc	cess:	Fork Ridge Road/WV-17	
Quadrangle:	Glen Easton, 7.5'	 Generally used f	farm name:	Hicks	
Watershed:	Middle Grave Creek - Grave Creek	 •			

### This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

### Notice is hereby given by:

Well Operator:	Chevron Appalachia, LLC	Authorized Representative:	
Address:	700 Cherrington Parkway	Address:	
Coraopolis, PA 151	108		
Telephone:	412-865-1533	Telephone:	• •
Email:	jzyk@chevron.com	Email:	
Facsimile:	412-865-2403	Facsimile:	

### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address an Offeting pumber, as part of our regulatory duties. Your personal information may be disclosed to other State agencies of file parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Gas requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WV Department of Environmental Protection

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 11/01/2017 Date Permit Application Filed:

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

### Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: Thomas E. Hicks	Name: Jeffrey L. Ryan
Address: 353 Arbor Lane	Address: 141 Clover Lane
Moundsville, WV 26041	Moundsville, WV 26041

### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia		Easting:	524114.761
County:	Marshall	UTM NAD 83	Northing:	4413548.944
District:	Clay	Public Road Acc	ess:	Fork Ridge Road/WV-17
Quadrangle:	Glen Easton, 7.5'	Generally used f	arm name:	Hicks
Watershed:	Middle Grave Creek - Grave Creek			

### This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Chevron Appalachia, LLC	Address:	700 Cherrington Parkway
Telephone:	412-865-1533		Coraopolis, PA 15108
Email:	jzyk@chevron.com	Facsimile:	412-865-2403

### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Gas business. Our office will appropriately secure your personal information. If you have any questions about our use **Office of all formations** lease contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

# DEC 0 6 2017

WV Department of Environmental Protection

OPERATOR WELL NO. ME Well Pad Name: Hicks

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

# VOLUNTARY STATEMENT OF NO OBJECTION

I,  $\frac{1}{1}$ ,  $\frac{1}{1$ 

State:	West Virginia		Easting:	524114.761	
County:	Marshall	UTM NAD 83	Northing:	4413548.944	
District:	Clay	Public Road Acc	cess:	Fork Ridge Rozd/WV-17	
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	arm name:	Hicks	
Watershed:	Middle Grave Creek-Grave Creek	·			

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature: hy Karl
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: Sidwey P+Vickie L Pond Date: 11-3-17
□ SURFACE OWNER (Impoundments/Pits)	
COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ETC.
COAL OPERATOR	By: Its:
WATER PURVEYOR	Signature:
OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties **Differential Constants** or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

WV Department of Environmental Protection

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

### Instructions to Persons Named on Page WW-6A

Middle Grave Creek-Grave Creek

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

# **VOLUNTARY STATEMENT OF NO OBJECTION**

1, Sidner	+ VICKIE Lonerby state that I have read	I the Instructions t	o Persons Na	amed on Page WW-6A and the associated
provisions lis	ted above, and that I have received copies of a	Notice of Applica	ation, an App	plication for a Well Work Permit on Form
WW-6A and	attachments consisting of pages one (1) thro	ugh		the erosion and sediment control plan, if
required, and	the well plat, all for proposed well work on the	tract of land as fol	lows:	
State:	West Virginia		Easting:	524114.761
County:	Marshall	UTM NAD 83	Northing:	4413548.944
District:	Clay	Public Road Acc	cess:	Fork Ridge Road/WV-17
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	arm name:	Hicks

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature: ho ho ho
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: SIGNEY P+VICKIEL Pond Date: 11-3-17
□ SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A COROSANEDN, ETC.
□ COAL OWNER OR LESSEE	Company: Office of Oil and Gas
COAL OPERATOR	By:
WATER PURVEYOR	Signature:
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date: WV Department of
	Environmental Protection

### **Oil and Gas Privacy Notice:**

Watershed:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

./

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

# **VOLUNTARY STATEMENT OF NO OBJECTION**

I, <u>Benneth</u> B. Tago, hereby state that I have read the Instructions	to Persons Named on Page WW-6A and the associated
provisions listed above, and that I have received copies of a Notice of Applic	cation, an Application for a Well Work Permit on Form
, , , , , , , , , , , , , , , , , , ,	satisfy an reprised on tor a work remain on roma
WW-6A and attachments consisting of pages one (1) through	, including the erosion and sediment control plan, if
required, and the well plat, all for proposed well work on the tract of land as for	

State:	West Virginia		Easting:	524114.761	
County:	Marshail	UTM NAD 83	Northing:	4413548.944	
District:	Clay	Public Road Acc	cess:	Fork Ridge Road/WV-17	
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	farm name:	Hicks	
Watershed:	Middle Grave Creek-Grave Creek	·			

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
$\Box$ SURFACE OWNER	Signature: Kenneth B Jagg
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: <u>KENNETH 8, 4486</u> Date: <u>NOV, 8 2017</u>
□ SURFACE OWNER (Impoundments/Pits)	
□ COAL OWNER OR LESSEE	FOR EXECUTION BY RECEIVED TON, ETC.
COAL OPERATOR	By:Office of Oil and Gas
WATER PURVEYOR	DEC 0.6 2017
OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date: WV Department of
0	Environmental Protection

### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

#### 

GEVIEIOER Est basillo in collic

960 9 8 2017

WV Department of Environmental Protection



### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

**Division of Highways** 

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jim Justice Governor Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

November 15, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Hicks Pad A Well Site, Marshall County Hicks A M21H

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #06-2016-0504 for the subject site to Chevron Appalachia, LLC for access to the State Road for the well site located off of Marshall County Route 17 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

K. Clayton Jary

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office Oil &Gas Coordinator



Cc: Mandy Fordyce Chevron Appalachia, LLC CH, OM, D-6 File

E.E.O./AFFIRMATIVE ACTION EMPLOYER

	Fracture Date.										
	State,	wv									
	County:	Marshall	m								
	API Number;	047-51-200000		0							
	Operator Name:	Chevron	11	≤ ¥							
	Well Pad Name:	Hacks	on ,	<							
	Longitude;	39 872100	3 9								
	Latitude:	-50 711825	en								
	Long/Lat Projection:	NAD 83	Arshall Office of Oil and Gas DEC 0,6 2017 WV Department of Protection								
	Production Type:										
	True Vertical Depth (TVD).		2.2								
	Total Water Volume (gal) *	115001,000	ote								
-				Chaminal Abstract							
Trade Name	Supplier	Purpose	ingredients	Chemical Abstract Service Number (CAS #)	Comme						
Trade Name	Supplier Schlumberger	Purpose Corrosion inhibitor	Ingredients Methanol/Aliphatic Acids/Prop-2 yn 1 ol/Aliphatic Alcohols, etho eylated #1		Comme						
			Methanol/Ai phatic Acids/Prop-2 yr 1	Service Number (CAS #)	Comme						
Corrosion Inhibitor A254	Schl um berger	Carresian whilet or	Methanol/Al phatic Acids/Prop-2 yn-1 ol/Ali phatic Alcoholt, etho iylated #1	Service Number (CAS #) Mature	Comme						
Corrosion linhibitor A254 28% HCIAcid	Schlumberger Schlumberger	Carrosian inhibitor Used Loopen perfs	Methanol/Al phatic Acids/Prop-2 yn-1 ol/Ali phatic Alcoholt, etho wlated #1 Hydrochloric Acid	Service Number (CAS #) Mature 7647-01-0	Comme						
Corrosion lehibitor A254 28% HCJAcid Breaker J134	Schlumberger Schlumberger Schlumberger	Carrosian inhibitor Used toopen perfs Ge(Breaker	Methanol/Ai phatic Acids/Prop-2 yn 1 ol/Ali phatic Alcohols, etho wlated #1 Hydrochloric Acid Hemic ellulase Enzyme	Service Number (CAS #) Mature 7647-01-0 9012-54-8	Comme						
Corrosion lehibitor A254 28% HCIAcid Breaker J134 Water Gelling Agent J580	Schlumberger Schlumberger Schlumberger Schlumberger	Carrosian inhibit or Used Loopen perfs GetBreaker Water Viscosifier	Methanol/Alphatic Acids/Prop-2-yn-1 ol/Aliphatic Alcohols, etho sylated #1 HydrocHoric Acid Hemic elialase Enzyme Carbohydrate Polymer	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary	Comme						
Corrosion lehibitor A254 28% HCLAcid Breaker J134 Water Gelling Agent J580 Friction Reducer 3609	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger	Carrosi on trhibit or Used Loopen perfs Ge(Breaker Water Viscosifier Friction Reducer	Methanol/Aighatic Acids/Prop-2 yn-1 ol/Alghatic Alcohok, etho iylated #1 HydrocHaric Acid Hemic ellatase Enzyme Carbohydrate Polymer Ammon sum Sulfate	Service Number (CAS #)           Misture           7647-01-0           9012-54-8           Proprietary           7783-23-2	Comme						
Corrosion lehibitor A254 28% HCLAcid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Iron Stabilizer L58	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger	Carrosian trhibit or Used Loopen perfs Ge(Breaker Water Viscosifier Friction Reducer Iron Stabilizer	Methanol/Ai phatic Acids/Prop-2 yn 1 ol/Ali phatic Alcohols, etho wylated #1 Hydrochloric Acid Hemic ellulase Eruyme Carbohydrate Polymer Ammon sum Sulfate Sodium Erythorbate Dibromoacetonstrile/2,2-Dibromo 3-	Service Number (CAS #) Minture 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7	Comme						
Corrosion liebibitor A254 28% HCI Acid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Inon Stabilizer L58	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco	Carrosian trhibit or Used Loopen perfs Ge(Breaker Water Viscosifier Friction Reducer Iron Stabilizer Biocide	Methanol/Aiphatic Acids/Prop-2-yn-1 ol/Aliphatic Alcohok, etho vylated #1 HydrocHoric Acid Hemic elialase Enzyme Carbohydrate Polymer Ammonium Sulfate Sodium Erythorbate Dibromoacetontrile/2.2-Dibromo 3- ntril rpropionam de/Polyethylene Glycol	Service Number (CAS #)           Minture           7647-01-0           9012-54-8           Proprietary           7783-23-2           6381-77-7           Mixture	Comme						
Corrosion inhibitor A254 28% HCLAcid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Iron Stabilizer L58 EE6116A EE6686AScale Inhibitor	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco Nalco	Carrosian Inhibit or Used Loopen perfs GetBreaker Water Viscosifier Friction Reducer Iron Stabilizer Bisoide Scale Inhibitor	Methanol/Ai phatic Acids/Prop-2-yn-1 ol/Ali phatic Alcohok, etho vylated #1 HydrocHoric Acid Hemic ellulase Enzyme Carbohydrate Polymer Ammon sum Sulfate Sodium Erythorbate Dibromsacetonstrile/2.2-Dibromo-3- ntril opropionamide/Polyethylene Glycol Am sne Triphosphate/Ethylene Glycol	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7 Mixture Mixture Mixture	Comme						
Corrosion lehibitor A254 28% HCLAcid Breaker J134 Water Gelling Agent J580 Friction Reducer 3609 Inon Stabilizer L58 EE6116A EE66486AScale linibition WALCO EE6673W	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco Nalco Nalco	Carrosion inhibit or Used Loopen perfs GetBreaker Water Viscosifier Friction Reducer Iron Stabilizer Biocide Scale Inhibitor Iron Control	Methanol/Ai phatic Acids/Prop-2 yn 1 ol/Al phatic Alcohols, etho eylated #1 Hydrochlaric Acid Hemic eilulase Enzyme Carbohydrate Polymer Ammon sim Sulfate Sodium Erythorbate Dibromisacetonutrile/2,2-Dibromo 3- nitrilopropionam de/Polyethylene Glycol Am ine Triphosphate/Ethylene Glycol Ethylene Glycol	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7 Mixture Mixture Mixture 107-21-1	Comme						
Corrosion lehibitor A254 28% HCJAcid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Friction Reducer J609 Itom Stabilize rL58 EC6136A EC6486AScale Inhibitor NALCO EC6673W 2012-3050	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco Nalco Nalco Nalco Schlumberger	Carrosion inhibit or Used Loopen perfs GetBreaker Water Viscosifier Friction Reducer Iron Stabilizer Brocide Scale inhibitor Iron Control Proppart	Methanol/Ai phatic Acids/Prop-2-yn-1 ol/Aliphatic Alcohols, etho wylated #1 Hydrochloric Acid Hemic ellulase Enzyme Carbohydrate Polymer Ammon sum Sulfate Sodium Erythorbate Dibromcacetonutrile/2.2-Dibromo 3- etrilopropionam.de/Polyethylene Glycol Amme Triphosphate/Ethylene Glycol Ethylene Glycol Crystilline Silica	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7 Mixture Mixture Mixture 107-21-1 14808-60-7	Comme						
Corrosion lehibitor A254 28% HCJAcid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Friction Reducer J609 Itom Stabilize rL58 EC6136A EC6486AScale Inhibitor NALCO EC6673W 2012-3050	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco Nalco Nalco Nalco Schlumberger	Carrosion inhibit or Used Loopen perfs GetBreaker Water Viscosifier Friction Reducer Iron Stabilizer Brocide Scale inhibitor Iron Control Proppart	Methanol/Ai phatic Acids/Prop-2-yn-1 ol/Aliphatic Alcohols, etho wylated #1 Hydrochloric Acid Hemic ellulase Enzyme Carbohydrate Polymer Ammon sum Sulfate Sodium Erythorbate Dibromcacetonutrile/2.2-Dibromo 3- etrilopropionam.de/Polyethylene Glycol Amme Triphosphate/Ethylene Glycol Ethylene Glycol Crystilline Silica	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7 Mixture Mixture Mixture 107-21-1 14808-60-7	Comme						
Corrosion lehibitor A254 28% HCJAcid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Friction Reducer J609 Itom Stabilize rL58 EC6136A EC6486AScale Inhibitor NALCO EC6673W 2012-3050	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco Nalco Nalco Nalco Schlumberger	Carrosion inhibit or Used Loopen perfs GetBreaker Water Viscosifier Friction Reducer Iron Stabilizer Brocide Scale inhibitor Iron Control Proppart	Methanol/Ai phatic Acids/Prop-2-yn-1 ol/Aliphatic Alcohols, etho wylated #1 Hydrochloric Acid Hemic ellulase Enzyme Carbohydrate Polymer Ammon sum Sulfate Sodium Erythorbate Dibromcacetonutrile/2.2-Dibromo 3- etrilopropionam.de/Polyethylene Glycol Amme Triphosphate/Ethylene Glycol Ethylene Glycol Crystilline Silica	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7 Mixture Mixture Mixture 107-21-1 14808-60-7	Comme						
Corrosion lehibitor A254 28% HCJAcid Breaker J134 Water Gelling Agent J580 Friction Reducer J609 Friction Reducer J609 Itom Stabilize rL58 EC6136A EC6486AScale Inhibitor NALCO EC6673W 2012-3050	Schlumberger Schlumberger Schlumberger Schlumberger Schlumberger Nalco Nalco Nalco Nalco Schlumberger	Carrosion inhibit or Used Loopen perfs GetBreaker Water Viscosifier Friction Reducer Iron Stabilizer Brocide Scale inhibitor Iron Control Proppart	Methanol/Ai phatic Acids/Prop-2-yn-1 ol/Aliphatic Alcohols, etho wylated #1 Hydrochloric Acid Hemic ellulase Enzyme Carbohydrate Polymer Ammon sum Sulfate Sodium Erythorbate Dibromcacetonutrile/2.2-Dibromo 3- etrilopropionam.de/Polyethylene Glycol Amme Triphosphate/Ethylene Glycol Ethylene Glycol Crystilline Silica	Service Number (CAS #) Mature 7647-01-0 9012-54-8 Proprietary 7783-23-2 5381-77-7 Mixture Mixture Mixture 107-21-1 14808-60-7	Comme						

Total Water Volume sources may include fresh water, produced water, and/or recycled water

Al component information listed was obtained from the supplier's Material Safety Data Sheets (MSDS). As such, the Operator is not responsible for inaccurate and/or incomplete information. Any questions regarding the content of the MSDS should be directed to the supplier who provided it. The Occupational Safety and Health Administration's (OSHA) regulations govern the orienta for the disclosure of this information. Please note that Federal Law protects "proprietary". "trade secret ", and "confidential business information" and the orienta for how this information is reported on an MSDS dis subject to 29. OH 1910 1200(i) and Appendix D.

FORK RIDGE CLAY DISTRICT, MARSH/	EROSION AND SEDIN	HIC
ICT, MARSH/	SEDI	HICKS V

Know what's below Call before you dig

PREF

CHEVRON AF 800 MOUNT SMITHFIE

BLUE MOUNTAIN AERIAL MAPPING 11023 MASON DIXON HIGHWAY BURTON, WEST VIRGINIA 26562 304-662-2626

CONSULTANTS



OF CARB	EGEND		EXISTING
F PARL F PARL F SLOPE F SLOPE F SLOPE F SLOPE	OF CURE		063.5
ALL COPE	TER		ACTUR STOCKS
Function	F WALL		Design all and a
Encode E	OM OF WALL		Delle Ling
Staric Staric Aut	OF SLOPE	1.	Parties Die
	TOM OF SLOPE		
	TARY		
	evi		1201 U.A.
	HOLE		241 Etc.
	OF CASTREE		
	VLINE		Diseers News
	ER VALVE		AU + 4, 27500
	VALVE		a Switching of the
T = = = = = = = = = = = = = = = = = = =	HYDHANI		a Ma Canadante
ATER	WOUT		REMEN
RETER	IDARD		TO SPICING LIMP
	ONG METER		this _ +E
SILL	BOX		WHITER I WE
	SIL		

DS - DOOR SILL	MB - MAILBUX	PM - PARKING METER	STD - STANDARD	CO - CLEAN OUT	FH - FIRE HYDHANI	GV - GAS VALVE	WV - WATER VALVE	FL + FLOWLINE	TOP - TOP OF CASTRIC	NH MANHOLE	ST - STORM	SAN - SANITARY	BS + BOTTOM OF SLOPE	TE - TOP OF SLOPE	BW BOTTOM OF WALL	TW - TOP OF WALL	G - GUTTER	TC - TOP OF CURE	LEGEND
								- × ···						11					
	WE REAL REAL	tota - vE	THEFT PLET INF	EE WEB	wheilds 24 a	a Sule all a life a	Aut 4. 215553	Dissent lives		-41 Etc.	The rest		EFF-10-UN	Philippine Price	Delle Link	Course (server	ADVAR STOLED	CHERT TI	EXISTING

ADIMA, STATE FLAME, NORTH LONE,		LONGITUDE: 80.717811 W			LONGITUDE: 80 718297 W	LONGITUDE: 80.711825 W	T ARBOR LANE	LONGITUDE: 80,707481 W	FORK RIDGE ROAD			0.1		25,0	EKI EKI		5.2	TO HICKS THOMAS E	0.0	01	0.0	0.1	TO HICKS LUCILLE E	0.0	2.2	
WE SW	PM - PA	STD - ST	00 - 00	FH - FIP	GV - GA	FL + FL	TOP - TO	MH - MA	ST - 51	SAN - SA	BS - RO	15 - 10	BM BO	TW - TO	0 - GU	16-10	1									

TOTAL AFFECTED AREA TOTAL WOODED ACRES DISTURBED

ACCESS ROADS

IMPACTS TO HICKS THOMAS E

WELL PAD

TOTAL AFFECTED AREA TOTAL WOODED ACRES DISTURBED

ACCESS ROADS WELL PAD

IMPACTS TO HICKS LUCILLE E

TOTAL AFFECTED AREA TOTAL WOODED ACRES DISTURBED

TOTAL WOODED ACRES DISTURBED

ACCESS ROADS

IMPACTS TO RYAN JEFFREY L

2.2

0.1

WELL PAD

TOTAL AFFECTED AREA

WELL PAD

7.7 19.7 27.4

ACCESS ROADS

HICKS LIMITS OF DISTURBANCE AREA (AC)

TOTAL SITE

ATITUDE: 39 8721 N LONGITUDE: 80 711825	ATITUDE: 39.873761 N LONGITUDE: 80.707481
ARBOR LANE LONGITUDE: 80.711825	ONGITUDE: 80 707481

START OF	ATITUDE
START OF ACCESS ROAD AT ARBOR LANE	39.873761 N
ARBOR LANE	LONGITUDE: 80 707481 W

RECEIVING STREAM (USGS BLUE LINE): GRAVE CREEK DISTANCE TO NEAREST USGS BLUE LINE STREAM = 1061 FT NO ANTICIPATED WETLAND IMPACTS WATERSHED NAME (WV WATER PLAN); UPPER OHIO - WHEELING BASED ON NAD 83 WEST VIRGINIA, STATE PLANE, U.S. FOOT

WELL PIN "U35H" LATITUDE 39 871676 N WELL PIN "MIH" LATITUDE: 39.871847 N

5 F

