

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Thursday, June 28, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for MASTER UNIT 3H 47-085-10361-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Daniel M. HAYMOND IV, ET 47-085-10361-00-00 New Drill Date Issued: 6/28/2018

Promoting a healthy environment.

PERMIT CONDITIONS 4708510361

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS 4708510361

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

API NO. 47- 085 -	10	361
OPERATOR WELL	NO.	Master Unit 3H

Well Pad Name: Lettie Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corpora	494507062	085 - Ritchie	Clay	Pennsboro 7.5'(TH) -Middlebourne 7.5' (BH)			
	Operator ID	County	District	Quadrangle			
2) Operator's Well Number: Master Unit 3H	Well Pad	Name: Lettie	Pad				
3) Farm Name/Surface Owner: Daniel M. Haymond, IV, et al Public Road Access: Stull Hill Rd.							
Blevation, current ground: ~974 Elevation, proposed post-construction: 970'							
5) Well Type (a) Gas X Oil	Unde	rground Storag	e				
Other				No and a second s			
(b)If Gas Shallow X	Deep	ga dan sa		on il lat			
Horizontal X				Michael J			
6) Existing Pad: Yes or No No				Michael Haf			
 Proposed Target Formation(s), Depth(s), Antic Marcellus Shale: 6800' TVD, Anticipated Thicknee 		-	essure(s):	7			
8) Proposed Total Vertical Depth: 6800' TVD							
9) Formation at Total Vertical Depth: Marcellus	5						
10) Proposed Total Measured Depth: 18600' M	ID						
11) Proposed Horizontal Leg Length: 10750'							
12) Approximate Fresh Water Strata Depths:	408'						
13) Method to Determine Fresh Water Depths:	Offset well records. Dep	oths have been adj	usted accord	ing to surface elevations.			
14) Approximate Saltwater Depths: 1760'							
15) Approximate Coal Seam Depths: <u>622'</u>							
16) Approximate Depth to Possible Void (coal m	ine, karst, other):	None Anticipat	ed	······································			
17) Does Proposed well location contain coal sea directly overlying or adjacent to an active mine?	ms Yes	No	x				
(a) If Yes, provide Mine Info: Name:							
Depth:							
Seam:							
Office of Oil and Gas							
MAY I 1 2018 Environmental Protection				Page 1 of 3			

API NO. 47- 085 ____

OPERATOR WELL NO. Master Unit 3H Well Pad Name: Lettie Pad

WW-6B (04/15)

CASING AND TUBING PROGRAM

TYPE	<u>Size</u> (in)	<u>New</u> or Used	Grade	<u>Weight per ft.</u> (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80'	80'	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	460' *see #19	460' *see #19	CTS, 639 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	18600'	18600'	4707 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

TYPE	Size (in)	<u>Wellbore</u> <u>Diameter (in)</u>	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	<u>Burst Pressure</u> (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	2.30	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.451"	14,530	2500	Load-H/POZ & Tell - H	H/POZ~1.44 & H~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A		
Sizes:	N/A		
Depths Set:	N/A		

MAG 3-10-18



Page 2 of 3

18)

WW-6B (10/14)

OPERATOR WELL NO. Master Unit 3H Well Pad Name: Lettie Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale. *Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 14.68 Acres

22) Area to be disturbed for well pad only, less access road (acres): 6.86 Acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the Insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1,0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

ter no... oduction: circon... veep, trip to top of curve, ... arite pill, pump 10 bbls fresh water ... *Note: Attach additional sheets as needed. Environnenenti:

Page 3 of 3 MAG 5-10-18

Master Unit 3H (Lettie Pad) - AREA OF REVIEW 35-8-5.11 708510361 Master Unit 3H RECEIVED Office of Oil and Gas APR 2 3 2018 WV Department of Environmental Protection Antero Antero Resources Corporation Master Unit 3H - AOR 1,000 FEET No Wells of Interest REMARKS April 10, 2018

WW-9	
(4/16)	API Number 47 - 085 -
	Operator's Well No. Master Unit 3H
	F WEST VIRGINIA IVIRONMENTAL PROTECTION
	OF OIL AND GAS
FLUIDS/ CUTTINGS DI	SPOSAL & RECLAMATION PLAN
Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) North Fork Hughes River	Quadrangle Pennsboro 7.5'(TH) - Middlebourne 7.5' (BH)
Do you anticipate using more than 5,000 bbls of water to con	nplete the proposed well work? Yes 🗸 No
Will a pit be used? Yes No 🗸	
If so, please describe anticipated pit waste: No pit will t	be used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Perr	mit Number_*UIC Permit # will be provided on Form WR-34
	itted well locations when applicable. AP!# will be provided on Form WR-34
The second	/W-9 for disposal location) (<u>Meadowfill Landfill Permit #SWF-1032-98</u>) Northwestern Landfill Permit #SWF-1025/
Other (Explain	WV0109410
Will closed loop system be used? If so, describe: Yes	
	ontal)? Air, freshwater, oil based, etc.
	80 124 3 Contra
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium? Please See Attachm	
Drill cuttings disposal method? Leave in pit, landfill, remove	ed offsite, etcStored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will	
-Landfill or offsite name/permit number?Meadowfill	Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410)
Permittee shall provide written notice to the Office of Oil and	d Gas of any load of drill cuttings or associated waste rejected at any
West Virginia solid waste facility. The notice shall be provid	ed within 24 hours of rejection and the permittee shall also disclose
where it was properly disposed.	
I certify that I understand and scree to the terms an	d conditions of the GENERAL WATER POLLUTION PERMIT issued
on August 1, 2005, by the Office of Oil and Gas of the West	Virginia Department of Environmental Protection. I understand that the
provisions of the permit are enforceable by law. Violations	s of any term or condition of the general permit and/or other applicable
law or regulation can lead to enforcement action.	ally examined and am familiar with the information submitted on this
r courty under penalty of har inder I have persona	

his application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Ar Official Title Senior Environmental & Reg 3 MAL Company Official (Typed Name) Ground Regulatory Manager STRATE OF COLORADO Environ Penanti Company, 2049 204 NOTRAN 10 10184014160 NOT ARY BURLE AOISA RES MARCH 23. mar 20 18 day of Notary Public 29 2020 MAG 5-10-18

Form WW-9

Operator's Well No. Master Unit 3H

Antero Resources Corporation

Proposed Revegetation Treatmen	Acres	Prevegetation pH			
Lime 2-4	Tons/acre or to correct to	pH 6.5			
Fertilizer type	aw or Wood Fiber (will be us	ed where needed}			
Fertilizer amount_500Ibs/acre					
Mulch 2-3 Tons/acre					
Access Road "A" (1.94 acres) + Access Road "B" (0.05 acres) + Staging Area (1.14 acres) + Well Pad (6.86 acres) + Water Containment Pad (1.47 acres) + Excess/Topsoil Material Stockpiles (3.22 acres) = 14.68 Acres					
	<u>s</u>	eed Mixtures			
Tempo	rary		Permanen	t	
Seed Type	lbs/acre	S	eed Type	lbs/acre	
Annual Ryegrass	40	Crownve	etch	10-15	
Field Bromegrass	Field Bromegrass 40 Tall Fescue 30				
See attached table for additional seed	See attached tab	ole for additional seed typ	e (Lettie Design Page 22)		
*or type of grass seed reque	sted by surface owner	*or type of gr	ass seed requeste	d by surface owner	

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions ($L \times W \times D$) of the pit, and dimensions ($L \times W$), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:	Trabal 9	all				
Comments:		11		• • •		
Comments:						
	OFFIC TR					
	MALOFO	NE				
	Enutra I	and Ga				
	nnepartine <0	18				
	Profession of					
Title: 0:1 4	Cas Inspe	ctor	Date:	1-10-00	.8	
Field Reviewed?	() Yes		No			

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1.	Alpha 1655	
	Salt Inhibitor	
2.	Mil-Carb	
	Calcium Carbonate	
3.	Cottonseed Hulls	
	Cellulose-Cottonseed Pellets – LCM	
4.	Mil-Seal	
	Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM	
5.	Clay-Trol	
	Amine Acid Complex – Shale Stabilizer	
6.	Xan-Plex	
	Viscosifier For Water Based Muds	
7.	Mil-Pac (All Grades)	
	Sodium Carboxymethylcellulose – Filtration Control Agent	
8.	New Drill	
	Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer	
9.	Caustic Soda	Office of Oil and Gas
	Sodium Hydroxide – Alkalinity Control	APR 23 2018
10	. Mil-Lime	
	Calcium Hydroxide – Lime	WV Department of
11	. LD-9	Environmental Protection
	Polyether Polyol – Drilling Fluid Defoamer	
12	. Mil Mica	
	Hydro-Biotite Mica – LCM	

13. Escaid 110	
Drilling Fluild Solvent – Aliphatic Hydrocarbon	
14. Ligco	
Highly Oxidized Leonardite – Filteration Control Agent	
15. Super Sweep	
Polypropylene – Hole Cleaning Agent	
16. Sulfatrol K	
Drilling Fluid Additive – Sulfonated Asphalt Residuum	
17. Sodium Chloride, Anhydrous	
Inorganic Salt	
18. D-D	
Drilling Detergent – Surfactant	
19. Terra-Rate	
Organic Surfactant Blend	
20. W.O. Defoam	
Alcohol-Based Defoamer	
21. Perma-Lose HT	
Fluid Loss Reducer For Water-Based Muds	
22. Xan-Plex D	
Polysaccharide Polymer – Drilling Fluid Viscosifier	
23. Walnut Shells	
Ground Cellulosic Material – Ground Walnut Shells – LCM	
24. Mil-Graphite	
Natural Graphite – LCM	
25. Mil Bar	
Barite – Weighting Agent	
26. X-Cide 102	
Biocide	
27. Soda Ash	
Sodium Carbonate – Alkalinity Control Agent	
28. Clay Trol	
Amine Acid complex – Shale Stabilizer	
29. Sulfatrol	
Sulfonated Asphalt – Shale Control Additive	
30. Xanvis	
Viscosifier For Water-Based Muds	
31. Milstarch	
Starch – Fluid Loss Reducer For Water Based Muds	
32. Mil-Lube	Offi
Drilling Fluid Lubricant	

RECEIVED Office of Oil and Gas

APR 23 2018



911 Address 262 Stull Hill Rd. Pennsboro, WV 26415

Well Site Safety Plan

Antero Resources

Well Name: Leeroy Unit 1H-3H, Master Unit 1H-3H, Christopher Unit 1H-3H, Hayes Unit 1H & 2H

Pad Location: Lettie PAD Ritchie County/Clay District 5-70-70

Michael Doff

GPS Coordinates:

Entrance - Lat 39°21'55.10"/Long -80°54'44.30" (NAD83) Pad Center - Lat 39°21'53.77"/Long -80°54'37.26" (NAD83)

Driving Directions:


From the intersection of I79 and HWY 50: Travel west on US-50 for 28.7 miles. Turn right onto WV-18 N for 0.6 miles. Turn left onto Davis St/Old U.S. 50W for 0.4 miles. Turn right onto Wv-18N/Sistersville Pike for 12.2 miles. Turn left onto WV-74 S for 3.7 miles. Turn right onto Stull Hill Rd for 0.3 miles. The access road will be on the Right.


Alternate Route:

From the town of Pennsboro WV: Head north on WV-74 for 7.3 miles. Turn left onto Stull Hill Rd and continue for 0.3 miles. The access road will be on the Right.



SSP Page 1





Operator's Well Number Master Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Irene Nutter Haymond Trust Lease			
Irene Nutter Haymond	DC Petroleum, Inc.	1/8+	0257/0085
DC Petroleum, Inc.	Antero Resources Appalachian Corporation	Assignment	0257/0763
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Alliance Petroleum Corporation Lease			
Alliance Petroleum Corporation	Antero Resources Appalachian Corporation	1/8	0257/0753
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Patricia L. McCullough Lease			
Patricia L. McCullough	Antero Resources Appalachian Corporation	1/8+	0397/0494
Antero Resources Appalchian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Richard L. Barnard Lease			
Richard L Barnard	Antero Resources Corporation	1/8+	0442/0079

RECEIVED Office of Oil and Gas

APR 23 2018

WW-6A1 (5/13) Operator's Well No. Master Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Frank Grass et al Lease				
	Frank Grass et al Sancho Oil & Gas Corporation	Sancho Oil & Gas Corporation Antero Resources Corporation	1/8 Assignment	0335/0601 0436/0177

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

> RECEIVED Office of Oil and Gas

APR 2 3 2018

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation			
By:	Kevin Kilstrom	li listio		
Its:	Senior Vice President - Production			

Page 1 of _____

FORM WW-6A1 EXHIBIT 1

Natalio E. Tennant. Secretary of State 1900 Kanawha Bivd E Bidg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEEI \$25.00

FILED

JUN 1 0 2013

IN THE OFFICE OF Corporations Division ECRETARY OF STATE Fax: (304)558-8000 Website: <u>www.wysos.com</u> E-mail: business@wysos.com

Penney Barker, Manager

Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. BT

**** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby **** applies for an Amended Certificate of Authority and submits the following statement:

APPLICATION FOR

AMENDED CERTIFICATE

OF AUTHORITY

- Name under which the corporation was authorized to transact business in WV:
- Date Certificate of Authority was issued in West Virginia:
- Corporate name has been changed to: (Attach one <u>Certified Conv of Name Change</u> as filed in home State of incorporation.)
- Name the corporation elects to use in WV: (due to home state name not being available)
- Other amendments: (attach additional pages if necessary)

6/25/2008

Antero Resources Corporation .

Antero Resources Appalachian Corporation

Antero Resources Corporation

 Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.)

Alvyn A. Schopp			5	(303) 357-7310	•	
Contact Name		·.		Phone Number		RECEIVED
·				7.e.		Office of Oil and Ga

7. Signature information (See below *Important Legal Notice Regarding Signature): APR 2 3 2018

Print Name of	Signer: Ahyn A. Schopp	 Title/Capacity: Authorized I	Person
Signature:	Azhaholp	 Date: June 10, 2013	WV Department of Environmental Protection
•	/ //		·

*Important Level Notice Repariting Standard: For West Virginia Code <u>6311)-1-129</u>. Penalty for signing false document. Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdomeanor and, upon conviction thereof, shall be fined not more than one thousand dollars or confined in the county or regional jall not more than one year, or both.

Form CF-4

lasard by the Office of the Secretary of Siate

Revised 4/13

200

WV012 - 0416/2013 Walters Kkmver Online



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

April 19th, 2018

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Master Unit 3H Quadrangle: Pennsboro 7.5' Ritchie County/Clay District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Master Unit 3H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Master Unit 3H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Thomas Kuhn Senior Landman RECEIVED Office of Oil and Gas

APR 2 3 2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 04/18/2018

API No. 47- 085	-
Operator's Well No.	Master Unit 3H
Well Pad Name: Le	ettie Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	507725m	
County:	Ritchie	UTMINAD 85	Northing:	4357278m	
District:	Clay	Public Road Ac	cess:	Stull Hill Road	
Quadrangle:	Pennsboro 7.5'	Generally used t	farm name:	Daniel M. Haymond IV, et al	
Watershed:	North Fork Hughes River				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY OF ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	□ RECEIVED
3. NOTICE OF INTENT TO DRILL OF NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OF	RECEIVED/ NOT REQUIRED
WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH) RECEIVED	
4. NOTICE OF PLANNED OPERATION Office of Oil and Gas	RECEIVED
■ 5. PUBLIC NOTICE APR 2 3 2018	T RECEIVED
6. NOTICE OF APPLICATION WV Department of Environmental Protection	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation		Address:	1615 Wynkoop Street		
By:	Kevin Kilstrom		Denver, CO 80202		
Its:	Senior Vice President - Production	Facsimile:	303-357-7315		
Telephone: 303-357-7310		Email:	mstanton@anteroresources.com		
NO	NOTARY PUBLIC TATE OF COLORADO	Novan	orn before me this <u>18</u> day of <u>April, 2018</u> . Notary Public Notary Public Notary Public		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

> > APR 2 3 2018

WW-6A (9-13) API NO. 47-085 -OPERATOR WELL NO. Master Unit 3H Well Pad Name: Lettie Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 4/19/2018 Date Permit Application Filed: 4/19/2018

PERMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE
WELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: PLEASE SEE ATTACHMENT	Name: NO DECLARATIONS ON RECORD WITH COUNTY RECEIVED
Address:	Address:Office of Oil and Gas
Name:	COAL OPERATOR APR 23 2018
Address:	Name: NO DECLARATIONS ON RECORD WITH COUNTY
	Address:
SURFACE OWNER(s) (Road and/or Other Distur	pance) WV Department of
Name:	Address:WV Department ofWATER PURVEYOR(s)/OWNER(s) OF WATER WELL,
Address:	SPRING OR OTHER WATER SUPPLY SOURCE
	Name: PLEASE SEE ATTACHMENT
Name:	Address:
Address:	
	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
URFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	
	*Please attach additional forms if necessary

WW-6A (8-13) API NO. 47- 085 -OPERATOR WELL NO. Master Unit 3H Well Pad Name: Lettie Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least tope of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2014 creport the Gas Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13) API NO. 47-085 -

OPERATOR WELL NO. Master Unit 3H Well Pad Name: Lettie Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at: Chief Office of Oil and Gas

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

APR 23 2018

WV Department of

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

4708510961 API NO. 47-085

OPERATOR WELL NO. Master Unit 3H Well Pad Name: Lettie Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

APR 2 3 2018

API NO. 47- 085	-	
OPERATOR WE	ELL NO.	Master Unit 3
Well Pad Name:	Lettie Pad	

Notice is hereby given by:

Well Operator: Antero Resou	urces Corporation
Telephone: (303) 357-7182	Untlitte
Email: mstanton@anteroresour	urces.com ()

Address: 16	15 Wynkoop Street	
De	enver, CO 80202	
Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

KARIN COX NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184014160 MY COMMISSION EXPIRES MARCH 29, 2022

Subscribed and sworn before	me this <u>19</u> day of <u>April 2018</u> .
Maii an	Notary Public
My Commission Expires	harch 29, 2022

RECEIVED Office of Oil and Gas

APR 2 3 2018

WV Department of Environmental Protection

WW-6A (8-13)

WW-6A Notice of Application Attachment (LETTIE PAD):

List of Surface Owner(s) with Proposed Disturbance associated with Lettie Well Pad:

WELL PAD – These owners were notified of all well work permit applications, and have executed signed Surface Use Agreements with Antero Resources Corporation.

TM 9 PCL 4

Owner: Address:	Christopher Haymond 382 Stull Hill Rd. Pennsboro, WV 26415	Owner: Address:	Daniel M. Haymond IV 1411 N. Batavia St. STE218 Orange, CA 92867
Owner: Address:	Jessica M. Haymond 3308 ½ Descanso Dr. Los Angeles, CA 90026	Owner: Address:	Zarick Irrevocable Trust c/o Daniel M. Haymond IV 1411 N. Batavia St. STE218 Orange, CA 92867

ROAD AND/OR OTHER DISTURBANCE - All owners have executed signed Surface Use and/or Road Agreements with Antero Resources Corporation. However, they were only notified if their tracts were overlying the oil and gas leasehold being developed by the proposed well work.


TM 9 PCL 4 (continued...)

TM 9 PCL 4

	/	Owner:	Zarick Irrevocable Trust
Owner:	Christopher Haymond		c/o Daniel M. Haymond IV
Address:	382 Stull Hill Rd.	Address:	1411 N. Batavia St. STE218
	Pennsboro, WV 26415		Orange, CA 92867
Owner: Address:	Jessica M. Haymond 3308 ½ Descanso Dr. Los Angeles, CA 900263.		
Owner: Address:	Daniel M. Haymond IV 1411 N. Batavia St. STE218 Orange, CA 92867		

RECEIVED Office of Oil and Gas

APR 23 2018




WW-6A Notice of Application Attachment (LETTIE PAD):

WATER SOURCE OWNERS – Within 1500'

*NOTE: On attached water well map 2 other water sources are identified, but they are located greater than 1500' from the subject well pad location.

1 Water Source Owner: Address:	ce: W2 – 1254' Mary Lou Dawson 208 E. Myles Ave. Pennsboro, WV 26415			
1 Water Source	ce: W4 – 747'			
Owner: Address:	Rocky A. McClain, et al 66 Stull Hill Rd. Pennsboro, WV 26415			
1 Water Source	ce: W5 – 908'			
Owner: Address:	Norma C. Greene 88 Stull Hill Rd. Pennsboro, WV 26415			
2 Water Sources: W6 – 1467', W7 – 1031'				
Owner: Address:	Daniel M. Haymond, et al 1411 N. Batavia St. STE 218 Orange, CA 92867			



WW-6A4 (1/12)

Operator Well No. Master Unit 3H

Multiple Wells on Lettie Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 03/15/2018 Date Permit Application Filed: 04/19/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL
DELIVERY	RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: Provided, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: Provided, however, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: PLEASE SEE ATTACHED	Name:	
Address:	Address:	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

Easting:

507725m

4357278m

Stull Hill Rd (Stella Hill Rd)

Daniel M. Haymond IV, et al

State:	West Virginia	UTM NAD 83 Easting:
County:	Ritchie	Northing:
District:	Clay	Public Road Access:
Quadrangle:	Pennsboro 7.5'	Generally used farm name:
Watershed:	North Fork Hughes River	

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Antero Resources Corporation	Authorized Representative:	Mallory Stanton
1615 Wynkoop St.	Address:	1615 Wynkoop St.
Denver, CO 80202		Denver, CO 80202
303-357-7223	Telephone:	303-357-7182
mstanton@anteroresources.com	Email:	mstanton@anteroresources.com
303-357-7315	Facsimile:	303-357-7315
	1615 Wynkoop St. Denver, CO 80202 303-357-7223 mstanton@anteroresources.com	1615 Wynkoop St. Address: Denver, CO 80202 Telephone: 303-357-7223 Telephone: mstanton@anteroresources.com Email:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of dentities of as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

WV Department of Environmental Protaction

WW-6A4 Notice of Intent to Drill Attachment:

Surface Owners:

Located on TM 3 PCL 10

Located on 1	INISTEL IV		
Owner: Address:	Christopher Keith Haymond 382 Stull Hill Road Pennsboro, WV 26415	Owner: Address:	Jessica M. Haymond 3308 ½ Descanso Dr Los Angeles, CA 90026
Owner: Address:	Daniel M Haymond IV 1411 N. Batavia St STE 218 Orange, CA 92867	Owner: Address:	Zarick Irrevocable c/o Daniel Haymond IV Trust 1411 N. Batavia St STE 218 Orange, CA 92867

Office of Oil and Gas

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 04/19/2018 Date Permit Application Filed: 04/19/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL		HAND
RETURN RECEIPT REQUESTED		DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: PLEASE SEE ATTACHMENT	Name:	
Address:	Address:	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia
County:	Ritchie
District:	Clay
Quadrangle:	Pennsboro 7.5'
Watershed:	North Fork Hughes River

ng a norizontar w	ven on the tra	or or
UTM NAD 83	Easting:	507
UTWINAD 85	Northing:	435
Public Road Ac	cess:	Stul
Generally used	farm name:	Dan

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street
Telephone:	(303) 357-7182		Denver, CO 80202
Email:	mstanton@anteroresources.com	Facsimile:	303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

APR 23 2018

WW-6A5 Notice of Planned Operations Attachment (LETTIE PAD):

	/
Owner:	Christopher Haymond
Address:	382 Stull Hill Rd.
	Pennsboro, WV 26415
	/
Owner:	Jessica M. Haymond
Address:	3308 1/2 Descanso Dr.
	Los Angeles, CA 90026
Owner:	Daniel M. Haymond IV
Address:	1411 N. Batavia St. STE218
	Orange, CA 92867
Owner:	Zarick Irrevocable Trust
	c/o Daniel M. Haymond IV
Address:	1411 N. Batavia St. STE218
	Orange, CA 92867

RECEIVED Office of Oil and Gas

APR 2 3 2018



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

April 13, 2018

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Lettie Pad, Ritchie County Masters Unit 3H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #03-2014-0582 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of SLS 2 in Ritchie County.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dary L. Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Karin Cox Antero Resources Corporation CH, OM, D-3 File

RECEIVED Office of Oil and Gas

APR 23 2018

List of Anticipated Additives Used for Fracturing or Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)	
Fresh Water	7732-18-5	1
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	1
Ammonium Persulfate	7727-54-0	1
Anionic copolymer	Proprietary	1
Anionic polymer	Proprietary	1
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	1
Cellulase enzyme	Proprietary	1
Demulsifier Base	Proprietary	1
Ethoxylated alcohol blend	Mixture	1
Ethoxylated Nonylphenol	68412-54-4	1
Ethoxylated oleylamine	26635-93-8	
Ethylene Glycol	107-21-1	
Glycol Ethers	111-76-2	
Guar gum	9000-30-0	
Hydrogen Chloride	7647-01-0	
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8	
Isopropyl alcohol	67-63-0	
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2	
Microparticle	Proprietary	
Petroleum Distillates (BTEX Below Detect)	64742-47-8	1
Polyacrylamide	57-55-6	
Propargyl Alcohol	107-19-7	
Propylene Glycol	57-55-6	
Quartz	14808-60-7	1
Sillica, crystalline quartz	7631-86-9	1
Sodium Chloride	7647-14-5	
Sodium Hydroxide	1310-73-2	1
Sugar	57-50-1	
Surfactant	68439-51-0	1
Suspending agent (solid)	14808-60-7	
Tar bases, guinoline derivs, benzyl chloride-guaternized	72480-70-7	
Solvent Naphtha, petroleum, heavy aliph	64742-96-7	1
Soybean Oil, Me ester	67784-80-9	
Copolymer of Maleic and Acrylic Acid	52255-49-9	1
DETA phosphonate	15827-60-8	
Hexamthylene Triamine Penta	34690-00-1	1
Phosphino Carboxylic acid polymer	71050-62-9	
Hexamethylene Diamine Tetra	23605-75-5	
2-Propenoic acid, polymer with 2 propenamide	9003-06-9	1
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5	1
Diethylene Glycol	111-46-6	RECEIVED
Methenamine	100-97-0	RECEIVED e of Oil and Ga
Polyethylene polyamine		
Coco amine	61791-14-8	PR 23 2018
2-Propyn-1-olcompound with methyloxirane	38172-91-7	VV Department

REPRODUCTION NOTE these plans were created to be plotted on 22'X4" (ansi d) paper. Half scale drawings are on 11'X17" (ansi b) paper. These plans were created for color plotting and any reproductions in Gray scale or color may result. In a loss of information and should not be used for construction purposes.		
DESIGN CERTIFICATION: THE DRAWINGS, CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HEREFO HAVE BEEN PREFARED IN ACCORDACE WITH THE BEST VIRGUNA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND CAS CRS 35-8.	SITE DESIGN & SEDIMENT C SITE DESIGN & SEDIMENT C SUBST AL PARTIER SUBST AL PARTI	

1 - COURD SHEET 1 - COURD SHEET 2 - COURTING AND EAS COUNTIONS 1 - COURD SHEET 3 - LOBENT - STORM DRAINGE COUNTINGS 4 - MATERIAL QUARTIES - STORM DRAINGE COUNTINGS 5 - STORM DRAINGE CONDUCTIONS - STORM DRAINGE CONDUCTIONS 6 - SUSTING CONDUCTIONS - STORM DRAINGE CONDUCTIONS 7 - EXERTING CONDUCTIONS - ACCESS ROAD, WELL PAD, AKADDA 10 - WELL PAD, AKADDA - STORM DRAINGE CONTINUENT 11 - WATER CONTINUENT - ACCESS ROAD, WELL PAD, AK WATER 12 - VELL PAD, AKADDA - STORM DRAINGE CONTINUENT 13 - VELL PAD, AKADDA - STORM DRAINGE CONTINUENT 14 - WATER CONTINUENT - ACCESS ROAD, WELL PAD, AK WATER 15 - CZ - CONSTRUCTION DEFAILS - ACCESS ROAD, WELL PAD, AK WATER 16 - STORM DRAINGE CONTINUENT - ACCESS ROAD, WELL PAD, AK WATER 17 - DELANS - STORE ROAD 'Y (53) 18 - ACCESS ROAD 'Y (53) - ACCESS ROAD, WELL PAD, AK WATER 19 - DELANS - CONSTRUCTION DEFAILS 10 - STARE CONTINUENT - ACCESS ROAD, WELL PAD, AK WATER 10 - ACCESS ROAD 'Y (53) - ACCESS ROAD, WELL PAD, AK WATER 10 - ACCESS ROAD 'Y (53) - ACCESS ROAD 'Y (53) 10 - ACCESS ROAD 'Y (53) <th></th> <th>N 318122.00 N 318156.55 F F001240.31 E 1560799.23 F N 318127.02 N 318156.51 F F001240.31 E 156029.23 F N 318120.23 N 318154.71 E F001260.23 E 1568819.15 F N 318154.71 E 1568829.15 F M 318170.23 E 1568829.15 F M 318170.19 E 1568829.11 S7000 E 1568829.11</th> <th>aw two tig in inia.</th>		N 318122.00 N 318156.55 F F001240.31 E 1560799.23 F N 318127.02 N 318156.51 F F001240.31 E 156029.23 F N 318120.23 N 318154.71 E F001260.23 E 1568819.15 F N 318154.71 E 1568829.15 F M 318170.23 E 1568829.15 F M 318170.19 E 1568829.11 S7000 E 1568829.11	aw two tig in inia.
1 - COVER SHEET 2 - CONSTRUCTION AND EAS CONTROL NOTES 3 - LICEND 4 - MATERIAL qUARTITIES 5 - STORAN DRAINAGE CONFUNITIES SYSTEM 6 - STORAN DRAINAGE CONFUNITIES 6 - STORAN DRAINAGE CONFUNITIES 7 - EXERTING CONDUCTIONS 8 - OPERALT, PLANE COORDINATE SYSTEM 9 - OPERALT, PLANE COORDINATE SYSTEM 10 - STELL PLAN EXERCICION AND EAS CONTROL NOTES 11 - WATCH CONTROL NOTES 12 - CONSTRUCTION UNDER FLAN 13 - STORAN DRAINAGE CONTAINAGE PLAN 14 - MEL PLAN EXERCISION DEPLAN 15 - STORAN DRAINAGE CONTAINAGE PLAN 16 - STREAL QUARTITIES 17 - CONSTRUCTION DEPLANE 18 - ACCESS ROAD, WATER CONTAINAGEPT PLAN E AVOLUMEST 19 - STREAL PLAN ENDER AVOLUMEST PLAN & WOLL 10 - WELL PLAN, ENDERTISE ACCONTAINAGEPT PLAN E AVOLUMEST 10 - WELL PLAN, ENDERTISE ACCONTAINAGEPT PLAN E AVOLUMEST 10 - STREAL PLANE EXERCISION DETAILS 11 - MERCED AREA (NC) 11 - TORINGORDER AREA (NC) 12 - CONSTRUCTION DETAILS 13 - STREAL REAL (NC) 14 - MERCED AREA (NC) 15 - STORAN DRAINER PLANE A REAL PLAN 16 - STREAL PLANE AREA (NC) 17 - TOR		d WW North WW North UTIM (METERS) e NAD 27 NAD 83 Zone 17 N 318128.36 N 318162.77 N 4357278.65 E E 1601102.59 E 1568729.51 E 507709.87 N 4357278.14 E 1601102.55 E 1569729.47 E 507713.01 N 318128.77 N 4357278.22 E 1601200.47 E 1569729.47 E 507718.05 N 4357278.20 N 4357278.00 E 1601200.47 E 1569729.33 E 507719.09 N 4357278.00 N 4357278.00 E 1601200.47 E 1569769.33 E 507717.75 N 4357277.73 N 318122.88 N 318123.88 N 318159.29 N 4357277.55 N 4357277.55 N 4357272.17 E 1601200.43 E 1569779.31 E 507725.17 S 507725.17 S 507725.17 E 160120.39 E 1569779.31 E 507725.17 S 507725.17 S 507725.17 E 160120.39 E 1569779.31 E 507725.17 S 507725.17 S 507725.17	
1 - COVER SHEET 2 - CONSTRUCTION AND EAS CONTROL NOTES 3 - LECEND 4 - MATERIAL, QUANTITES 5 - STORM DRING GROUD CONDUCTIONS 6 - STORM DRING CONDUCTIONS 7 - EXISTING CONDUCTIONS 8 - CONSTRUCTION AND EAS CONTROL NOTES 8 - STORM DRING GROUD ON NATORAD 8 - CONSTRUCTIONES & FEATURES 8 - CONSTRUCTIVES & FEATURES 9 - ACCESS ROAD, WELL PAD, & WATER CONTAINALENT PAD GRADING FLAN 10 - WELL PAD GRADING FLAN 11 - WATER CONTAINALENT PAD GRADING FLAN 12 - ACCESS ROAD, WELL PAD, & WATER CONTAINALENT PAD GRADING FLAN 13 - WELL PAD, WATER CONTAINALENT PAD & STOCKPILES AS ESCITIONS 14 - STAIL FLAN SCO EDISTURANCE AREA (NC) 15 - SEDITORANCE AREA (NC) 16 - WILL PAD 17 - STAIN MENT PAD & STOCKPILE SECTIONS 18 - STAIL FLAN SCO EDISTURANCE AREA (NC) 19 - SECIENCE AREA (NC) 10 - WILL PAD 11 - STAIL FLAN SCO EDISTURANCE AREA (NC) 12 - ACCESS ROAD PROFILES SECTIONS 13 - SECIENCIAN STRUCTURES & SECTIONS 14 - STAIL FLAN SCO EDISTURANCE AREA (NC) 15 - SECIENCE AREA (NC) 16 - STAINS OF DISTURANCE AREA (NC) 17 - TRAINFORM FRAIL		off TM 4-13	and the second s
1 - COVER SHEET 2 - CONSTRUCTION AND EAS CONTROL NOTES 3 - LEGEND 4 - MATERIAL QUANTITIES 5 - STORM DRAINAGE COMPUTATIONS 6 - EXISTING CONDITIONS 7 - EXISTING CONDITIONS 8 - OVERALL PLAN STRUCTURES & FEATURES 9 - ACCESS ROAD, WELL PLAN 10 - WELL PAD, & WATER CONTAINMENT PAD GRADING PLAN 11 - WATER CONTAINMENT PAD GRADING PLAN 12 - ACCESS ROAD PROFILES & SECTIONS 13 - WELL PAD, WATER CONTAINMENT PAD & STOCKPILE 14 - WALE TAD, WATER CONTAINMENT PAD & STOCKPILE 23 - ACCESS ROAD, WATER CONTAINMENT PAD & STOCKPILE 23 - ACCESS ROAD, WATER CONTAINMENT PAD & TOCKPILE 23 - ACCESS ROAD, WATER CONTAINMENT PAD & TOCKPILE 23 - ACCESS ROAD, WATER CONTAINMENT PAD & TOCKPILE 23 - ACCESS ROAD, WATER CONTAINMENT PAD & TOCKPILE 23 - ACCESS ROAD, WATER CONTAINMENT PAD & TOCKPILE	DATE REVISION	CE AREA (AC)	
1 - COVER SHEET 2 - CONSTRUCTION AND E&S CONTROL NOTES 3 - LEGEND 4 - MATERIAL QUANTITIES 5 - STORM DRAINAGE COMPUTATIONS 6 - EXISTING CONDUTIONS 7 - EXISTING CONDUTIONS 8 - OVERALL PLAN SHEET INDEX & VOLUMES 8 - OVERALL PLAN SHEET INDEX & VOLUMES 9 - ACCESS ROAD, WELL PAD, & WATER CONTAINMENT PAD 10 - WELL PAD GRADING PLAN 11 - WATER CONTAINMENT PAD GRADING PLAN		12 - ACCESS KOAD FROFILES & SECTIONS 13 - WELL PAD, WATER CONTAINMENT PAD & STOCKPILE 14 - WELL, FLD SECTIONS 15-22 - CONSTRUCTION DETAILS 23 - ACCESS ROAD, WATER CONTAINMENT PAD & WELL P RECLAMATION PLAN GE500-GE504 - GEOTECHNICAL DETAILS	Rest of the second seco
1 - COVER SHEET 2 - CONSTRUCTION AND E&S 3 - LECEND 4 - MATERIAL QUANTITIES 5 - STORM DRAINAGE COMPUT 6 - EXISTING CONDITIONS		 7 - EXISTING STRUCTURES & FEATURES 8 - OVERALL PLAN SHEET INDEX & VOLUMES 9 - ACCESS ROAD, WELL PAD, & WATER CONTAINMENT PAD 10 - WELL PAD GRADING PLAN 11 - WATER CONTAINMENT PAD GRADING PLAN 	
SHEET INDEX:		SHEET INDEX: 1 - COVER SHEET 2 - CONSTRUCTION AND E&S 3 - LEGEND 4 - MATERNAL QUANTITIES 5 - STORM DRAINAGE COMPUT 6 - EXISTING CONDITIONS	LAN, LANS

