

#### west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary <u>www.dep.wv.gov</u>

Wednesday, August 1, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

EQT PRODUCTION COMPANY 625 LIBERTY AVE., SUITE 1700

PITTSBURGH, PA 15222

Re: Permit approval for BIG245H16 47-103-03235-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: BIG245H16

Farm Name: ET BLUE GRASS, LLC

U.S. WELL NUMBER: 47-103-03235-00-00

Horizontal 6A New Drill Date Issued: 8/1/2018

### **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API	Νι	ımb	er:							
NTC	4	7	1	0	3	0	3	2	3	5

# **PERMIT CONDITIONS**

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47-103 - 03835

OPERATOR WELL NO. BIG245H16

Well Pad Name: BIG245

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: EC	QT Production Company	306686	Wetzel	Grant	Big Run
		Operator ID	County	District	Quadrangle
2) Operator's Well Nu	mber: BIG245H16	Well	Pad Name: BIG	3245	
3) Farm Name/Surface	Owner: E.T. Bluegrass	Public 1	Road Access: F	Rt. 19/2	
4) Elevation, current g	ground: 1480 F	Elevation, propos	sed post-constru	ction: 1430	
5) Well Type (a) Ga Other			Inderground Sto	orage	
(b)If (	Gas Shallow X	Deep			0 1
	Horizontal X	-			MH
<ol><li>6) Existing Pad: Yes of</li></ol>					5-18-18
<ol> <li>Proposed Target For Marcellus, 7532, 53</li> </ol>	ormation(s), Depth(s), Ant , 2620 PSI	icipated Thickne	ss and Expected	l Pressure(s):	
8) Proposed Total Ver	tical Depth: 7532				
9) Formation at Total	Vertical Depth: Marcelli	us		170	
10) Proposed Total M	easured Depth: 19040				
11) Proposed Horizon	tal Leg Length: 9873				
12) Approximate Fres	h Water Strata Depths:	229, 507, 66	2, 752, 1011		
13) Method to Determ	nine Fresh Water Depths:	From offset we	ells		
14) Approximate Salt	water Depths: none				
15) Approximate Coa	l Seam Depths: 925, 102	24, 1132			
16) Approximate Dep	th to Possible Void (coal r	mine, karst, othe	r): none		1110
	ell location contain coal se adjacent to an active mine			No X	
(a) If Yes, provide N	Mine Info: Name:				
	Depth:	No. of London	- Control of		
	Seam:	Texture 2			
	Owner:				

RECEIVED Office of Oil and Gas

MAY 25 2018

Page 1 of 3

API NO. 47- 103 - 03235 OPERATOR WELL NO. BIG245H16

Well Pad Name: BIG245

18)

#### **CASING AND TUBING PROGRAM**

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20	New	A-500	78.6	40	40	60 ft^3 / CTS
Fresh Water	13 3/8	New	J-55	54.5	1179	1179	1026 ft^3 / CTS
Coal							
Intermediate	9 5/8	New	A-500	40	2925	2925	1136 ft^3 / CTS
Production	5 1/2	New	P-110	20	19040	19040	500' above top producing zone
Tubing	2 3/8		J-55	4.7	10-10-10-10-10-10-10-10-10-10-10-10-10-1	May not be run, if run set 40' above top perf or 80° inclination	
Liners						and the same of th	

DmH 5-18-18

TYPE	Size (in)	Wellbore Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20	26	.375	1378	17	Class A	1.18
Fresh Water	13 3/8	17 1/2	.38	2700	2160	See Variance	1.19
Coal							
Intermediate	9 5/8	12 3/8	.395	3950	3160	Class H	1.07
Production	5 1/2	8 1/2	.361	12640	10112	Class H	1.123/2.098
Tubing	2 3/8	NA	.19	7700			
Liners							

#### **PACKERS**

Kind:		
Sizes:		
Depths Set:		

RECEIVED Office of Oil and Gas

MAY 25 2018

Page 2 of 3

WV Department of Environmental Protection 19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and complete a new horizontal well in the Marcellus Formation. Drill the vertical to an approximate depth of 2995'. Kick off and drill curve. Drill the lateral in the Marcellus. Cement casing.

DAY 5-18-18

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Hydraulic fracturing is completed in accordance with state regulations using water recycled from previously fractured wells and obtained from freshwater sources. This water is mixed with sand and a small percentage (less than 0.3%) of chemicals (including 15% Hydrochloric acid, gelling agent, gel breaker, friction reducer, biocide, and scale inhibitor), referred to in the industry as a "slickwater" completion. Maximum anticipated internal casing pressure is expected to be approximately 10000 psi, maximum anticipated treating rates are expected to average approximately 100 bpm. Stage lengths vary from 150 to 300 feet. Average approximately 350,000 barrels of water per stage. Sand sizes vary from 100 mesh to 20/40 mesh. Average approximately 400,000 pounds of sand per stage.

21) Total Area to be disturbed	, including roads, stockpile area, pits, etc., (acres):	
--------------------------------	---	--

- 22) Area to be disturbed for well pad only, less access road (acres):
- 23) Describe centralizer placement for each casing string:
- Surface: Bow spring centralizers One at the shoe and one spaced every 500'.
- Intermediate: Bow spring centralizers- One cent at the shoe and one spaced every 500'.
- Production: One solid body cent spaced every joint from production casing shoe to KOP

24) Describe all cement additives associated with each cement type:

Production
Load (Class H Cement): 0.2% CD-20 (dispersant makes cement easier to mix). 15% SuperFL-300 (fluid loss/lengthens thickening time). 15% SEC-10 (fluid loss) 50:50 POZ (extender)
Tail (Class H Cement): 0.2% Super CR-1 (Retarder). Lengthens thickening time. 3% Super FL-200 (fluid loss). 2% SEC-10 (Fluid loss). 2% SuperFL-350 (fluid loss). Reduces amount of water lost to fermation. 60 % Calculm Carbonale. Acid solubility.

25) Proposed borehole conditioning procedures:

Surface: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface. Intermediate: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Production: Pump marker sweep with nut plug to determine actual hole washout. Calculate a gauge holes bottoms up volume. Perform a cleanup cycle by pumping 3-5 bottoms up or until the shakers are clean. Check volume of cuttings coming across the shakers every 15 minutes.

\*Note: Attach additional sheets as needed.

Office of Oil and Gas

MAY 25 2018

Page 3 of 3

## 8102 3 5 YAM

RECEIVED Office of Oil and Gas

Well (BIG245H16) **EQT Production** 

Big Run Quad Wetzel County, WV

335 Azimuth 9129 Vertical Section

te: Diagram is not to scale	Top Base			Casing and Cementing			Deepest Fresh Water:	1.011'
Formations	TVD TVD			Туре	Conductor	Surface	Intermediate	Production
Conductor	40		TITL	Hole Size, In.	26	17 1/2	12 3/8	8 1/2
001100001	100	4		Casing Size, OD In.	20	13 3/8	9 5/8	5 1/2
		- 111	111	Casing Wall Thickness, In.	0.375	0.380	0.395	0.361
Base Red Rock	967	111	111	Depth, MD	40'	1,179	2,925'	19,040'
Base Fresh Water	1011	111	111	Weight	78.6#	54.5#	40#	20#
Surface Casing	1179	411		Grade	A-500	J-55	A-500	P-110
	, , , , , , , , , , , , , , , , , , ,			New or Used	New	New	New	New
Maxton	2332 - 2426		11	Burst (psi)	1378	2,700	3.950	12,640
Big Lime	2463 - 2659		11	Cement Class	A	A/Type 1	Н	Н
Weir	2783 - 2875		11	Cement Yield	1.18	1.19	1.07	1.123/2.098
Intermediate Casing Gantz	2925 2982 - 3055	4	<b>L</b>	Top of Cement (Planned)	Surface	Surface	Surface	500' above top Producing Zone
Fifty foot	3108 - 3161			Method	Displacement	Displacement	Displacement	Displacement
Thirty foot	3195 - 3234			Est. Volume (cu ft)	60	1,026	1.136	2.895
Gordon	3249 - 3297			Cot. Volumo (Da ity		11020	Calcium Chloride, Fluid	Calcium Carbonate, Fluid Loss,
Forth Sand	3307 - 3320						Loss, Defoamer.	Extender, Dispersent, Viscosifier,
Bayard	3124 - 3486		1	Possible Additives	N/A	Calcium	Dispersant, POZ, Bonding	Defoamer, POZ, Bonding Agent,
Warren	3884 - 3931					Chloride	Agent, Extender, Retarder,	Retarder, Anti-Settling/Suspension
Speechley	4034 - 4067		KOP @ 2,995'				Flake/LCM	Agent
Riley	4897 - 4939							
Benson	5529 - 5586							
Alexander	5882 - 5941	1						
Sonyea	7087 - 7241	1						
Middlesex	7241 - 7287	- 1		0.11				
Genesee	7287 - 7370			Day ad				
Geneseo	7370 - 7403			5-18-18				
Tully	7403 - 7421		11	2 10				
Hamilton	7421 - 7511		11					
Marcellus	7511 - 7564		11					4
Production Casing	19040 MD	NAMES OF THE PARTY OF			the Real Property and Published Street, or other Designation of the	Address of the Parket of the P	tion of the latest state of the latest states and the latest states are the latest states and the latest states are the latest states and the latest states are the latest state	

Land curve @

7,532' TVD 9,167" MD

Est. TD@

7.532' TVD 19,040' MD

Proposed Well Work:

Onondaga

Drill and complete a new horizontal well in the Marcellus formation.

7564

Drill the vertical to an approximate depth of 2995'.

Kick off and drill curve. Drill lateral in the Marcellus. Cement casing.

9,873' Lateral



May 9, 2018

Mr. Gene Smith
West Virginia Department of Environmental Protection
Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304

recoa Wanstreet

Re: Casing plan on Wells (BIG245)

Dear Mr. Smith,

EQT is requesting the 13-3/8" surface casing be set at 1179' KB, 50' below the deepest mineable Pittsburgh Coal. We will set the 9-5/8" intermediate string at 2925' KB, 50' below the base of the Weir formation.

If you have any questions, please do not hesitate to contact me at (304) 848-0076.

Sincerely,

Rebecca Wanstreet

Landman I

Enc.



#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary dep.wv.gov

March 18, 2014

Nabors Completion & Production Services Company 1380 Route 286 Hwy E #121 Indiana PA 15701

Re: Cement Variance Request

Dear Sir or Madam,

This agency is approving a variance request for the cement blend listed below to be used on surface and coal protection strings for the drilling of oil and gas wells in the state of West Virginia. The variance cannot be used without requesting its use on a permit application and approval by this agency:

Type 1 (2% Calcium Chloride-Accelerator, 0.25% Super Flake-Lost Circulation, 5.2% Water, 94% Type "1" Cement)

If you have any questions regarding this matter feel free to contact me at 304-926-0499, ext. 1653.

/---- p-

Environmental Resources Specialist / Permitting

Promoting a healthy environment.

RECEIVED Office of Oil and Gas

MAY 17 2018

WW Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary dep.wv.gov

#### BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM	)	ORDER NO.	2014 - 17
REGULATION 35 CSR § 4-11.4/11.5/14.1	)		
AND 35 CSR § 8-9.2.h. 4/5/6/8 OF THE	)		
THE OPERATIONAL	)		
REGULATIONS OF CEMENTING OIL	)		
AND GAS WELLS	)		

#### REPORT OF THE OFFICE

Nabors Completion & Production Services Co. requests approval of a different cement blend for use in cementing surface and coal protection casing of oil and gas wells.

#### FINDINGS OF FACT

- 1.) Nabors Completion & Production Services Co. proposes the following cement blend:
  - 2% Calcium Chloride (Accelerator)
  - 0.25 % Super Flake (Lost Circulation)
  - 94% Type "1" Cement
  - 5.20 % Water
- Laboratory testing results indicate that the blend listed in Fact No.1 will achieve a 500
  psi compressive strength within 6 hours and a 2,435 psi compressive strength within 24
  hours.

Promoting a healthy environment.

RECEIVED Office of Oil and Gas

MAY 17 2018

WV Department of Environmental Protection

#### CONCLUSIONS OF LAW

Pursuant to Articles 6 and 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter embraced in said notice, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to 35 CSR § 4-11.5 and 35 CSR § 8-9.2.h.8 the Chief of the Office of Oil and Gas may approve different cement blends upon the well operator providing satisfactory proof that different cement types are adequate.

#### ORDER

It is ordered that Nabors Completion & Production Services Co. may use the cement blend listed in Findings of Fact No.1 for the cementing of surface and coal protection casing of oil and gas wells in the State as may be requested by oil and gas operators. The waiting time on the cement blend shall be 8 hours. The cement blend shall be mixed in strict accordance with the specifications for each blend and weight measurements made on-site to assure the cement slurries meet the minimum weight specifications. A sample shall be collected and, if after 8 hours the cement is not set up, additional time will be required. Nabors Completion & Production Services Co. shall keep a record of cement blend jobs in which the cement blend approved under this order is to be used and made available to the Office of Oil and Gas upon request.

Dated this, the 18th day of March, 2014.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas

Office of Oil and Gas
MAY 17 2018

WW Department of Environmental Protection

#### **EQT Production**

Net.

**Hydraulic Fracturing Monitoring Plan** 

Pad ID: BIG245

**County Wetzel** 

4/01/18



#### Purpose

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near EQT hydraulic fracturing in Wetzel County, WV prior to hydraulic fracturing at the following EQT wells on BIG245 pad: BIG245H8, BIG245H16, BIG245H17.

Due to the requirements under 35CSR8 5.11, the permittee is required to review the area surrounding the proposed well pad so as to identify and evaluate potential conduits for unintended fracture propagation.

A report is required to be submitted along with a well work permit application.

The plan is being implemented as an additional safety measure to be utilized in conjunction with existing best management practices and emergency action plans for the site. These additional measures include coordination with well operators of the timing and location of the hydraulic fracturing, establishment of measures well operators should implement, and assurance that the OOG is notified of the timeline, as well as any issues that may arise during fracturing.

#### 1. Communications with Well Operators

EQT, using available data (WV Geological Survey, WVDEP website, and IHS data service), has identified all known wells and well operators within 500 feet of this pad and the lateral sections that are known or could reasonably be expected to be within range of the fracture propagation. A map showing these wells along with a list of the wells and operators is included in **Attachment A**.

EQT will notify these operators of the hydraulic fracturing schedule for these wells, and coordinate with them throughout the fracturing process.

EQT will recommend to these operators at a minimum to:

- Inspect their surface equipment prior to fracturing to establish integrity and establish prefrac well conditions
- Observe wells closely during and after fracturing and monitor for abnormal increases in water, gas or pressure
- Inspect or install master valves or other necessary equipment for wellhead integrity capable
  of a pressure recommended by EQT
- 4. Notify the OOG and EQT if any changes in water, gas production, pressure, of Cable of Gas anomalies are identified

#### Reporting

EQT will provide information relating to the hydraulic fracturing schedule, communication with other operators, and ongoing monitoring of the work upon request of OOG or immediately in the event of any noted abnormalities.

API Number	Abandoned Date Co	mpletion Date	: Current Operator	Elevation Elevation Reference	Final Status	Lat	Long	Well Name	Permit Date :	SPUD Date	TD Formation	Total Depth Permit
4710300331		11/17/1903	PGH & WV GAS	1109 GR	GAS	39.5883	-80.568					2285 00331
47103000640000	5/21/1934	3/1/1932	PITTSBURGH & W VA GAS	1505 GR	ABD-GW	39.6022	-80.5863	5403 J P ASHCRAFT	1/16/1932	1/31/1932	FOURTH SAND	3634 00064
47103002830001		7/13/1944	STANDARD OIL COMPANY INCORPORATED	1515 GR	GAS	39.6093	-80.5833	1374 H L & I UTT E	5/29/1944	6/13/1944	GORDON	3289 00283
47103003710000		2/1/1951	J C R PETROLEUM INCORPORATED	825 GR	GAS-CB	39.5887	-80.5756	1 S B HIGGINBOTHAM ET AL	12/18/1950	1/2/1951	CONEMAUGH /SERIES/	530 00371
47103003720000	8/7/1963	3/1/1951	UNKNOWN	842 GR	ABD-CB	39.5897	-80.5788		1/15/1951	1/30/1951	PITTSBURGH COAL	523 00372
47103003760000		4/1/1952	J C R PETROLEUM INCORPORATED	1265 GR	GAS-CB	39.5924	-80.5721	2 S J ROBINSON ET AL	2/16/1952	3/2/1952	CONEMAUGH /SERIES/	1008 00376
47103003800000	7/6/1952	5/1/1952	UNKNOWN	1267 GR	D&A-QG	39.5937	-80.5730		3/17/1952	4/1/1952	CONEMAUGH /SERIES/	1185 00380
47103003810000		6/24/1952	J C R PETROLEUM INCORPORATED	818 GR	GAS-CB	39.5841	-80.5776	1 S B HIGGINBOTHAM	5/10/1952	5/25/1952	PITTSBURGH COAL	515 00381
47103003830000		4/10/1953	J C R PETROLEUM INCORPORATED	960 GR	GAS-CB	39.6045	-80.5773	1 J C ASHCRAFT	10/6/1952	10/21/1952	CONEMAUGH /SERIES/	686 00383
47103003840000		5/1/1953	J C R PETROLEUM INCORPORATED	855 GR	GAS-CB	39.6008	-80.5724	2 J P ASHCRAFT	3/17/1953	4/1/1953	CONEMAUGH /SERIES/	585 00384
47103003850000		8/1/1953	J C R PETROLEUM INCORPORATED	905 GR	GAS-CB	39.6021	-80.5734	3 J P ASHCRAFT	6/17/1953	7/2/1953	CONEMAUGH /SERIES/	647 00385
47103003860000		6/1/1953	EQT PRODUCTION COMPANY	847 GR	GAS-CB	39.5986	-80.5752	1 H L SMITH	4/17/1953	5/2/1953	CONEMAUGH /SERIES/	570 00386
47103004320000	7/18/1956	6/1/1956	UNKNOWN	994 GR	D&A	39.6102	-80.5730		4/17/1956	5/2/1956	TIONESTA /SD/	1495 00432
47103004330000		8/1/1956	J C R PETROLEUM INCORPORATED	1509 GR	GAS-CB	39.6066	-80.5830	7 J P ASHCRAFT	6/17/1956	7/2/1956	CONEMAUGH /SERIES/	1235 00433
47103004490000		6/15/1957	NORTH FORK DEVELOPMENT	827 GR	GAS-CB	39.5812	-80.5650		5/18/1957	6/2/1957	PENNSYLVANIAN	537 00449
47103004510000	1/1/1965	7/1/1957	NORTH FORK DEVELOPMENT	817 GR	ABD-CB	39.5829	-80.5665	2 J HERBERT HIGGINBOTHAM	5/17/1957	6/1/1957	PENNSYLVANIAN	529 00451
47103004520000		8/1/1957	NORTH FORK DEVELOPMENT	886 GR	GAS-CB	39.5841	-80.5635	3 J HERBERT HIGGINBOTHAM	6/17/1957	7/2/1957	PITTSBURGH COAL	614 00452
47103004530000	11/16/1957	10/1/1957	UNKNOWN	979 GR	D&A	39.5823	-80.5622		8/17/1957	9/1/1957	PENNSYLVANIAN	725 00453
47103004570000	2/14/1958	1/1/1958	UNKNOWN	1108 GR	D&A-G	39.5842	-80.5661		11/17/1957	12/2/1957	AMES /LM/	859 00457
47103004930000	10/4/1953	12/30/1915	EQUITABLE GAS COMPANY	1163 GR	ABD-GW	39.5889	-80.5743	5131 S I ROBINSON 2	10/31/1915	11/15/1915	BIG INJUN /SD/	2234 00493
47103004940000			EQUITABLE GAS COMPANY	1086 GR	GSTG	39.5863	-80.5734	5431 D KOHN	1/1/1801	1/1/1801	CHEMUNG	2088 00494
47103004950001	11/19/1952	6/19/1946	PITTSBURGH & W VA GAS	1109 GR	D&A-G	39.5884	-80.5679	1768 J M SNIDER 1	5/5/1946	5/20/1946	BIG INJUN /SD/	2285 00495
47103004960000	1/1/1935	8/4/1902	PITTSBURGH & W VA GAS	844 GR	ABD-GW	39.5864	-80.5672	1737 S I ROBINSON	6/5/1902	6/20/1902	HAMPSHIRE	2785 00496
47103004990000			EQUITABLE GAS COMPANY	923 GR	GSTG	39.5829	-80.5693	5434 SOLE	1/1/1801	1/1/1801	CHEMUNG	2712 00499
47103005090000	6/19/1948	8/4/1919	DUNN-MAR OIL & GAS COMPANY	1155 GR	ABD-GW	39.5860	-80.5608	5398 ISAAC HIGGINBOTHAM 1	12/8/1918	12/23/1918	CHEMUNG	3243 00509
47103005100000		8/1/1961	PEMCO GAS INCORPORATED	934 GR	GAS-CB	39.6009	-80.5784	2 H L SMITH	6/17/1961	7/2/1961	CONEMAUGH /SERIES/	662 00510
47103005140000		5/1/1962	JA & M OIL & GAS	1107 GR	GSTG	39.5926	-80.5617	5447 C A LONG	3/17/1962	4/1/1962	BIG INJUN /SD/	00514
47103005160000			JA & M OIL & GAS	1034 GR	UNKWN	39.5809	-80.5703	S448 L B SMITH 1	1/1/1801	1/1/1801	BIG INJUN /SD/	2090 00516
47103005170000		6/1/1962	EQUITABLE GAS COMPANY	869 GR	GSTG	39.5977	-80.5753	5449 M D SMITH	4/17/1962	5/2/1962	BIG INJUN /SD/	00517
47103005200000	1/1/1964	8/2/1919	HOPE NATURAL GAS	937 GR	ABD-GW	39.5794	-80.5571	5532 J M BROWN	6/18/1919	7/3/1919	BIG INJUN /SD/	2025 00520
47103005220000			UNKNOWN	1214 GR	UNKWN	39.5876	-80.5569	5441 FRANCES SHREVES			CHEMUNG	3154 00522
47103005230000		1/1/1963	EQUITABLE GAS COMPANY	846 GR	GSTG	39.5810	-80.5569	5451 F SHREVE	11/17/1962	12/2/1962	BIG INJUN /SD/	00523
47103005240000		4/5/1919	EQUITABLE GAS COMPANY	972 GR	GAS	39.5848	-80.5569	5296 SILAS SHREVES 1	1/7/1919	1/22/1919	CHEMUNG	2882 00524
47103005310000	1/1/1962		EQUITABLE GAS COMPANY	1098 GR	PSEUDO	39.5771	-80.5540	5440 C E BROWN ETAL 1				00531
47103005330000	1/1/1962	12/11/1902	PITTSBURGH & W VA GAS	829 GR	ABD-GW	39.5841	-80.5685	1751 JOHN E SNYDER	10/12/1902	10/27/1902	POCONO	1928 00533
47103005340000			EQUITABLE GAS COMPANY	1067 GR	GSTG	39.5826	-80.5590	5443 SOLE	1/1/1801	1/1/1801	CHEMUNG	2880 00534
47103005380000			EQUITABLE GAS COMPANY	836 GR	UNKWN	39.5794	-80.5635	5454 ELVA R KING	1/1/1801	1/1/1801	BIG INJUN /SD/	1850 00538
47103005660000		1/1/1965	J C R PETROLEUM INCORPORATED	880 GR	GAS-CB	39.5896	-80.5764	3 S B HIGGINBOTHAM HRS	11/17/1964	12/2/1964	CONEMAUGH /SERIES/	548 00566
47103008450000	11/7/1990	9/22/1905	PITTSBURGH & W VA GAS	1290 GR	ABD-GW	39.6099	-80.5860	1847 J P ASHCRAFT	7/5/1905			3112 00845
47103008610000	6/29/1990		EQUITABLE GAS COMPANY	1000 GR	UNKWN	39.6000	-80.5882	5198 ASHCRAFT	1/1/1801	1/1/1801	UNKNOWN	3500 00861
47103008840001		11/7/1989	EQUITRANS INCORPORATED	1167 GR	D&A	39.5922	-80.5683	5426 D/R LUMBER CO	10/17/1989	11/1/1989	GREENBRIER /LM/	2211 00884


RECEIVED Office of Oil and Gas
MAY 1 7 2018
WW Department of Environmental Protection

47103011450000		MEADOW RIDGE DEVELOPMENT LLC	GR	PSEUDO	39.5830 -80.5582 122 MILLS	01145
47103306460000	1/1/1948	3/19/1915 DUNN-MAR OIL & GAS COMPANY	1197 GR	ABD-GW	39.5772 -80.5682 3725 F L HIGGINBOTHAM 1/10/1915 1/25/1915 HAMPSHIRE	3339 30646
47103311450000	1/1/1962	EQUITABLE GAS COMPANY	0 GR	PSEUDO	39.5826 -80.5586 5443 ADDA M SOLE 1	31145
47103702670000		HOPE NATURAL GAS	GR	PSEUDO	39.5890 -80.5570 4983 SILAS SHREVE	70267
47103704190000		HOPE NATURAL GAS	GR	PSEUDO	39.5905 -80.5776 1 S B HIGGINBOTHAM	70419
47103704200000		PHILADELPHIA OIL	GR	PSEUDO	39.6022 -80.5701 1 J P ASHCRAFT ET AL	70420
47103704220000		HOPE NATURAL GAS	GR	PSEUDO	39.5799 -80.5619 1 L HIGGINBOTHAM	70422
47103704230000		PHILADELPHIA OIL	GR	PSEUDO	39.5838 -80.5670 1 ISRAEL SNYDER	70423
47103719390000		UNKNOWN	GR	UNKWN	39.5913 -80.5763 1 S B HIGGINBOTHAM	71939
47103719410000		PHILADELPHIA OIL	GR	UNKWN	39.6041 -80.5731 385 J F UTT	71941
47103719430000		UNKNOWN	GR	UNKWN	39.5923 -80.5814 2 J B HICKS	71943
47103719470000		UNKNOWN	GR	UNKWN	39.5957 -80.5825 1 JAMES SHIRLEY	71947
47103719480000		UNKNOWN	GR	UNKWN	39.5963 -80.5818 1 JAMES SHIRLEY	71948
47103719490000		UNKNOWN	GR	UNKWN	39.5983 -80.5812 5933 JOLLY MINOR	71949
47103719500000		PEMCO GAS INCORPORATED	GR	UNKWN	39.6031 -80.5795 5247 M & J SHIVEN HEIRS 10	71950
47103719570000		UNKNOWN	GR	UNKWN	39.6118 -80.5916 1787 OLLIE SIX 1	71957
47103719580000		UNKNOWN	GR	UNKWN	39.6140 -80.5903 5304 OLLIE SIX	71958
47103719590000		UNKNOWN	GR	UNKWN	39.6125 -80.5893 1 OLLIE SIX	71959
47103719600000		UNKNOWN	GR	UNKWN	39.6122 -80.5875 1 OLLIE SIX	71960
47103719620000		UNKNOWN	GR	UNKWN	39.6108 -80.5839 1736 THOMAS UTT	71962
47103720330000		UNKNOWN	GR	UNKWN	39.5829 -80.5759 1 C BROOKOVER	72033
47103720340000		CARNEGIE NATURAL GAS CORPORATION	GR	UNKWN	39.5822 -80.5758 747 C BROOKOVER 1	72034
47103720350000		UNKNOWN	GR	UNKWN	39.5781 -80.5754 5307 JAMES JOHNSON 1	72035
47103720380000		PHILADELPHIA OIL	GR	UNKWN	39.5714 -80.5724 5287 CHARLES BREWER	72038
47103720390000		UNKNOWN	GR	UNKWN	39.5719 -80.5701 1 R BARR	72039
47103720670000		EQUITRANS INCORPORATED	GR	UNKWN	39.6083 -80.5888 1770 M & J SHIBEN HEIRS	72067
47103722830000		HOPE NATURAL GAS	GR	UNKWN	39.5767 -80.5540 852 F L HIGGINBOTHAM	72283

RECEIVED Gas Office of Oil and Gas MAY 17 2018

WAY 17 2018

WW Department of the chick of the c



#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

RECEIVED Office of Oil and Gas

MAY 9 5 2018

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN	MA1 20 2010
Operator Name EQT Production Company OP Code 306686 En	WV Department of vironmental Protection
Watershed (HUC 10) Rockcamp Run of Wiley Fork Quadrangle Big Run	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No Will a pit be used? Yes No V	-
If so, please describe anticipated pit waste: N/A	_
Will a synthetic liner be used in the pit? Yes No ✓ If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	DnH
Land Application	5-18-18
Underground Injection ( UIC Permit Number 0014, 8462, 4037	
Reuse (at API Number Various	_)
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain	
Yes, The closed loop system will remove drill cuttings from the drilling fluid. The drill cuttings are the prepared for transportation to an off-site disposal facility.	en
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. See Attached	
-If oil based, what type? Synthetic, petroleum, etc. Synthetic Mud	
Additives to be used in drilling medium? See Attached	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number? See Attached List	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also consider where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PER on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I underst provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information submit application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsibility in the information, I believe that the information is true, accurate, and complete. I am aware that there are penalties for submitting false information, including the possibility of fine or imprisonment.  Company Official Signature	tand that the er applicable itted on this ponsible for
Company Official (Typed Name) Erin Spine	
Company Official Title Regional Land Supervisor	
Subscribed and sworn before me this 15 day of May , 20 18  My commission expires 4-7-3030	OFFICIAL SEAL  NOTARY PUBLIC BYATE OF WEST VIRGINIA BECCA L. WANSTREET GT PRODUCTION COMPANY PO BOX 250 BRIDGE PORT, WV 26320 COMMISSION STATES AND 97, 2020

#### WW-9 Attachment

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

 Air is used to drill the top-hole sections of the wellbore (surface, intermediate, and pilot). Water based mud may be necessary depending on hole conditions to stabilize and drill the intermediate section. The pilot hole, curve, and lateral sections will be drilled with either air, water based mud, or oil based mud.

#### Additives to be used in drilling medium?

Air - biodegradable oil lubricant, detergent, defoaming, water. Water based mud – Barite, viscosifer, alkalinity control, lime, filtration control, deflocculates, biodegradable oil lubricant, defoaming, walnut shell, salt, x-cide, carbonates. Oil based mud – synthetic base oil, emulsifier, salt, lime, viscosifer, alkalinity control, filtration control, deflocculates, biodegradable oil lubricant, defoaming, carbonates.

Form WW-9

roposed Revegetation Trea	atment: Acres Disturbed no	additional Prevegetation pH	
	Tons/acre or to correc		
Fertilizer type Gra	anular 10-20-20	COLUMN STATE OF THE STATE OF TH	
Fertilizer amount	1/3	lbs/acre	
Mulch 2		_Tons/acre	
		Seed Mixtures	
Т	emporary	Perma	nent
Seed Type KY-31	lbs/acre 40	Seed Type Orchard Grass	lbs/acre 15
Alsike Clover	5	Alsike Clover	5
Annual Rye	15		
rovided). If water from the creage, of the land applica	e pit will be land applied, inc tion area.	d application (unless engineered plans included dimensions (L $\times$ W $\times$ D) of the pit, and	ding this info have been I dimensions (L x W), and
Maps(s) of road, location, provided). If water from the creage, of the land application of investment of investment of the complete section of	e pit will be land applied, inc ution area. olved 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	I dimensions (L x W), and
Maps(s) of road, location, provided). If water from the creage, of the land applica thotocopied section of involved Approved by:	e pit will be land applied, inc stion area. olved 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	I dimensions (L x W), and
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, inc stion area. olved 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	I dimensions (L x W), and
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, inc tion area. olved 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	REC Office of
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, inc tion area. olved 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	REC Office of MAY 2
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, inc tion area. olved 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	REC Office of
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, inc ation area.	clude dimensions (L x W x D) of the pit, and	REC Office of
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, inc ation area.	clude dimensions (L x W x D) of the pit, and	REC Office of
Maps(s) of road, location, provided). If water from the creage, of the land application of involved the complete section of involved approved by:  Comments:	e pit will be land applied, incation area.  plyed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	REC Office of

## Offsite disposals for Marcellus wells

#### **CWS TRUCKING INC.**

P.O. Box 391 Williamstown, WV 26187 740-516-3586 Noble County/Noble Township Permit # 3390

#### LAD LIQUID ASSETS DISPOSAL INC.

226 Rankin Road Washington, PA 15301 724-350-2760 724-222-6080 724-229-7034 fax Ohio County/Wheeling Permit # USEPA WV 0014

#### TRI COUNTY WASTE WATER MANAGEMENT, INC.

1487 Toms Run Road Holbrook, PA 15341 724-627-7178 Plant 724-499-5647 Office Greene County/Waynesburg Permit # TC-1009

#### **Waste Management - Meadowfill Landfill**

Rt. 2, Box 68 Dawson Drive Bridgeport, WV 26330 304-326-6027 Permit #SWF-1032-98 Approval #100785WV

#### **Waste Management - Northwestern Landfill**

512 E. Dry Road Parkersburg, WV 26104 304-428-0602 Permit #SWF-1025 WV-0109400 Approval #100833WV

#### **BROAD STREET ENERGY LLC**

37 West Broad Street **Suite 1100** Columbus, Ohio 43215 740-516-5381 Washington County/Belpre Twp. Permit # 8462

#### TRIAD ENERGY

P.O. Box 430 Reno, OH 45773 740-516-6021 Well 740-374-2940 Reno Office Jennifer Nobel County/Jackson Township Permit # 4037

#### KING EXCAVATING CO.

**Advanced Waste Services** 101 River Park Drive New Castle, Pa. 16101 Facility Permit# PAR000029132

RECEIVED Office of Oil and Gas

MAY 17 2018


W Department of Environmental Protection



# Site Specific Safety and Environmental Plan

# EQT BIG245 Pad Burton Wetzel County, WV


BG245H1U FO	or Wells:	
		RECEIVED Office of Oil and Gas
Date Prepared: February 23, 2018		MAY 25 2018
EQT Production	WV Oil and Gas Inspector	WV Department of Environmental Protection
Regional Land Supervisor	Dil + Ger Inspector	_
5/10/18 Date	5-18-18 Date	_




BRIDGEPORT, WV 26330

11450

BRIDGEPORT, WV 26330





#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or

Number Grantor, Lessor, etc. Grantee, Lessee, etc.

Royalty

Book/Page

See Attached

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED Office of Oil and Gas MAY 1 7 2018

WV Department of Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: EQT Production Company

By: Erin Spine

Its: Regional Land Supervisor

Page 1 of 2

Operator's Well No.

BIG245H16

Lease No.	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page			
	Shiben Estates, Inc., et al. (current royalty owner)		**				
<u>125397</u>	Joseph Shiben, et al. (Original Lease)	Equitable Gas Company		DB 44A/224			
	Equitable Gas Company	Equitrans, Inc.		O&G 71A/453			
	Equitrans, Inc.	Equitrans, LP		DB 105/908			
	Equitrans, LP	EQT Production Company		O&G 131A/81			
TMP 04-8-21	Ikey Joe Willey	EQT Production Company	n/a	DB 123/99 Subsurfa			
<u>121807</u>	Stone Hill Mineral Holdings, LLC, et al. (current royalty owner)						
	A.C. Higginbotham, et ux, et al. (Original Lease)	Pittsburgh & West Virginia Gas Company		LB 39A/233			
	Pittsburgh & West Virginia Gas Company	Equitable Gas Company		DB187/321			
	Equitable Gas Company	Equitrans, Inc.		DB 71A/453			
	Equitrans, Inc.	Equitrans, LP		DB 105/908			
	Equitrans, LP	EQT Production Company		O&G 131A/81			
	Acropolis, Inc., et al. (Current Royalty Owner)		**				
121160	A. C. Higginbotham, et al. (Original Lease)	Pittsburgh & West Virginia Gas Company		LB 39A/236			
121100	Pittsburgh & West Virginia Gas Company	Equitable Gas Company		LB 187/374			
	•	Equitrans, Inc.		O&G 71A/453			
	Equitable Gas Company	Equitrans, LP		DB 105/908			
	Equitrans, Inc.	EQT Production Company		O&G 131A/81			
	Equitrans, LP	EQT Floduction Company		040 10 11 10 1			
	Bonnie M. Henthorne (Current Royalty Owner)		**				
<u>125426</u>	William Swisher, et ux.	Hope Natural Gas Company		LB 5A/128			
	Hope Natural Gas Company	Equitable Gas Company		LB 44A/380			
	Equitable Gas Company	Equitrans, Inc.		O&G 71A/453			
	Equitrans, Inc.	Equitrans, LP		DB 105/908			
	Equitrans, LP	EQT Production Company		O&G 131A/81			
	Garland E. Minor, et al. (Current Royalty Owner)		**				
125440	Flossie D. Murphy, et al. (Original Lease)	Equitable Gas Company		LB 52A/287			
10,4114	Equitable Gas Company	Equitrans, Inc.		LB 71A/453			
	Equitans, Inc.	Equitrans, LP		DB 105/908			
	Equitrans, LP	EQT Production Company		O&G 131A/81			
<u>102814</u>	Joseph Shiben and Minnie Shiben Estate, et al.	EQT Production Company R	ECEIVED of Oil and	DB 182A/84 I Gas			
	Shiben Estates, Inc., et al. (Current Royalty Owner)	alty Owner) MAY 1 7 2018					
402042	J.P. Ashcraft (Original Lease)	Ovford Oil Company		DB 39/483			
<u>102813</u>	Oxford Oil Company	The Philadelphia Company WV I	Departme	nt <b>St.</b> 47/553			
	The Philadelphia Company	The Philadelphia Company of West Virgini	mental Pr ia	DB 47/561			
	The Philadelphia Company of West Virginia	Pittsburgh & West Virginia Gas Company		LB22A/352			
	Pittsburgh & West Virginia Gas Company	Equitable Gas Company		DB187/321			
	Equitable Gas Company	Equitrans, Inc.		LB 71A/453			
	Equitans, Inc.	Equitrans, LP		DB 105/908			
	Equitrans, LP	Equitable Production-Eastern States, Inc.		AB 342/24 Tyler Co			
	Equitable Production-Eastern States, Inc.	Equitable Production Company		See Attached			
	Equitable Production Company	EQT Production Company		CB 13/14			

<sup>\*\*</sup> Per West Virginia Code Section 22-6-8.



EQT Production Company
2400 Ansys Drive.
Suite 200
Canonsburg, PA 15317
www.eqt.com
Todd Klaner
Regional Land Manager, Permitting
tklaner@eqt.com

Via E-Mail

May 9, 2018

WV DEP Reviewer

Dear Reviewer,

RE: EQT Production Company

PAD ID - BIG245

Well# - BIG245H8, BIG245H16,

BIG245H17 Wetzel County

This well indicated by this permit application contains a Subsurface Easement Agreement for non-productive portions of the well bore. Attached is a Memorandum of Subsurface Use Agreement which gives EQT the right to drill below the surface of the tract 8/21 shown on the well plat.

EQT Production understands that the WVDEP will issue the permit in the normal process subject to the completeness of the requirements of the Office of Oil and Gas and does not take a position with regards to the property rights under this agreement.

EQT Production agrees that the WVDEP's issuance of the permit is in no way an affirmance or validation of EQT Production's claimed rights.

Regards,

Todd Klaner

Regional Land Manager, Permitting

**EQT Production Company** 

Office of Oil and Gas

WV Department of Environmental Protection

#### MEMORANDUM OF SUBSURFACE RIGHT-OF-WAY AND EASEMENT AGREEMENT

County Clerk please also index under the following: [LIST MINERAL OWNERS]

4-8-21 Appalachian Royalty, Mensore Trust, McCall Trust

#### 1. NAME AND ADDRESS OF GRANTOR:

Ikey Joe Willey 12359 Willey Fork Road Pine Grove, WV 26419-9735

#### 2. NAME AND ADDRESS OF GRANTEE:

EQT Production Company 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

- 3. SUBSURFACE RIGHT-OF-WAY AND **EASEMENT AGREEMENT** A SUBSURFACE RIGHT-OF-WAY AND EASEMENT REFERENCE: AGREEMENT ("Agreement") dated the 15th day of June, 2017, was entered into for good and valuable consideration by and between Ikey Joe Willey ("Grantor", whether one or more) and EQT Production Company ("Grantee"). Upon completion of any wellbore within the subsurface area underlying the Property (as defined in Section 4), this subsurface easement in the area of the wellbore and the one hundred (100') feet on each side of the wellbore that parallels it shall become an exclusive right of way and easement in that area. The final wellbore locations are as described in a final, as-built map(s) filed with the West Virginia Department of Environmental Protection (the "DEP") for well(s) located on EQT's PAD ID BIG 245. If an as-built map is not available for a wellbore within the subsurface area underlying the Property, any third-party with the right to operate within such area may contact Grantee's land department for a copy of such as-built map. Grantee shall provide notice of additional wellbores located within the subsurface area underlying the Property by filing an amendment, affidavit or other appropriate document.
- 4. <u>DESCRIPTION OF PREMISES</u>: That certain tract or parcel of land containing 76.27 acres, more or less, located in Grant District in Wetzel County, West Virginia, being the same lands conveyed to Grantor by Will dated the 29th day of October, 1971, of record in the Office of the Clerk of the County Commission of Wetzel County, West Virginia in Will Book 29, at Page 40 ("the Property").

Tax Map and Parcel(s) 8-21

5. <u>TERM</u>: The Agreement shall run with the land and shall remain in full force and effect until released and relinquished by the Grantee back to the Grantor, in writing.

RECEIVED Gas (REMAINDER OF PAGE LEFT BLANK INTENTIONALLY) 17 2018

.... WV Department of Environmental Protection

MAY 17 2018

WV Department of nvironmental Protection

Agreement referenced in Section 3 above. **GRANTOR: GRANTEE: EQT Production Company** ason M. Ranson Its Attorney-in-Fact STATE OF WEST VIRGINIA; **COUNTY OF WETZEL:** I, Sexon Jack , a commissioner, in and for said State and County, do hereby certify that Ikey Joe Willey, personally known to be the same person(s) that signed above, appeared before me this day in person in the State and County aforesaid, and acknowledged and delivered the said instrument as a free act and deed for uses and purposes therein set forth. Given under my hand this 15th day of JUNE, 2017. My Commission expires: Jan. 1 2021. OFFICIAL SEAL COMMISSIONER FOR WEST VIRGINIA Bryson J. Karp Weston, WV My Commission Expires January 1, 2021 STATE/COMMONWEALTH OF WEST VIRGINIA; COUNTY OF Hamson: I, Katch L. Preston, a Notary Public, in and for said State and County, do hereby certify that M. Ranson, personally known to be the same person whose

name is subscribed to the foregoing instrument and the Attorney in fact of EQT Production

Company, appeared before me this day in person in the State and County aforesaid and acknowledged and delivered the said instrument to be his free act and deed for uses and big policand Gas

IN WITNESS WHEREOF, the parties have signed their names hereto as of the date of the

therein set forth on behalf of said company.

Given under my hand this My Commission expires:

PENNSYLVANIA DEPARTMENT OF STATE
CORPORATION BUREAU
ROOM 308 NORTH OFFICE BUILDING
P.O. BOX 8722
HARRISBURG, PA 17105-8722

315

EQUITABLE PRODUCTION COMPANY

THE CORPORATION BUREAU IS HAPPY TO SEND YOU YOUR FILED DOCUMENT. PLEASE NOTE THE FILE DATE AND THE SIGNATURE OF THE SECRETARY OF THE COMMONWEALTH. THE CORPORATION BUREAU IS HERE TO SERVE YOU AND WANTS TO THANK YOU FOR DOING BUSINESS IN PENNSYLVANIA. IF YOU HAVE ANY QUESTIONS PERTAINING TO THE CORPORATION BUREAU, CALL (717) 787-1057.

ENTITY NUMBER: 2980374

MICROFILM NUMBER: 2001032

1297-1300

RECEIVED
Office of Oil and Gas

JUL 2 5 223

C T CORP SYSTEM COUNTER

W/V Department of Environmental Protection

## 200132 - 1297

icrofilm Number		Filed with the Dep	artment of Stat	4PR 3 0 20
ttly Number 29 6030 Y		N/	Lyper	julk
		Secret	ary of the Con	nnonwedith
ARTICLES OF	MERGER-DOMESTIC DSCB: 15-1926 (R		RPORATION	
In compliance with the requirements of 1 siness corporations, desiring to effect a me		to articles of merg	er or consolida	ullan), the undersigns
The name of the corporation surviving the	merger is: Equitable Prod	uction Company		
(Check and complete one of the following  X. The surviving corporation is a domestic Commonwealth or (b) name of its can Department is hereby authorized to ac	business corporation an	provider and the	county of vent	ue is (the
Number and Street	City	State	Zip	County
(b) c/o: CT Corporation System			j	Meghany
Name of Commercial Regist	tered Office Provider			County
The surviving corporation is a qualified and the (a) address of its current regist office provider and the county of vent to conform to the records of the Department	tered office in this Comm ue is (the Department is t	cowealth or (b) no	me of its come	nercial redisterea
(a) Number and Street	City	State	Zip	County
(b) c/o:				
(b) c/o: Name of Commercial Regis	tered Office Provider			County
or a corporation represented by a commercial corporation is located for venue and afficial put	registered office provider, th slication purposes.	e county in (b) shall t	e deamed the d	county in which the
The surviving corporation is a nonqual and the address of its principal office to	ified foreign business con under the laws of such do	ocration incorpora omicilicry jurisdictio	ted under the In is:	laws of
Number and Street	City	State	Zip	
The name and the address of the registere provider and the county of venue of each which is a party to the plan of merger are	n other domestic business	wealth or <del>name</del> of corporation and c	its commercia qualified foreig	l registered office in business corporat
Name of Corporation Address of i	Registered Office or Name o	Commercial Register	red Office Provid	ter County
Equitable Production Company	CT Corporation System			Alleghony
quitable Production-Eastern S	tatas, Inc. CT	Corporation !	System	Allegheny
PAGES - IOTUS CT System Cathe				

# 200132 - 1298

DSCB:15-1926 (Rev 90)-2

. (Check, and if appropriate complete, one of the	idlowing):			
The plan of merger shall be effective upon fi	iling these Articles of N	derger in the Dapo	irtment of St	ate.
		at		
	Date Date			Hour .
5. The manner in which the plan of merger was ad	opted by each dome	stic corporation is	as follows:	
Name of Corporation	Manner of			LODA - School BCI
Equitable Production Company	Adopted by Bo	ard of Directors pu	mant to Sec.	1924 of the PA BCL
6. (Strike out this paragraph if no foreign corporation approved, as the case may be, by the foreign to the plan in accordance with the laws of the just	isdiction in which it is i	rger). The plan we or each of the fore ncorporated.	os cuthorizec ilgn business	d, accepted or corporations) party to
7. (Check, and if appropriate complete, one of the X-tine plan of merger is set farth in full in Exhibit plan of merger that amend or constitute the effect subsequent to the effective date of hereof. The full text of the plan of merger is address of which is:	it A attached hereto o mission of certain prov ne aperative Articles o	isions from filed pic f incorporation of	ins) the proving	Isions, if any, of the corporation as in eto and made a pari iving corporation, the
Number and Street	City	State	Zlp	County
IN TESTIMONY WHEREOF, the undersigned con Merger to be signed by a duly authorized officer	paration or each und thereof this <u>26th</u>	ersigned corporati day of <u>April</u>	on has caus	ed these Articles of . 2001 .
	BY: _ He	nry E Reich	Jesignary	b
	. <u>I</u>	Quitable Production	n - Bastern St Manya di Co Moul Igh Lingigi	alen

PASS- (IVI 499 CT System Online

200132 - 1299

#### AGREEMENT AND PLAN OF MERGER

#### BETWEEN

#### EQUITABLE PRODUCTION - EASTERN STATES, INC.

#### AND

#### **EQUITABLE PRODUCTION COMPANY**

AGREEMENT AND PLAN OF MERGER, dated this 30<sup>th</sup> day of April 2001, pursuant to Section 251 of the General Corporation Law of the State of Delaware between Equitable Production — Eastern States, Inc., a Delaware corporation, and Equitable Production Company, a Pennsylvania corporation.

WHEREAS, the constituent corporations desire to merge into a single corporation.

NOW, THEREFORE, the corporations, parties to this Agreement, in consideration of the mutual covenants, agreements and provisions hereinafter contained, do hereby prescribe the terms and conditions of said merger and mode of carrying the same into effect as follows:

FIRST: Effective on April 30, 2001, Equitable Production Company. hereby merges into itself Equitable Production – Eastern States, Inc., and Equitable Production Company shall be the surviving corporation.

SECOND: The Articles of Incorporation of Equitable Production Company as heretofore amended and as in effect on the date of the merger provided in this Agreement, shall continue in full force and effect as the Articles of Incorporation of the corporation surviving this merger.

THIRD: The outstanding shares of the capital stock of Equitable Production – Eastern States, Inc. shall be cancelled as of the effective date of the merger pursuant to this Agreement and no new shares issued therefor.

FOURTH: The terms and conditions of the merger are as follows:

- (a) The by-laws of the surviving corporation as they shall exist on the effective date of this Agreement shall be and remain the by-laws of the surviving corporation until the same shall be altered, amended and repealed as therein provided.
- (b) The directors and officers of the surviving corporation shall continue in office until the next annual meeting of the shareholders

and until their successors shall have been elected and qualified.

(c) Upon the merger becoming effective, all the property, rights. privileges, franchises, patents, trademarks, licenses, registrations and other assets of every kind and description of the merged corporation shall be transferred to, vested in and devolved upon the surviving corporation without further act or deed and all property. rights, and every other interest of the surviving corporation and the merged corporation shall be effectively the property of the surviving corporation as they were of the surviving and the merged corporations, respectively. The merged corporation hereby agrees from time to time, as and when requested by the surviving corporation or by its successors or assigns, to execute and deliver or cause to be executed and delivered all such deeds and instruments and to take or cause to be taken such further or other action as the surviving corporation may deem to be necessary or desirable in order to vest in and confirm to the surviving corporation title to and possession of any property of the merged corporation acquired or to be acquired by reason of or as a result of the merger herein provided for and otherwise to carry out the intent and purposes hereof and the proper officers and directors of the merged corporation and the proper officers and directors of the surviving corporation are fully authorized in the name of the merged corporation or otherwise to take any and all such action.

IN WITNESS WHEREOF, the parties to this agreement, pursuant to the approval and authority duly given by resolutions adopted by their Board of Directors have caused these presents to be executed by the President of each party hereto as the respective act, deed and agreement of said corporations on this 30<sup>th</sup> day of April 2001.

ATTEST:

EQUITABLE PRODUCTION— EASTERN STATES, INC.

TOTAL Secretary

By: Borida

ATTEST

Cornorate/Secretary

EQUITABLE PRODUCTION COMPANY

By:

President

# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF STATE

APRIL 30, 2001

TO ALL WHOM THESE PRESENTS SHALL COME. GREETING:

#### EQUITABLE PRODUCTION COMPANY

I. Kim Pizzingrilli. Secretary of the Commonwealth of

Pennsylvania do hereby certify that the foregoing and annexed is a true

and correct photocopy of Articles of Merger

which appear of record in this department



IN TESTIMONY WHEREOF, I have hereunto set my hand and caused the Seal of the Secretary's Office to be affixed, the day and year above written.

Secretary of the Commonwealth

DPOS



May 8, 2018

Mr. James Martin West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: BIG245H8, BIG245H16, BIG245H17 Grant District, Wetzel County

Dear Mr. Martin,

EQT Production Company is submitting an application for a new well work permit for the above well number. Upon information and belief, Operator's lease and/ or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including under any public roads that the well lateral crosses.

Sincerely,

Todd Klaner

Regional Land Manager

Office of Oil and Gas
MAY 17 2018

WW Department of Environmental Protection

# STATE OF WEST VIRGINIA 47 1 0 3 0 3 2 3 5 DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS 0 3 2 3 5 NOTICE CERTIFICATION

Date of Notic	e Certification: 05/09/2018	API	No. 47- 103 -	
		Ope	rator's Well No. [	3IG245H16
		Wel	l Pad Name: BIG	245
	Deen given: ne provisions in West Virginia Code § tract of land as follows:	22-6A, the Operator has provided	the required partie	es with the Notice Forms listed
State:	W	Easi	ing: 537027.24	
County:	Wetzel	IIIN/IN/IN/IV2	thing: 4382925.49	
District:	Grant	Public Road Access:	Rt. 19/2	
Quadrangle:	Big Run	Generally used farm n	ame: E.T. Bluegra	ss LLC
Watershed:	Rockcamp Run of Wiley Fork			
prescribed by it has provide information re of giving the requirements Virginia Code	West Virginia Code § 22-6A-7(b), the secretary, shall be verified and sled the owners of the surface describequired by subsections (b) and (c), se surface owner notice of entry to su of subsection (b), section sixteen of e § 22-6A-11(b), the applicant shall to have been completed by the applicant	hall contain the following information of in subdivisions (1), (2) and (4) ction sixteen of this article; (ii) that rvey pursuant to subsection (a), so if this article were waived in writh ender proof of and certify to the se	ion: (14) A certification (b), subsection (b), the requirement vection ten of this ing by the surface	cation from the operator that (i) section ten of this article, the was deemed satisfied as a result article six-a; or (iii) the notice owner; and Pursuant to West
that the Ope	West Virginia Code § 22-6A, the Oprator has properly served the required ECK ALL THAT APPLY		otice Certification	OOG OFFICE USE ONLY
☐ 1. NO1	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO		☐ RECEIVED/ NOT REQUIRED
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	'EY or 🔳 NO PLAT SURVEY V	VAS CONDUCTE	D RECEIVED
■ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAY WAS CONDUCTED or		RECEIVED/ NOT REQUIRED
		WRITTEN WAIVER BY S (PLEASE ATTACH)	URFACE OWNE	R
■ 4. NO	TICE OF PLANNED OPERATION		RECEIVED Office of Oil and O	Gas RECEIVED
■ 5. PUE	BLIC NOTICE		17 20	8 EL RECEIVED
■ 6. NO	ΓΙCE OF APPLICATION		WV Departmental Pro	nt of RECEIVED

### Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

# 4710303235

# Certification of Notice is hereby given:

THEREFORE, I Erin Spine , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: EQT Production Company

By: Erin Spine

Its: Regional Land Supervisor

Telephone: 304-848-0035 Address: 115 Professional Place PO Box 280

Bridgeport WV 26330

Facsimile: 304-848-0041 Email:

espine@eqt.com

NOTARY PUBLIC STATE OF WEST VIRGINIA BRIDGEPORT, WV 2633

Subscribed and sworn before me this 10 day of

Notary Public

My Commission Expires

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

MAY 17 2018

WW-6A (9-13) API NO. 47- 103 OPERATOR WELL NO. BIG245H16
Well Pad Name: BIG245

# Well Pad Name: BIG245 STATE OF WEST VIRGINIA 47 1 0 3 0 3 2 DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Not				in the filing date of permit application.	•
Date	e of Notice:	8 Date Permit Application	n Filed:	0118	
	ice of:				
_		744 P. S. S.			
$\checkmark$	PERMIT FOR ANY	☐ CERTIFICA	TE OF APP	PROVAL FOR THE	
	WELL WORK	CONSTRU	CTION OF A	AN IMPOUNDMENT OR PIT	
Deli	very method pursuan	t to West Virginia Code	§ 22-6A-10	(b)	
	PERSONAL [	REGISTERED	✓ METH	OD OF DELIVERY THAT REQUIRES	S A
	SERVICE	MAIL		PT OR SIGNATURE CONFIRMATIO	
the soil a description of the soil and description oper more well important proving proposals recording to the soil and th	surface of the tract on wind gas leasehold being oribed in the erosion and rator or lessee, in the ever e coal seams; (4) The own work, if the surface traction of the surface traction water well, spring or ride water for consumptionsed well work activity ection (b) of this section rds of the sheriff required ision of this article to the R. § 35-8-5.7.a required.	hich the well is or is propo- developed by the proposed sediment control plan sub- tent the tract of land on which where of record of the surfa- et is to be used for the place- ribed in section nine of this water supply source locate ion by humans or domestic is to take place. (c)(1) If m in hold interests in the lands and to be maintained pursuant e contrary, notice to a lien- res, in part, that the operato	sed to be local well work, if mitted pursual the well pursual the the well pursual the tract or tracement, constituted article; (5) And within one animals; and core than three, the applicant to section of holder is not rishall also p	the well plat to each of the following personated; (2) The owners of record of the surfactive tract is to be used for roads of the surface tract is to be used for roads of the surface tract is to be used for roads of the surface tract is to be used for roads of the surface of the isolated [sic] is known to surface or used to be drilled is located [sic] is known to surface owner or water purveyor who thousand five hundred feet of the center of the operator of any natural gas storage tenants in common or other co-owners on the may serve the documents required upon eight, article one, chapter eleven-a of this notice to a landowner, unless the lien hold rovide the Well Site Safety Plan ("WSSP" as provided in section 15 of this rule.	ace tract or tracts overlying the rother land disturbance as article; (3) The coal owner, own to be underlain by one or ing developed by the proposed noval or abandonment of any is known to the applicant to of the well pad which is used to ge field within which the of interests described in the person described in the code. (2) Notwithstanding any der is the landowner. W. Va.
☑ A	application Notice 🏻	WSSP Notice □E&S	Plan Notice	☑ Well Plat Notice is hereby provide	ded to:
	JRFACE OWNER(s)			COAL OWNER OR LESSEE	
	ne: See Attached			Name: See Attached	
Add	ress:			Address:	
Nam	ie:			COAL OPERATOR	
	ress:			Name:	
	27				TO SELVED
		Road and/or Other Distur	bance)	Address:	office of Oil and Gas
	ne: See Attached			SURFACE OWNER OF WATER W	VHI
Add	ress:			AND/OR WATER PURVEYOR(s)	MAY 1 7 2018
Man				Name: See Attached	WV Department of
Add	ress:			Address;	MV Department invironmental Protection
		The same of the sa		OPERATOR OF ANY NATURAL	
☑ St	URFACE OWNER(s) (	Impoundments or Pits)		Name:	***************************************
	ie: See Attached	27.13		Address:	
Add	ress:				
				*Please attach additional forms if nece	ssarv

WW-6A (8-13)

API NO. 47- 103 OPERATOR WELL NO. BIG245H16 Well Pad Name: BIG245 4710303235

### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of and Gas Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx. MAY 17 2018

### **Well Location Restrictions**

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured homeometric existing water well or developed spring used for human or demestic existing the second spring used for human or demestic existing the second spring used for human or demestic existing the second spring used for human or demestic exists. water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)

API NO. 47-103

OPERATOR WELL NO. BIG245H16

Well Pad Name: BIG245

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds blanne to 3 drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) make the comments as to the location or construction of the applicant's proposed well work to the Secretary at: MAY 17 2018

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

### **Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

MAY 17 2018

WW-6A (8-13) API NO. 47- 103 OPERATOR WELL NO. BIG245H16
Well Pad Name: BIG245 1 3 7 7 7 7

Notice is hereby given by:

Well Operator: EQT Production Company

Telephone: 304-848-0035 Email: espine@eqt.com 2.5%.

Address: 115 Professional Place PO Box 280

Bridgeport WV 26330

Facsimile: 304-848-0041

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRIGINIA
REBECCA L. WANSTREET
ECT PRODUCTION COMPANY
PO BOX 280
BRIDGEPORT, WV 26330
My commission expires April 07, 2020

Subscribed and sworn before me this 15 day of May 2018

Pulcoa Zuanfield Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas

MAY 17 2018

WATER SOURCE LOCATIONS FOR JOSEPH SHIBEN ET AL LEASE **BIG245 WELLS** SCALE: 1-INCH=1000-FEET **LEGEND** 1000 20001 WATER WELL 3000' Cem **CREEK** TOPO SECTION OF: **OPERATOR:** EQT PRODUCTION COMPANY BIG RUN, WV 7.5' QUAD 115 PROFESIONAL PLACE TAX MAP-PARCEL NO. DISTRICT COUNTY P.O. BOX 280 DATE 07/19/18 8121 **GRANT** WETZEL BRIDGEPORT, WV 26330 08-22

### **Surface Owners:**

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Ikey J. Willey 12359 Willey Fork Road Pine Grove, WV 26419

### Surface Owners (road or other disturbance):

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Wanda L. Byard 1250 Meadowlane Drive Lewisport, KY 42351

Neal Utt 1204 Big Run Road Burton, WV 26562

## **Surface Owners (Pits or impoundments or AST):**

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

### **Coal Owner**

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Western Pocahontas Properties LLC 5260 Irwin Road Huntington, WV 25705

CNX Land LLC Engineering Operations Support Dept. Coal 1000 Consol Energy Drive Canonsburg, PA 15317

> RECEIVED Office of Oil and Gas

4710303235

MAY 17 2018

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

# VOLUNTARY STATEMENT OF NO OBJECTION

### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: Provided, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

### VOLUNTARY STATEMENT OF NO OBJECTION

I, E.T. Bluegrass	hereby state that I have i	read the Instruct	ions to Persons N	amed on Page WW-6A and the associated
provisions lis WW-6A and	sted above, and that I have received copies of attachments consisting of pages one (1) to	of a Notice of A	pplication, an Application, an Application, and Application an	plication for a Well Work Permit on Form
required, and	the well plat, all for proposed well work on	the tract of land	as follows:	
State:	w	- UTM NAI	Easting:	537027.24
County:	Wetzel	- UTWINAI	Northing:	4382925.49
District:	Grant	Public Roa	ad Access:	Rt. 19/2
Quadrangle:	Big Run	Generally	used farm name:	E.T. Bluegrass LLC
Watershed:	Rockcamp Run of Wiley Fork	-		
issued on tho	that I have no objection to the planned workse materials.  the box that applies			
i icase check	t the box that applies		FOR EXECUT	ION BY A NATURAL PERSON
SURFA	CE OWNER		Signature:	
■ SURFAC	CE OWNER (Road and/or Other Disturb	ance)	Print Name:	
			Date:	
SURFACE	CE OWNER (Impoundments/Pits)			
DCOAL C	OWNER OR LESSEE		FOR EXECUT	ION BY A CORPORATION, ETC. PEGRASS LLC RECEIVED Office of Oil and Gas
G COAL C	WINDROK LESSEE		By: Jason Ranson	Office of Oil and Gas
□ COAL O	PERATOR		Its: Director, Drilling	
□ WATER	PURVEYOR			MAY 1 1015
□ OPERA?	TOR OF ANY NATURAL GAS STORA	AGE FIELD	Date:	WV Department of ason M. Raisson mental Protection
01 1 0 1	Dorton on N. At		Dire	ector, Drilling Land

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF INTENT TO DRILL**

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

	e Requirement: tice: 01/25/2018		et TEN (10) days prior to filing a Application Filed: 02/04/2018	permit application.
Delivery m	ethod pursuant	to West Virginia Code § 22-6	A-16(b)	
☐ HANI		CERTIFIED MAIL		
DELIV		RETURN RECEIPT REQUE	STED	
receipt requidrilling a hoof this substitution is and if avails	nested or hand desorizontal well: I ection as of the commay be waived in able, facsimile no	elivery, give the surface owner no provided, That notice given pursuate the notice was provided to the writing by the surface owner. In umber and electronic mail addresses	otice of its intent to enter upon the suant to subsection (a), section te the surface owner: <i>Provided, how</i> . The notice, if required, shall include so of the operator and the operator	an operator shall, by certified mail return ne surface owner's land for the purpose of n of this article satisfies the requirements vever, That the notice requirements of this ude the name, address, telephone number, r's authorized representative.
Name: See A		ed to the SURFACE OWNE	Name: See Attached	
			Address:	
State: County: District: Quadrangle			UTM NAD 83  Easting: Northing: Public Road Access: Generally used farm name:	537027.24 4382925.49 Rt. 19/2 E.T. Bluegrass LLC
Pursuant to facsimile n related to h	ce Shall Includ West Virginia umber and elect	le:  Code § 22-6A-16(b), this notive ronic mail address of the operage may be obtained from the Sec	ator and the operator's authorized retary, at the WV Department o	ess, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
	iereby given b			
-	tor: EQT Production		Authorized Representative:	Erin Spine
Address:		nal Place PO Box 280	Address:	115 Professional Place PO Box 280
Bridgeport W Telephone:			Bridgeport WV 26330	PALACO AND RECEIVED GOS
reteptione: Email:			Telephone: Email:	304-848-0035 RECEIVED Office of Oil and Gas espinement com
Facsimile:	espine@eqt.c 304-848-0041		- Email: Facsimile:	17.2019
acomme.	304-040-0041		1 acsimile. -	304-848-00MAY 1 7 2010

Oil and Gas Privacy Notice:

WV Department of WV Department all Protection Environmental Protection Fundamental Protection and Gas processes your personal information, such as name, address and telephone Fundamental Protection and Gas processes your personal information, such as name, address and telephone Fundamental Protection and Gas processes your personal information, such as name, address and telephone Fundamental Protection and Gas processes your personal information, such as name, address and telephone Fundamental Protection and Gas processes your personal information and Gas pro duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

### **Surface Owners:**

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Ikey J. Willey 12359 Willey Fork Road Pine Grove, WV 26419

## Surface Owners (road or other disturbance):

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Wanda L. Byard 1250 Meadowlane Drive Lewisport, KY 42351

Neal Utt 1204 Big Run Road Burton, WV 26562

# Surface Owners (Pits or impoundments or AST):

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Office of Oil and Gas

MAY 17 2018

WV Department of Environmental Protection

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION. OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

# WAIVER

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: Provided, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: Provided, however, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

notice require	ments under West Virginia Code	§ 22-6A-16(b) for the tract	of land as fo	llows:
State:	W	UTM NAD 83	Easting:	537027.24
County:	Wetzel	— UTWI NAD 83	Northing:	4382925.49
District:	Grant	Public Road Acc	cess:	Rt. 19/2
Quadrangle:	Big Run	Generally used t	farm name:	E.T. Bluegrass LLC
Watershed:	Rockcamp Run of Wiley Fork		-	
Name: Jason F	Ranson- Director, Drilling Land	Signature:	4	9/-
Address: 625 L	liberty Ave, Suite 1700		/	,
Pittsburgh, PA 15	222	Date:	1	
				M. Ranson
			Director	, Drilling Land

Oil and Gas Privacy Notice:

And Attorney in Fact The Office of Oil and Gas processes your personal information, such as name, address and felephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5 (1/12)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Tim Date of No	e Requirement: notice shall be provided tice: 5 116 18 Date Permit				
Delivery m	ethod pursuant to West Virginia Code	§ 22-6A-16(c)			
	TIFIED MAIL [	☐ HAND			
RETU	JRN RECEIPT REQUESTED	DELIVERY			
return receithe planned required to drilling of a damages to (d) The notion of notice.	pt requested or hand delivery, give the subservation. The notice required by this be provided by subsection (b), section teal horizontal well; and (3) A proposed subservation of the surface affected by oil and gas operation.	urface owner whose land s subsection shall inclu n of this article to a surf urface use and compensa- tions to the extent the da en to the surface owner a	I will be used for de: (1) A copy ace owner whos sation agreement amages are comp	ication, an operator shall, by certified more the drilling of a horizontal well notice of this code section; (2) The information is a land will be used in conjunction with the tent containing an offer of compensation in the pensable under article six-b of this chapter is the interest of the sheriff at the tire.	of on he or er.
(at the addre	ess listed in the records of the sheriff at the	he time of notice):			
Name: See A	ttached	Name:			
Address:		Addres	SI		
	West Virginia Code § 22-6A-16(c), notion the surface owner's land for the purpos		I well on the tra		_
District:	Grant	Public Road		Rt. 19/2	
Quadrangle		Generally use	ed farm name:	E.T. Bluegrass LLC	
Watershed:	Rockcamp Run of Wiley Fork				
Pursuant to to be provi horizontal v surface affe information	ded by W. Va. Code § 22-6A-10(b) to vell; and (3) A proposed surface use and eted by oil and gas operations to the ex related to horizontal drilling may be o s, located at 601 57th Street, SE, Ch	a surface owner whose compensation agreeme stent the damages are con btained from the Secret	land will be un nt containing an ompensable und ary, at the WV	code section; (2) The information requires used in conjunction with the drilling of n offer of compensation for damages to the derivative article six-b of this chapter. Addition of Department of Environmental Protection or by visiting <a href="https://www.dep.wv.gov/oil-anglessates">www.dep.wv.gov/oil-anglessatessatessatessatessatessatessatessa</a>	he al
Well Opera	TOT: EQT Production Company	Address:	115 Professional Pla	lace PO Box 280RECEIVED	
Telephone:	304-848-0035		Bridgeport WV 2633	Office (II Oil are	
Email:	espine@eqt.com	Facsimile:	304-848-0041	MAY 17 2018	
				WIN	

Oil and Gas Privacy Notice:

WW Department of The Office of Oil and Gas processes your personal information, such as name, address and telephone with the part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

### **Surface Owners:**

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Ikey J. Willey 12359 Willey Fork Road Pine Grove, WV 26419

## Surface Owners (road or other disturbance):

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222

Wanda L. Byard 1250 Meadowlane Drive Lewisport, KY 42351

Neal Utt 1204 Big Run Road Burton, WV 26562

## **Surface Owners (Pits or impoundments or AST):**

ET Blue Grass LLC 625 Liberty Avenue Suite 1700 Pittsburgh, PA 15222 4710303235

RECEIVED Office of Oil and Gas

MAY 17 2018

API NO. 47- 103 BIG245H16 OPERATOR WELL NO. Well Pad Name: BIR

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

### Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: Provided, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

## VOLUNTARY STATEMENT OF NO OBJECTION

Watershed: Rockeamp Run of Wiley Fork  I further state that I have no objection to the planned work described in these issued on those materials.  *Please check the box that applies  SURFACE OWNER  SURFACE OWNER (Road and/or Other Disturbance)  SURFACE OWNER (Impoundments/Pits)	Northing: 4382925.49 Access: Rt. 19/2 E.T. Bluegrass LLC  see materials, and I have no objection to a permit being FOR EXECUTION BY A NATURAL PERSON	
Quadrangle: Big Run Generally use Watershed: Rockeamp Run of Wiley Fork  I further state that I have no objection to the planned work described in these issued on those materials.  *Please check the box that applies  SURFACE OWNER  SURFACE OWNER (Road and/or Other Disturbance)  SURFACE OWNER (Impoundments/Pits)	E.T. Bluegrass LLC se materials, and I have no objection to a permit bein	
Watershed: Rockeamp Run of Wiley Fork  I further state that I have no objection to the planned work described in these issued on those materials.  *Please check the box that applies  SURFACE OWNER  SURFACE OWNER (Road and/or Other Disturbance)  SURFACE OWNER (Impoundments/Pits)	se materials, and I have no objection to a permit bein	
I further state that I have no objection to the planned work described in these issued on those materials.  *Please check the box that applies  SURFACE OWNER  SURFACE OWNER (Road and/or Other Disturbance)  SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A NATURAL PERSON	
*Please check the box that applies  SURFACE OWNER  SURFACE OWNER (Road and/or Other Disturbance)  SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A NATURAL PERSON	
<ul> <li>SURFACE OWNER (Road and/or Other Disturbance)</li> <li>SURFACE OWNER (Impoundments/Pits)</li> </ul>		
<ul> <li>SURFACE OWNER (Road and/or Other Disturbance)</li> <li>SURFACE OWNER (Impoundments/Pits)</li> </ul>		
■ SURFACE OWNER (Road and/or Other Disturbance) ■ SURFACE OWNER (Impoundments/Pits)	Signature:	
■ SURFACE OWNER (Impoundments/Pits)	Print Name:	
The state of the s	Date:	
☑ COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ET RECEIVED, ET RECEIVED, ET Company: E.T. Bluegrass LLC Office of Oil and Gas	
C cour engineers	By: Jason Ranson Its: Director, Drilling Land MAY 1 7 2018	
□ WATER PURVEYOR		
	Signature: WV Department of Environmental Protection Date: Jason M. Ranson	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

# **Division of Highways**

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Reissued July 18, 2018

Jill M. Newman Deputy Commissioner

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57<sup>th</sup> Street, SE
Charleston, WV 25304

Subject: DOH Permit for the BIG245 Pad Site, Wetzel County

BIG245H1	<b>BIG245H2</b>	BIG245H3	BIG245H4
BIG245H5	BIG245H6	BIG245H7	<b>BIG245H8</b>
BIG245H9	BIG245H10	BIG245H11	BIG245H12
BIG245H13	BIG245H14	BIG245H15	BIG245H16
BIG245H17	BIG245H18	BIG245H19	BIG245H20
BIG245H21	BIG245H22	BIG245H23	BIG245H24
BIG245H25	BIG245H26	BIG245H27	BIG245H28
BIG245H29	BIG245H30		

Dear Mr. Martin.

This well site will be accessed from existing Permit # 06-2016-0430 issued to EQT Production Company for access to the State Road for a well site located off of Wetzel County Route 19/2 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Nick Bumgardner

EQT Production Company CH, OM, D-6, File

JUL **2 5** 2018

WV Department of Environmental Protection

RECEIVED

Office of Oil and Gas

103-03235

# Anticipated Frac Additives Chemical Names and CAS numbers

Material	Ingredient	CAS Number
Water		
Sand	Hydrotreated light petroleum distillate Tributyl tetradecyl phosphonium	14808-60-7
Friction Reducer	chloride	64742-47-8
Biocide	Ammonium chloride	81741-28-8
Scale Inhibitor	Hydrochloric Acid	12125-02-9
15% Hydrochloric Acid	Propargyl Alcohol	7647-01-0
Corrosion Inhibitor	Methanol	107-19-7
Corrosion Inhibitor	Guar Gum	67-56-1
Gelling Agent	Sodium Persulfate	9000-30-0
Oxidizing Breaker	Potassium Carbonate	7775-27-1
Buffering Agent		584-08-7

DAH 5-18-18

RECEIVED Office of Oil and Gas

MAY 25 2018

### PROJECT INFORMATION

SHOUSE NAME SOT RIGISM TAX PARCELS
GRANT DISTRICT, WEIZEL COUNTY, WY
MAP DE PARCELS 08, 14, 21, 22

EURO ACE CONNER WANDA L. BY ARD MAP OF PARCEL OR DRAWT DISTRICT, WEIZE, COUNTY, V TOTAL PROPERTY AREA. SILIE + ACRES TUTAL DISTURBANCE AREA 4.05 +LACRES MEALUITT MAPOS PARCEL 14

MAP 08, PARSEL 14 BILANT DISTRICT WEITEL COUNTY, WY TOTAL PROPERTY AREA 51,0 V-ACHES TOTAL DISTURBANCE AREA 6 14 \*A-ACRES INTY JOE ME FH MAE DE PARCEL PI OWART DESTRICT WITHELL EDUNTY, MY INTAL PROPERTY AREA 74.57 -- ACHES VOTAL DISTURBANCE AREA 046 -- ACRES

ET BLDE GRASS LLC
MAP DE PARCEL, 22
GRANT DISTRICT, WETZEL GOUNTY, MY
TOTAL PROPERTY A ROA, 19193 47-ACRES
TOTAL DISTURBANCE ARCA: 25,07 14-ACRES

(SE AND DAS ROYALTY DANIER CRANT DISTRICT, WETZEL COUNTY, WY TOTAL PROPERTY AREA: 148.0 \*F ACRES

MIE DOCATIONS

THE BOT BY WE ACCESS ROAD ENTRANCE IS LOCATED & 427-4 MORTHEAST OF THE JUNCTION OF SOIRT, MAND CO. RT. 197. THE WELL PAD IS J. OCATED 1,9 MILES 16, MORTHEAST, OF THE HINGTION OF CO., RT., M. AND CO., RT. 19.

LOCATION COORDINATES

EGT BIG 245 CONSTRUCTION ENTRANCE ATHROC: J9,526-509 CONGITUDE: -80,547660 (NAD B)

EGT BIG 249 WELL PAD CENTER LATRIUDE: 39.9941 J. LONDITUDE: JAC SARGO (NAD AV)

### GENERAL DESCRIPTION

THE WELL PAD, ACCESS HOAD AND TANK PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCH LUSS LALE GAS

### SITE DISTURBANCE COMPUTATIONS

WELL PADIS TO TO ACRES MST PACE 150 -- ACHES

MMIN AGCESS ROADE 5.74 -- ACHES

)STOCKPRICE - 25.23 -- ACRES

TOTAL SITE DISTURBANCE AREA - AC 35 -- ACRES

ACRES

### ENTRANCE PERMIT

BOT SHOTHS THOSE COMPANY VALUE OR SALVAN ENGINEENT PERMIT (FORM) MM-10) FROM THE MEST MICHAED DEPARTMENT OF TRANSPOSTATION DIVISION OF MICHAELS PHICE TO COMMENCE SHENT OF CONSTRUCTION

### MISS UTILITY STATEMENT

MISS (ITLITY OF WEST VIRGINIA WAS NOTED FOR THE LOCATING OF UTLITIES PRIOR TO THIS PROJECT RESIDENTIAL MISSESSES! IN ADDITION, MISS UTILITY WILL BE CONTACTED PRIOR TO START OF THE

### GEOTECHNICAL NOTES

A SUBSTRIFACE INVESTIGATION HAS EBEN FER ORDED FOR THIS TITLE AND 

### ENVIRONMENTAL NOTES

ENVIRONMENTAL NOTES

A WETABLO DE BRATION WAS PERFORMED DE JUILVI 7, 2011 MAY 20, 2012 AURIOS 14, 2015 AURIOS 14, 2015 AURIOS 11, 2015 AURIOS 14, 2015 AURIOS 11, 2015 AURIOS 2015 AURIOS 11, 2015 AURIOS 11, 2015 AURIOS 11, 2015 AURIOS 2015 AUR REPORT FRICE TO ENGACING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN.
THE DEVELOPER SHALL DETAIN THE APPRIORPHATE PREMITS FROM THE FEDERAL MODION. ETATE REGULATORY AGENCIES PRIOR TO ANY PROPOSES IMPACTS TO WATERS OF THE U.S. INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

# **EQT BIG 245 SITE PLAN EQT PRODUCTION COMPANY**

PERMITTED WELL NO. WV 514365, API 47-103-03154 PROPOSED WELL NO. BIG245H1. BIG245H2, BIG245H3, BIG245H4, BIG245H5, BIG245H6, BIG245H7, BIG245H8, BIG245H9, BIG245H10. BIG245H11. BIG245H12. BIG245H14. BIG245H15. BIG245H16. BIG245H17

### SITUATED ON THE WATERS OF BIG RUN, A TRIBUTARY OF WILLEY FORK, GRANT DISTRICT, WETZEL COUNTY, WV



#### RESTRICTIONS NOTES

THESE ARE MICHAELTEST STREAMS, LAKES, INDION, OR RESERVORS WITHIN 109 FEET OF THE PROJECT LOO. I HERE MEE WE TLANDE WITHIN 109 REET OF THE LOD AND A WAYNER FROM THE WINDER WILL BE ADMILLED FOR THROUGHT HERE AND YOURS OF BERNINEESS BY COT PRODUCTING HILLIAMMAN.

I THERE ARE NO INDIVIDUALLY PRODUCING TRUIT STREAMS WITHIN 301 FEET OF THE PAOL MIXELDS.

I THERE ARE NO INDIVIDUALLY PRODUCING TRUIT STREAMS WITHIN 301 FEET OF THE PAOL MIXELDS.

I THERE ARE NO INDIVIDUALLY PRODUCING TRUIT STREAMS WITHIN 301 FEET OF THE PAOL MIXELDS.

I THERE ARE NO INDIVIDUALLY PRODUCING TRUIT STREAMS WITHIN 301 FEET OF THE WELLES SETMI OFFILIAM.

I THERE ARE NO INDIVIDUALLY PRODUCING TRUIT STREAMS WITHIN 301 FEET OF THE WELLES SETMI OFFILIAM.

I THERE ARE NO INDIVIDUAL OFFI WATER WELLES OF DEVELOPED SHIPMING WITHIN 301 FEET OF THE WELLES SETMI OFFILIAM.

INDIVIDUAL STREAMS WITHIN TOWN THE WELLE OF DEVELOPED SHIPMING WITHIN 301 FEET OF THE WELLES SETMI OFFILIAM.

INDIVIDUAL STREAMS WITHIN THE WELLES STREAMS WITHIN 301 FEET OF THE WELLES SETMING WITHIN 301 FEET OF THE WELLES SETMING THE WELLES STREAMS WITHIN 301 FEET OF THE WELLES STAND WITHIN 301 FEET OF THE WELLES S

5. THERE ARE NO AURICUL TURAL BUILDINGS LIVINGS THAN MOT SQUARE FEEL OF THE CENTER OF THE FAD.

VEST VINGENIA

MISS Littley or Wast Virginia 1.aptt-245-4444 West Virginia State Lan (Section XIV, Chapper 24-0) Biograph that you cell fee columns days before your dig to

# APPROVED WVDEP OOG

3 J 7/25 2018

LIST OF DRAWINGS SHEET NO DESCRIPTION TOWN SHEET GENERAL NOTES OVERALL PLAN SHEET INCEX 4-8 WELL PAD LAYDUT ACCESS BOAD PROFILES 10 WELL PAR PROFILES ACCESS ROAD CROSS SECTIONS 11.12 12-17 WELL PAD CHORS BECTIONS AST TANK PAD CROSS SECTIONS 16-22 23-24 ENCEDE MATERIAL EFRENJEL BORLFER EXCESS MATERIAL STOCAPILE CHOSE SECTION TYPICAL ACCESS ROAD CROSS SECTIONS. 45 49-51 CONSTRUCTION DETAILS

CONSTRUCTION QUANTITIES

RECLAIMATION CHANTITIES

	LEGEND
DA GOLDORAY UNG- DA FORD ON PRIAD PACEMENT DA GOLDOROMA  RA FENCELINE DA GOLDOROMA  DA GOLDOROMA  DA GOLDOROMA  DA OVERHEAD UTILITY FAW  DA UTILITY POLE DA GOLDOROMA  D	PROF. BYDEX CONTOUR PROP. BYTERVEDIATE CONTOUR PROP. FULL UNE PROP. CONTOURNEY TORM PROP. CONTOURNEY TORM PROP. VOITCH PROP. VOITCH
EX CASUME EX CASUME RYW EX WATERLINE EX WATERLINE EX CAS WELL EX CAS WELL EX CAS WELL	WITH CHECK DAME  THUR, CALVERT  FROM, NO-RAY DUTLET PROTECTION  FROM, PRO-RAY DUTLET PROTECTION  PROP. COMPOSIT FULTIPECOCO  PROD. THE UNE
EX. DELINEATED SHEAM  EX. COLINGATED WETLAND	PROP, STONE CONSTRUCTION BH PRAME:  **SECTION GRID BLEX **ACCTION PROPOSED WHADE  X SECTION PROPOSED WHADE  X SECTION EXISTING GRADE

52 53

### OPERATOR

EGT PRODUCTION COMPANY OPERATOR III 105686 P.C. BCX 280 BRIDGEPORT WY 26510 PHONE (304) 348-3870

# ENGINEER

STANIEC CONSULTINGING. 111 EURINS STREET EMEMON WY 28564 PHONE (201) 367-9401

#### SURVEYOR

SMITH LAND SURVEYING INC. PO BOX 150 226 WEST MARKSTREET CLENVILLE, WV 26351

Stante









24 T BIG EQT

CALE AS SHIPM

THE NO. LEWIS

