



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Monday, August 20, 2018
WELL WORK PERMIT
Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC
POST OFFICE BOX 12359

SPRING, TX 773914954

Re: Permit approval for SWN A WTZ 3H
47-103-03232-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
Chief

Operator's Well Number: SWN A WTZ 3H
Farm Name: SWN PRODUCTION COMPAN
U.S. WELL NUMBER: 47-103-03232-00-00
Horizontal 6A New Drill
Date Issued: 8/20/2018

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B
(04/15)

API NO. 47-103 - _____

OPERATOR WELL NO. SWN A WTZ 3H

Well Pad Name: SWN A WTZ Pad

47 103 03232

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: SWN Production Co., LLC 494512924 103- Wetzel 12-Proctg 681-Wileyville
Operator ID County District Quadrangle

2) Operator's Well Number: SWN A WTZ 3H Well Pad Name: SWN A WTZ Pad

3) Farm Name/Surface Owner: SWN Production Company, LLC Public Road Access: Macedonia Ridge

4) Elevation, current ground: 1337' Elevation, proposed post-construction: 1342'

5) Well Type (a) Gas Oil _____ Underground Storage _____
Other _____

(b) If Gas Shallow Deep _____
Horizontal _____

6) Existing Pad: Yes or No No

D.M.H.
4-12-18

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Target Formation- Marcellus Up-Dip Well to the North LP , Target Top TVD- 7364', Target Base TVD- 7402', Anticipated Thickness- 38', Associated Pressure- 4811

8) Proposed Total Vertical Depth: 7386' at the heel (LP deepest TVD)

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 18,878'

11) Proposed Horizontal Leg Length: 11091.88'

12) Approximate Fresh Water Strata Depths: 300'

13) Method to Determine Fresh Water Depths: The base of fresh water at the alternate minimum depth of 300'.

14) Approximate Saltwater Depths: 1364' Logs will be run for a Salinity profile analysis

15) Approximate Coal Seam Depths: 1229'

16) Approximate Depth to Possible Void (coal mine, karst, other): None that we are aware of.

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes _____ No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

RECEIVED
Office of Oil and Gas
APR 30 2018

WV Department of Environmental Protection

18)

CASING AND TUBING PROGRAM

47 103 03232

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	100'	100' ✓	CTS
Fresh Water	13 3/8"	New	H-40	48#	400'	400' ✓	392 sx/CTS
Coal							
Intermediate	9 5/8"	New	J-55	36#	2774'	2774' ✓	1080 sx/CTS
Production	5 1/2"	New	P-110	20#	18878'	18878' ✓	Lead 872sx/Tal 2705sx. Inside Intermediate
Tubing							
Liners							

DmH
4-12-18

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	633	Class A	1.19/50% Excess
Coal	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/50% Excess
Intermediate	7"	8 3/4"	0.317	4360	3250	Class A	1.20/50% Excess
Production	5 1/2"	8 3/4"	0.361	12360	9500	Class A	1.20/50% Excess
Tubing							
Liners							

PACKERS

Kind:				
Sizes:				
Depths Set:				

RECEIVED
Office of Oil and Gas

APR 20 2018

WV Department of
Environmental Protection

WW-6B
(10/14)

API NO. 47- 103 - _____
OPERATOR WELL NO. SWN A WTZ 3H
Well Pad Name: SWN A WTZ Pad
47 103 03232

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface or run external casing packer/cementing stage tool above void interval and perform 2 stage cementing operation dependent upon depth of void. Run casing not less than 20' below void nor more than 75' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

*D.M.H.
4-12-18*

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, vertical separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 100 barrels a minute.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 15.05

22) Area to be disturbed for well pad only, less access road (acres): 6.67

23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

RECEIVED
Office of Oil and Gas

*Note: Attach additional sheets as needed.


APR 30 2018

4710303232

SWN A WTZ 3H

API	Operator	Status	Latitude	Longitude	Vertical TD	Producing Formation	Producing Zones Not Perforated
Unknown	Unknown		39.683414	80.640257			
103-01485	Perkins Oil & Gas, Inc	Active	39.682609	80.640643			
103-00426	Columbia Gas Transmission, LLC	Active	39.69902	80.667181	2131'	Maxton	1st Salt Sand, Big Dunkard

RECEIVED
 Office of Oil and Gas
 APR 30 2018
 WV Department of
 Environmental Protection



Schlumberger Cement Additives

47 103 03232

	Product Name	Product Use	Chemical Name	CAS Number
Intermediate Surface	S001	accelerator	calcium chloride	10043-52-4
	S001	accelerator	calcium chloride	10043-52-4
Kick Off Plug	D080	dispersant	sodium polynaphthalene sulfonate	9008-63-3
	D801	retarder	aromatic polymer derivative	proprietary
	D047	antifoam	polypropylene glycol	25322-69-4
Production-Lead	D167	fluid loss	aliphatic amide polymer	proprietary
	D154	extender	non-crystalline silica	7631-86-9
	D400	gas migration	boric acid	10043-35-3
	D046	antifoam	polypropylene glycol	25322-69-4
			fullers earth (attapulgate)	8031-18-3
	D201	retarder	chrystalline silica	14808-60-7
			metal oxide	proprietary
	D202	dispersant	sulphonated synthetic polymer	proprietary
formaldehyde (impurity)			proprietary	
Production-Tail	D046	antifoam	polypropylene glycol	25322-69-4
			fullers earth (attapulgate)	8031-18-3
	D157	fluid loss	aliphatic amide polymer	proprietary
			sodium polynaphthalene sulfonate	9008-63-3
	D065	dispersant	sodium sulfate	7757-82-6
			chrystalline silica	14808-60-7
D201	retarder	metal oxide	proprietary	
		chrystalline silica	14808-60-7	

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

WW-9
(2/15)

API Number 47 - 103
Operator's Well No. SWN A WTZ 3H

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

47 103 03232

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name SWN Production Co., LLC OP Code 494512924

Watershed (HUC 10) Upper Ohio South Quadrangle Wileyville

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: _____

Will a synthetic liner be used in the pit? Yes No If so, what ml.? _____

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number 34-115-22462, 34-689-24767, 34-119-28776, 34-167-23062, 34-155-23795, 34-121-23995, 34-155-21885)
- Reuse (at API Number at next anticipated well, API# will be included with the WR-34/DDMR &/or permit addendum.)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain flow back fluids will be put in steel tanks and reused or taken to a permitted disposal facility)

DAH
4-18-18

Will closed loop system be used? If so, describe: Yes

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Air drill to KOP, fluid drill with SOBM from KOP to TD

-If oil based, what type? Synthetic, petroleum, etc. Synthetic Oil Base

Additives to be used in drilling medium? Attachment 3A

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) _____

-Landfill or offsite name/permit number? Meadowhill SWF- 1032, Short Creek SWF-1034, Carbon Limestone MSWL018781, Wetzel County 1021

Arden Landfill 100/2, Apex Sanitary Landfill 06-08438, Brooke Co SWF-1013, Valley 100280

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

RECEIVED
Office of Oil and Gas
APR 30 2018

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature [Signature]

Company Official (Typed Name) Dee Southall

Company Official Title Senior Regulatory Analyst



Subscribed and sworn before me this 13th day of March, 20 18

Brittany R Woody
Notary Public
My commission expires 11/27/22

SWN Production Co., LLC

Proposed Revegetation Treatment: Acres Disturbed 15.05 Prevegetation pH _____

Lime as determined by pH test min. 2 Tons/acre or to correct to pH 6.67

Fertilizer type 10-20-20

Fertilizer amount 600 lbs/acre

Mulch Hay/Straw 2.5 Tons/acre

Seed Mixtures

Temporary

Permanent

Seed Type lbs/acre

Seed Type lbs/acre

Attachment 3B

Attach:

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: 

Comments: _____

Title: Oil and Gas Inspector

Date: 4-12-18 RECEIVED Office of Oil and Gas

Field Reviewed? Yes No

APR 30 2018

47 10 303232

Attachment 3A
Drilling Mediums

Synthetic Oil

Brine

Barite

Calcium Chloride

Lime

Organophilic Bentonite

Primary and Secondary Emulsifiers

Gilsonite

Calcium Carbonate

Friction Reducers

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

49 103 03232



WVD Seeding Specification



To Order Seed contact Lyndsi Eddy Flippo office 570-996-4271 cell 501-269-5451 lyndsi_eddy@swn.com (please allow 7 to 10 days for delivery)

NON-ORGANIC PROPERTIES	
Seed Mixture: ROW Mix	SWN Supplied
Orchardgrass	40%
Timothy	15%
Annual Ryegrass	15%
Brown Top Millet	5%
Red Top	5%
Medium Red Clover	5%
White Clover	5%
Birdsfoot Trefoil	5%
Rough Bluegrass	5%
<div style="display: flex; justify-content: space-around;"> <div style="text-align: left; width: 45%;"> <p style="color: red; font-weight: bold;">Apply @ 100lbs per acre April 16th- Oct. 14th</p> </div> <div style="text-align: left; width: 45%;"> <p style="color: red; font-weight: bold;">All legumes are innoculated at 5x normal rate</p> <p style="color: red; font-weight: bold;">Apply @ 200lbs per acre Oct. 15th- April 15th PLUS 50lbs per acre of Winter Wheat</p> </div> </div>	

SOIL AMENDMENTS	
10-20-20 Fertilizer	*Apply @ 500lbs per Acre
Pelletized Lime	Apply @ 2 Tons per Acre
*unless otherwise dictated by soil test results	

Seeding Calculation Information:

1452' of 30' ROW/LOD is One Acre
 871' of 50' ROW/LOD is One Acre
 622' of 70' ROW/LOD is One Acre

Synopsis:

Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter Wheat/ac).

Special Considerations:

Landowner Special Considerations including CREP program participants require additional guidance that is not given here. Discuss these requirements with SWN supervision at the beginning of the project to allow time for special seed delivery.

ORGANIC PROPERTIES	
Seed Mixture: SWN Production Organic Mix	SWN Supplied
Organic Timothy	50%
Organic Red or White Clover	50%
OR	
Organic Perennial Ryegrass	50%
Organic Red or White Clover	50%
<div style="display: flex; justify-content: space-around;"> <div style="text-align: left; width: 45%;"> <p style="color: red; font-weight: bold;">Apply @ 100lbs per acre April 16th- Oct. 14th</p> </div> <div style="text-align: left; width: 45%;"> <p style="color: red; font-weight: bold;">Apply @ 200lbs per acre Oct. 15th- April 15th</p> </div> </div>	
Organic Fertilizer @ 200lbs per Acre	Pelletized Lime @ 2 Tons per Acre

RECEIVED
 Office of Oil and Gas
 APR 30 2018
 WV Department of
 Environmental Protection

WETLANDS (delineated as jurisdictional wetlands)


Seed Mixture: Wetland Mix	SWN Supplied
VA Wild Ryegrass	20%
Annual Ryegrass	20%
Fowl Bluegrass	20%
Cosmos 'Sensation'	10%
Redtop	5%
Golden Tickseed	5%
Maryland Senna	5%
Showy Tickseed	5%
Fox Sedge	2.5%
Soft Rush	2.5%
Woolgrass	2.5%
Swamp Verbena	2.5%
<div style="display: flex; justify-content: space-around;"> <div style="text-align: left; width: 45%;"> <p style="color: red; font-weight: bold;">Apply @ 25lbs per acre April 16th- Oct. 14th</p> </div> <div style="text-align: left; width: 45%;"> <p style="color: red; font-weight: bold;">Apply @ 50lbs per acre Oct. 15th- April 15th</p> </div> </div> <p style="text-align: center; font-weight: bold; margin-top: 10px;">NO FERTILIZER OR LIME INSIDE WETLAND LIMITS</p>	


MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN



SWN Production Company, LLC
179 Innovation Drive
Jane Lew, West Virginia 26378

API NO. 47-XXX-XXXXX
WELL NAME: SWN A WTZ 3H
Wileyville QUAD
Proctor DISTRICT
Wetzel COUNTY, WEST VIRGINIA

Submitted by: 
Dee Southall Senior Regulatory Date: 3/8/2018
Title: Analyst SWN Production Co., LLC

Approved by: 
Date: 4-12-18
Title: Oil & Gas Inspector

Approved by: _____ Date: _____
Title: _____

SWN PRODUCTION COMPANY, LLC – CONFIDENTIAL


RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection



RECEIVED
Office of Oil and Gas



APR 30 2018

WV Department of Environmental Protection

- P Pond
- S Spring
- ⊙ Water Well
- 1500' Buffer

Water Purveyor Map
Well Pad: SWN A
County: WTZ

SWN $\frac{R^2}{A} \rightarrow V^+$
Southwestern Energy®

Date: 4/24/2018 | Author: willish

LATITUDE: 39°42'30" BOTTOM HOLE 12755'

LATITUDE: 39°42'30" SURFACE HOLE


4102'




www.jhacompanies.com
68011 Vineyard Road
St. Clairsville, Ohio 43950
740-695-8100

NOTES ON SURVEY

- COORDINATE SYSTEM IS UTM NAD 83 DATUM, ZONE 17, U.S. FOOT AND WELL COORDINATES ESTABLISHED USING SURVEY GRADE GPS.
- SURFACE AND ROYALTY OWNER INFORMATION AND THEIR BOUNDARIES SHOWN HEREON WERE PLOTTED FROM DEEDS AND/OR TAX PARCEL MAPS PROVIDED BY CLIENT AND/OR FIELD LOCATIONS.
- THIS PLAT DOES NOT REPRESENT A BOUNDARY SURVEY OF THE PARCELS SHOWN HEREON.
- NO DWELLINGS OR BUILDINGS WITHIN 625 FEET OF PROPOSED CENTER OF PAD.
- NO PERENNIAL STREAMS, LAKES, PONDS, RESERVOIRS OR WETLANDS WITHIN 100 FEET OF THE LIMITS OF DISTURBANCE.
- NO NATURALLY PRODUCING TROUT STREAM WITHIN 300 FEET OF THE LIMITS OF DISTURBANCE.
- NO WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF PROPOSED WELL.







LINE	BEARING	DISTANCE
L1	N 72°05'08" E	1330.28'
L2	N 48°54'47" E	654.04'



9372'

LONGITUDE: -80°37'30" BOTTOM HOLE

LONGITUDE: -80°37'30" SURFACE HOLE



SURFACE HOLE LOCATION (SHL): UTM (NAD83, ZONE 17, METERS): NORTHING: 4392590.69 EASTING: 530903.75
LANDING POINT (LPL): UTM (NAD83, ZONE 17, METERS): NORTHING: 4392514.98 EASTING: 530769.95
BOTTOM HOLE LOCATION (BHL): UTM (NAD83, ZONE 17, METERS): NORTHING: 4394776.37 EASTING: 528258.30

I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION

P.S. 2041 *[Signature]* 3-20-18

COMPANY: **SWN** Production Company, LLC Production Company™

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25034	MINIMUM DEGREE OF ACCURACY: 1/200 PROVEN SOURCE OF ELEVATION: SURVEY GRADE GPS (NAVD 88, US FT)	OPERATOR'S WELL #: SWN A WTZ 3H API WELL #: 47 STATE 103 COUNTY PERMIT 03-32
---	--	--

WELL TYPE: OIL WASTE DISPOSAL PRODUCTION DEEP GAS LIQUID INJECTION STORAGE SHALLOW

WATERSHED: UPPER OHIO SOUTH ELEVATION: 1,342.0'

DISTRICT: PROCTOR COUNTY: WETZEL QUADRANGLE: WILEYVILLE, WV

SURFACE OWNER: SWN PRODUCTION COMPANY, LLC ACREAGE: ±128.24

OIL & GAS ROYALTY OWNER: RODNEY CALVERT, ET AL ACREAGE: ±128.24

DRILL DRILL DEEPER REDRILL FRACTURE OR STIMULATE PLUG OFF OLD FORMATION PERFORATE NEW FORMATION

CONVERT PLUG & ABANDON CLEAN OUT & REPLUG OTHER CHANGE (SPECIFY)



TARGET FORMATION: MARCELLUS ESTIMATED DEPTH: 7,386' TVD 18,878.2' TMD

WELL OPERATOR: SWN PRODUCTION COMPANY, LLC	DESIGNATED AGENT: DEE SOUTHALL
ADDRESS: P.O. BOX 1300	ADDRESS: P.O. BOX 1300
CITY: JANE LEW STATE: WV ZIP CODE: 26378	CITY: JANE LEW STATE: WV ZIP CODE: 26378

LEGEND: ● PROPOSED SURFACE HOLE / BOTTOM HOLE * EXISTING / PRODUCING WELLHEAD LPL * LANDING POINT LOCATION ⊙ EXISTING WATER WELL ⊕ EXISTING SPRING	— SURVEYED BOUNDARY — DRILLING UNIT - - - LEASE BOUNDARY — PROPOSED PATH	REVISIONS: DATE: 03-20-2018 DRAWN BY: C. WEHR SCALE: 1" = 2000' DRAWING NO: 2016-519 WELL LOCATION PLAT
---	---	--

WELL BORE TABLE FOR SURFACE / ROYALTY OWNERS		
TRACT	SURFACE OWNER (S) / ROYALTY OWNER (R)	TAX PARCEL
1	SWN PRODUCTION COMPANY, LLC (S) RODNEY CALVERT, ET AL (R)	12-10-29
TRACT	SURFACE OWNER	TAX PARCEL
2	RODNEY A. CALVERT	12-10-29.5
3	GARY G. YOCUM & LAVERNE F. YOCUM (LIFE ESTATE); CHRIS B. YOCUM (REMOANDERMAN)	12-15-9
4	SWN PRODUCTION COMPANY, LLC	12-10-28
5	SWN PRODUCTION COMPANY, LLC	12-10-15
6	SWN PRODUCTION COMPANY, LLC	12-10-14
7	SWN PRODUCTION COMPANY, LLC	12-10-10
8	MILLTREE PROPERTIES, LLC	12-10-9
9	COURTNEY E. RICHMOND & RHEA K. RICHMOND, HIS WIFE	12-10-13
10	ANDREW D. SHULUGA & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST UDER DATE OF JANUARY 8, 2013	12-10-10
11	ANDREW D. SHULUGA & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST UDER DATE OF JANUARY 8, 2013	12-9-15
12	MARK MASSARI	12-4-38

ADJOINING OWNERS TABLE		
TRACT	SURFACE OWNER	TAX PARCEL
A	HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY	12-15-10
B	JOSEPH C. DREYER	12-15-8
C	RODNEY A. CALVERT	12-10-29.3
D	RODNEY A. CALVERT	12-10-29.4
E	RODNEY CALVERT & ET AL	12-10-29.1
F	HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY	12-10-33
G	HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY	12-10-32
H	SWN PRODUCTION COMPANY, LLC	12-10-27
I	ROBERT C. RITCHEA & JAMES L. RITCHEA	12-10-22
J	ROBERT A. ROGERS & SUSAN J. ROGERS, HUSBAND AND WIFE, AND UNTO THE SURVIVOR OF THEM	12-10-21
K	HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY	12-10-23
L	HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY	12-10-20
M	MICHAEL ALLEN HUGGINS, PATRICK WANE HUGGINS & JOSEPH DEAN HUGGINS	12-9-23
N	WAYNE L. GODDARD	12-9-22
O	ANDREW D. SHULUGA & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST	12-9-14
P	ANDREW D. SHULUGA & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST	12-9-13
Q	ANDREW D. SHULUGA & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST	12-9-8
R	JAMES L. BITHELL, FATHER & CHRISTOPHER P. BITHELL, SON, AS JOINT TENANTS WITH RIGHT OF SURVIVORSHIP	12-4-37
S	JAMES L. BITHELL, FATHER & CHRISTOPHER P. BITHELL, SON, AS JOINT TENANTS WITH RIGHT OF SURVIVORSHIP	12-4-26
T	CLAUDIA MECKEL-JONAS; ROBERT MECKEL; & ASTRID MECKEL-HAUPT, AS JOINT TENANTS WITH RIGHT OF SURVIVORSHIP	12-4-27
U	JAMES L. RITCHEA & HAZEL JORETTA RITCHEA	12-4-39
V	ROY L. WALTER, JR. & CHRIS WALTER, HUSBAND AND WIFE, AND UNTO THE SURVIVOR OF THEM	12-5-29
W	RICHARD W. MASTNEY & MARK MASSARI	12-5-20
X	ROBERT A. STOUT & SHERI L. STOUT, HUSBAND AND WIFE, AND UNTO THE SURVIVOR OF THEM	12-10-3
Y	ROBERT A. STOUT & SHERI L. STOUT, HUSBAND AND WIFE, AND UNTO THE SURVIVOR OF THEM	12-10-2
Z	SWN PRODUCTION COMPANY, LLC	12-10-11
AA	DARREN YOHO; KEVIN YOHO; BRADLEY YOHO; JEFFREY YOHO; DEBORAH YOHO	12-10-16
AB	DARREN YOHO; KEVIN YOHO; BRADLEY YOHO; JEFFREY YOHO; DEBORAH YOHO	12-10-18
AC	CORY DURIG & DAVID DURIG	01-07-2
AD	NORMA F. YOHO	01-07-40
AE	JACOB BICKERSTAFF & ANNA BICKERSTAFF, HUSBAND AND WIFE	12-10-29.2
AF	ERIC L. YEATER & AMANDA J. YEATER, HUSBAND AND WIFE	12-10-34
AG	HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY	12-15-11

REVISIONS:	COMPANY:	 	
	OPERATOR'S	SWN A	DATE: 03-20-2018
	WELL #:	WTZ 3H	DRAWN BY: C. WEHR
	DISTRICT:	PROCTOR	COUNTY:
		STATE:	WV
			SCALE: N/A
			DRAWING NO: 2016-519
			WELL LOCATION PLAT

41 103 03232

WW-6A1
(5/13)

Operator's Well No. SWN A WTZ 3H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
See Attached Exhibit				

RECEIVED
Office of Oil and Gas

APR 30 2018


WV Department of
Environmental Protection

**Acknowledgement of Possible Permitting/Approval
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: SWN Production Company, LLC.
 By: 
 Its: Caleb Weaver - Senior Landman

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
 SWN A NORTH WTZ 3H

#	TMP	LESSOR	LESSEE	ROYALTY
1	12-10-29	Isaac L. Carney and Mary Carney, his wife (Ruth Ann Calvert; Cathy Williams; Carla E. rabel; Vicki Forrester; Nancy G. Metheny; Connie Jean Calvert Rowland; Ammon A. Burley; First Assembly of God Church; Krystal K. Camp; Timothy N. Burley; Michael A. Fish; Jeffrey L. Fish; Franklin Thomas Barrett; Sharon Zeppernick; Annette Aldine Lloyd)	Hope Natural Gas Company	12.50%
		Hope Natural Gas Company	G. F. Eagan and John Robinson, a partnership, trading and doing business as Eagan and Robinson	39A/249
		Geo. F. Eagan	Blanche Eagon	14/268
		John H. Robinson	Elva Robinson and Mary Ellen Davis	15/455
		John H. Robinson, Blanche Eagon, as Executrix of the Estate of George F. Eagon, deceased, Blanche Eagon, in her own right, Mildred M. Lartigue, and Carl L. Eagon (sometimes called "Principals"), by Paul J. Shibben and Joseph V. DeMarco, Jr., their Attorneys in Fact, and Elva Robinson, Executrix of the Estate of the said John H. Robinson, now deceased, Elva Robinson and Mary Ellen Davis	Elva Robinson and Mary Ellen Davis	43A/440
		Elva Robinson and Mary Ellen Davis	Andrew L. Henry, Charles E. Reed, and Harry R. Cronin, Jr.	44A/92
		Katherine A. Henry and Harry R. Cronin, Jr.	Charles E. Reed and Kathryn C. Reed, husband and wife	51A/241
		Kathryn C. Reed, a widow and unmarried	Carl Perkins	55A/54

RECEIVED
 Office of Oil and Gas
 APR 20 2018

WV Department of
 Environmental Protection

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1 by SWN Production Company, LLC, Operator
SWN A NORTH WTZ 3H

RECEIVED
 Office of Oil and Gas
 APR 30 2018
 WV Department of
 Environmental Protection

	Carl D. Perkins and Dorothy Louise Perkins, his wife	Wetzel Co Perkins Oil and Gas, Inc., a West Virginia Corporation		84A/9
	Perkins Oil & Gas Inc., a West Virginia corporation	Stone Energy Corporation, a Delaware corporation		126A/958
	Stone Energy Corporation	Chesapeake Appalachia, LLC,, and Statoil USA Onshore Properties, Inc.		158A/554
	Chesapeake Appalachia, L.L.C.,	SWN Production Company, LLC		167A/9
2	12-10-29.5 Isaac L. Carney and Mary Carney, his wife (Rodney Calvert; Cathy Williams; Carla E. Rabel; Vicki Forrester; Nancy G. Metheny; Connie Jean Calvert Rowland)	Hope Natural Gas Company	12.50%	18A/25
	Hope Natural Gas Company	G. F. Eagan and John Robinson, a partnership, trading and doing business as Eagan and Robinson		39A/249
	Geo. F. Eagan	Blanche Eagon		14/268
	John H. Robinson	Elva Robinson and Mary Ellen Davis		15/455
	John H. Robinson, Blanche Eagon, as Executrix of the Estate of George F. Eagon, deceased, Blanche Eagon, in her own right, Mildred M. Lartigue, and Carl L. Eagon (sometimes called "Principals"), by Paul J. Shiben and Joseph V. DeMarco, Jr., their Attorneys in Fact, and Elva Robinson, Executrix of the Estate of the said John H. Robinson, now deceased, Elva Robinson and Mary Ellen Davis	Elva Robinson and Mary Ellen Davis		43A/440
	Elva Robinson and Mary Ellen Davis	Andrew L. Henry, Charles E. Reed, and Harry R. Cronin, Jr.		44A/92

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
 SWN A NORTH WTZ 3H

	Katherine A. Henry and Harry R. Cronin, Jr.	Wetzel Co	Charles E. Reed and Kathryn C. Reed, husband and wife		51A/24
	Kathryn C. Reed, a widow and unmarried		Carl Perkins		55A/9
	Carl D. Perkins and Dorothy Louise Perkins, his wife		Perkins Oil and Gas, Inc., a West Virginia Corporation		84A/9
	Perkins Oil & Gas Inc., a West Virginia corporation		Stone Energy Corporation, a Delaware corporation		126A/958
	Stone Energy Corporation		Chesapeake Appalachia, LLC,, and Statoil USA Onshore Properties, Inc.		158A/554
	Chesapeake Appalachia, L.L.C.,		SWN Production Company, LLC		167A/9
3	12-15-9	John Pyles, a single man (Donna O. Smittle; Unknown Heirs of Russell Pyles; David Scott Palmer; Pamela Ann Palmer Emch; Mary Jo Burton; Naomi Madelyn Jones; Linda Lee Roberts; Pamela Doreen Burlingame)	Earl M. Hennen	12.50%	6A/5
		Earl M. Hennen	Hope Natural Gas Company		
		Hope Natural Gas Company	The Manufacturers Light and Heat Company		40A/468
		Manufacturers Light and Heat Company	Columbia Gas Transmission Corporation		263/164
		Columbia Gas Transmission Corporation	SWN Production Company, LLC		188A/278

RECEIVED
 Office of Oil and Gas
 APR 30 2018
 WV Department of Environmental Protection

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
SWN A NORTH WTZ 3H

4	12-10-28	F.C. Emch and Thelma Emch, his wife; Jerald Yocum and Mildred Yocum, his wife; Iva M. Gray and Bud Gray, her husband; Ocia Williams and Hobert Williams, her husband; Arlie Young and Virgil Young, her husband; Ica Harlan and Elmer Harlan, her husband (Albert Benedetti; Virginia Lee Dailey; Yvonne Goschinski; Lucille Mitchell; Kathy Noffsinger; Wayne Young; David Young; Austin Young; Judy Thompson; Darlene Braun; B. Kenneth Richmond; Edward G. Strobe; Roger S. Strobe; Charles B. Strobe; Gary W. Strobe; Daniel K. Strobe; Carla Sue Strahl; Judith Greer; Mary Francis Leaver Gray; Richard Dean Gray; Ellsworth Harlan; Terry Lynn Harlan; Mary Ellen Harlan; Charlene Herchick; John E. Harlan; Richard Dean Harlan; Starla J. Power; Tim Harlan; Patricia Ann Toharchick; Nancy Jane Terman; Hobert Edward Williams; Norma June Williams; Robert R. Taylor II; Terry Lee Taylor; Bradley Randall Taylor; Ray Francis McIntire; Unknown Heirs or Assigns of Mildred Cook Yocum Miller; Terry McIntire; Pamela Hartzler; Carol Anderson Bordner; Dale F. McIntire; Jackie McIntire; Bradley F. Dement; Resource Minerals Headwater I, LP)	Wetzel County, West Virginia	12.50%
---	----------	--	------------------------------	--------

The Manufacturers Light and Heat Company

Manufacturers Light and Heat Company	Columbia Gas Transmission Corporation	263/164
Columbia Gas Transmission Corporation	Columbia Natural Resources, LLC	84A/129
Columbia Natural Resources, LLC	Chesapeake Appalachia, L.L.C.	402/446

RECEIVED
 Office of Oil and Gas
 APR 30 2018
 WV Department of
 Environmental Protection

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
SWN A NORTH WTZ 3H

Chesapeake Appalachia, L.L.C.

Wetzel Co SWN Production Company, LLC

157A/540

Columbia Gas Transmission Corporation

SWN Production Company, LLC

188A/278

5 12-10-15 Iva Gray and Bud Gray, her husband; Jerald Yocum and Mildred Yocum, his wife; Alta Pyles, widow; Ocia Williams and Hobert Williams, her husband; Ica Harlan and Elmer Harlan, her husband; Arlie Young and V. A. Young, her husband; Lelah McIntire and Troy McIntire, her husband
(Albert L. Benedetti; Yvonne Goschinski; Lucille Mitchell; Wayne Young; David Young; Austin Young; Judy Thompson; Darlene Braun; B. Kenneth Richmond; Edward G. Strobe; Roger S. Strobe; Charles B. Strobe; Gary W. Strobe; Daniel K. Strobe; Carla Sue Strahl; Judith Greer; Zane Gray; Richard Dean Gray; Virginia Harlan; Mary Ellen Harlan; Charlene Herchick; John E. Harlan; Starla J. Power; Tim Harlan; Patricia Ann Toharchick; Nancy Jane Terman; Hobert Edward Williams; Norma June Williams; Robert R. Taylor, II; Terry Lee Taylor; Bradley Randall Taylor; Gary Yocum and Lavern Yocum (life tenants) and Cris Yocum (remainderman); Ray Francis McIntire; Pamela Hartzler; Carol R. Anderson Bordner; Dale F. McIntire; Bradley F. Dement)

12.50%

44A/1

The Manufacturers Light and Heat Company

Manufacturers Light and Heat Company

Columbia Gas Transmission Corporation

263/164

Columbia Gas Transmission Corporation

Columbia Natural Resources, LLC

84A/129

Columbia Natural Resources, LLC

Chesapeake Appalachia, L.L.C.

402/446

RECEIVED
Office of Oil and Gas
APR 30 2018
157A/540
188A/278
44A/1
WV Department of
Environmental Protection

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
SWN A NORTH WTZ 3H

		Chesapeake Appalachia, L.L.C.	Wetzel Coal SWN Production Company, LLC		157A/540
6	12-10-14	Chesapeake Appalachia, L.L.C. (Stone Hill Minerals Holdings, LLC)	Chesapeake Appalachia, L.L.C.	15.00%	99A/498
		Chesapeake Appalachia, L.L.C.	SWN Production Company, LLC		167A/9
7	12-10-10	Chesapeake Appalachia, L.L.C. (Stone Hill Minerals Holdings, LLC)	Chesapeake Appalachia, L.L.C.	15.00%	99A/488
		Chesapeake Appalachia, L.L.C.	SWN Production Company, LLC		167A/9
8	12-10-9	Ray C. Herman, single and Dail A. Herman, single (Rose Mary Herman; Bula Burton; Roger Amos; Bonita Sylvester Wilcox Lucas; Charles George Hunter; Faye Young; Ray Herman, JR.; Sharla Chapman; Faye Sturgis; Feryn L. Jones; Franklin B. Baker, III; Charles Herman Baker; Francis R. Goddard; Ronald Goddard; Wayne L. Goddard)	The Manufacturers Light and Heat Company	12.50%	45A/314
		Manufacturers Light and Heat Company	Columbia Gas Transmission Corporation		263/164
		Columbia Gas Transmission Corporation	Columbia Natural Resources, LLC		84A/129
		Columbia Natural Resources, LLC	Chesapeake Appalachia, L.L.C.		402/446
		Chesapeake Appalachia, L.L.C.	SWN Production Company, LLC		157A/540
9	12-10-13	Austin Miller and Artie Miller, his wife, and Lloyd Stewart, single (LL&B Investment Holdings, LLC; Resources Minerals Headwater I, LP)	The Manufacturers Light and Heat Company	12.50%	45A/472
		Manufacturers Light and Heat Company	Columbia Gas Transmission Corporation		263/164
		Columbia Gas Transmission Corporation	Columbia Natural Resources, LLC		84A/129
		Columbia Natural Resources, LLC	Chesapeake Appalachia, L.L.C.		402/446
		Chesapeake Appalachia, L.L.C.	SWN Production Company, LLC		157A/540

RECEIVED
Office of Oil and Gas
APR 30 2018

WV Department of
Environmental Protection

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
 SWN A NORTH WTZ 3H

Item No.	Date	Owner/Operator	Percentage	Location
10	12-10-10	Otis Simmons and Pearl Simmons, his wife; Harold Simmons and Roxie Simmons, his wife; Roxie Newman and Archie Newman, her husband (Robert L. Newman; Lana May Giles; Everett Simmons)	12.50%	Wayne County, West Virginia
		The Manufacturers Light and Heat Company		
		Manufacturers Light and Heat Company		Columbia Gas Transmission Corporation 263/164
		Columbia Gas Transmission Corporation		Columbia Natural Resources, LLC 84A/129
		Columbia Natural Resources, LLC		Chesapeake Appalachia, L.L.C. 402/446
		Chesapeake Appalachia, L.L.C.		SWN Production Company, LLC 176A/747
		Columbia Gas Transmission Corporation		SWN Production Company, LLC 188A/278
11	12-9-15	Otis Simmons and Pearl Simmons, husband and wife; Harold Simmons and Roxie Simmons, husband and wife; and Archie Newman and Roxie Newman, husband and wife (Robert L. Newman; Lana May Giles; Everett Simmons)	12.50%	Wayne County, West Virginia
		The Manufacturers Light and Heat Company		
		Manufacturers Light and Heat Company		Columbia Gas Transmission Corporation 263/164
		Columbia Gas Transmission Corporation		Columbia Natural Resources, LLC 84A/129
		Columbia Natural Resources, LLC		Chesapeake Appalachia, L.L.C. 402/446
		Chesapeake Appalachia, L.L.C.		SWN Production Company, LLC 157A/540
		Columbia Gas Transmission Corporation		SWN Production Company, LLC 188A/278
12	12-4-38	Emmit Burge and Sarah L. Burge, his wife (Onward E. Burge, Sarah L. Burge and Stephen W. Burge, Trustees of the Onward E. Burge Trust, dated June 21, 2010; Sarah L. Burge, Onward E. Burge and Stephen W. Burge, Trustees of the Sarah L. Burge Trust, dated June 21, 2010)	12.50%	Wayne County, West Virginia
		Chesapeake Appalachia, L.L.C.		

RECEIVED
 Office of Oil and Gas
 APR 30 2018

WV Department of
 Environmental Protection

47 103 03232

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator
SWN A NORTH WTZ 3H

		Chesapeake Appalachia, L.L.C.	Wetzel Co	SWN Production Company, LLC		157A/540
12	12-4-38	Mark Massari, a married man dealing in his sole and separate property		Chesapeake Appalachia, L.L.C.	12.50%	99A/16
		Chesapeake Appalachia, L.L.C.		SWN Production Company, LLC		157A/540

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

March 14, 2018

Ms. Laura Adkins
WV DEP Office of Oil & Gas
601 57th St., SE
Charleston, WV 25304

47 103 03232


RE: SWN's proposed New Well: SWN A WTZ 3H in Wetzel County, West Virginia, Drilling under Middle Fork Road, Hollman Ridge Road, Lynn Camp Road, and Old WV 89.

Dear Ms. Adkins:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Middle Fork Road, Hollman Ridge Road, Lynn Camp Road, and Old WV 89. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely,



Caleb Weaver
Senior Landman
SWN Production Company, LLC

RECEIVED
Office of Oil and Gas
APR 30 2018
WV Department of
Environmental Protection

$\frac{R^+}{A} \rightarrow V^+$

4710303232

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE CERTIFICATION

Date of Notice Certification: 4/27/18

API No. 47- 103 -
Operator's Well No. SWN A WTZ 3H
Well Pad Name: SWN A WTZ Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>530903.75</u>
County:	<u>103- Wetzel</u>		Northing:	<u>4392590.69</u>
District:	<u>Proctor</u>	Public Road Access:	<u>Macedonia Ridge</u>	
Quadrangle:	<u>Wileyville</u>	Generally used farm name:	<u>SWN A</u>	
Watershed:	<u>Upper Ohio South</u>			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

<p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p>*PLEASE CHECK ALL THAT APPLY</p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p style="padding-left: 40px;"><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p>	<p>OOG OFFICE USE ONLY</p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p>
---	--

RECEIVED
Office of Oil and Gas

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The Notice Forms and Certifications of Notice shall serve as proof that the required parties have been notified as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

APR 30 2018

WV Department of
Environmental Protection

4710303232

Certification of Notice is hereby given:

THEREFORE, I Dee Southall, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: SWN Production Co., LLC
By: Dee Southall
Its: Senior Regulatory Analyst
Telephone: 304-884-1610

Address: P.O. Box 1300
Jane Lew, WV 26378
Facsimile: 304-884-1690
Email: Dee_Southall@swn.com



Subscribed and sworn before me this 13th day of March 2018
Brittany R Woody Notary Public
My Commission Expires 11/27/22

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

WW-6A
(9-13)

API NO. 47- 103 -
OPERATOR WELL NO. SWN A WTZ 3H
Well Pad Name: SWN A WTZ Pad

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION**

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: _____ **Date Permit Application Filed:** _____

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

47 103 03232

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the coal owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)
Name: SWN Production Company, LLC
Address: PO Box 672625
Houston, TX 77267

Name: _____
Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)
Name: _____
Address: _____

Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)
Name: _____
Address: _____

COAL OWNER OR LESSEE
Name: CNX Gas Company, LLC
Address: 1000 Consol Energy Drive
Canonsburg, PA 15317

COAL OPERATOR
Name: _____
Address: _____

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)
Name: None
Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD
Name: _____
Address: _____

*Please attach additional forms if necessary

RECEIVED
Office of Oil and Gas
APR 30 2018
WV Department of Environmental Protection

47 103 03232

OWNERNAME	ADDRESS	CITY/STATE/ZIP	WATERSOURCES
YEATER TERRY W & DORIS	HC 60 BOX 257	NEW MARTINSVILLE, WV 26155	1
YOHO NORMA F	828 GREENLAWN AVE NW	WARREN, OH 44483	2
YOCUM GARY G & LAVERNE F	HC 60 BOX 252	NEW MARTINSVILLE, WV 26155	4
BICKERSTAFF JACOB & ANNA	14383 PROCTOR CREEK RD	NEW MARTINSVILLE, WV 26155	1
CALVERT RODNEY A	13998 PROCTOR CREEK RD	NEW MARTINSVILLE, WV 26155	7

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

47 103 03230

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. If a variance is granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by Department Order, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the Environmental wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

RECEIVED
Office of Oil and Gas
APR 30 2018
WV Department of
Environmental Protection

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

RECEIVED
Office of Oil and Gas
APR 30 2018
WV Department of
Environmental Protection

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas
APR 30 2018
WV Department of
Environmental Protection

WW-6A
(8-13)

API NO. 47- 103 -
OPERATOR WELL NO. SWN A WTZ 3H
Well Pad Name: SWN A WTZ Pad

Notice is hereby given by:

Well Operator: SWN Production Co., LLC
Telephone: 304-884-1614
Email: Dee_Southall@swn.com

Address: P.O. Box 1300
Jane Lew, WV 26378
Facsimile: 304-884-1690

4710303232

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.




Subscribed and sworn before me this 13th day of March 2018
Brittany R Woody Notary Public
My Commission Expires 11/27/22

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

JHA SURVEYORS
Companies ENGINEERS
 ENVIRONMENTAL
 GIS MAPPING
 www.jhacompanies.com
 68011 Vineyard Road
 St. Clairsville, Ohio 43950
 740-685-6100



NOTES ON SURVEY
 1. SURFACE AND ROYALTY OWNER INFORMATION AND THEIR BOUNDARIES SHOWN HEREON WERE PLOTTED FROM DEEDS AND/OR TAX PARCEL MAPS PROVIDED BY CLIENT AND/OR FIELD LOCATIONS.
 2. THIS PLAT DOES NOT REPRESENT A BOUNDARY SURVEY OF THE PARCELS SHOWN HEREON.
 3. ALL INSETS ARE GRID NORTH UNLESS OTHERWISE DEPICTED.

RECEIVED
 Office of Oil and Gas
 APR 30 2018

LEGEND:
 PROPOSED SURFACE HOLE / BOTTOM HOLE
 EXISTING / PRODUCING WELLHEAD
 LPL LANDING POINT LOCATION
 FLOOD PLAIN
 ACCESS ROAD
 PUBLIC ROAD
 ACCESS ROAD TO PREV. SITE
 LEASE BOUNDARY
 PROPOSED PATH

WELL OPERATOR: SWN PRODUCTION COMPANY, LLC	WELL (FARM) NAME: SWN A WTZ	WELL # 3H	SERIAL # XXXX
ADDRESS: P.O. BOX 1300 JANE LEW, WV 26378	COUNTY - CODE WETZEL - 103	DISTRICT; PROCTOR	
SURFACE OWNER: SWN PRODUCTION COMPANY, LLC	USGS 7 1/2 QUADRANGLE MAP NAME WILEYVILLE, WV		

4710303232

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 10/18/2017 **Date of Planned Entry:** 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)

Name: Troy Sidenstricker and Lisa Sidenstricker

Address: 14303 Proctor Circle Road
New Martinsville, WV 26155

Name: _____

Address: _____

Name: _____

Address: _____

COAL OWNER OR LESSEE

Name: CNX Gas Company, LLC

Address: 1900 Consol Energy Drive
Canonsburg, PA 15317

MINERAL OWNER(s)

Name: Ruth Ann Calvert

Address: 12866 Shortline Hwy. Apt #3
Fine Grove, WV 26419

*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	<u>WV</u>	Approx. Latitude & Longitude:	<u>39.684757, -80.640554</u>
County:	<u>Wetzel</u>	Public Road Access:	<u>Rt. 89</u>
District:	<u>Proctor</u>	Watershed:	<u>Fish Creek</u>
Quadrangle:	<u>Wileyville</u>	Generally used farm name:	<u>SWN A WTZ Pad</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

RECEIVED
Office of Oil and Gas

APR 20 2018

Notice is hereby given by:

Well Operator: SWN PRODUCTION COMPANY, LLC

Telephone: 304-884-1610

Email: dee_southall@swn.com or brittany_woody@swn.com

Address: PO BOX 1300

JANE LEW, WV 26078

Facsimile: _____

WV Department of
Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

47 10 30 32 32

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)

Name: _____
Address: _____

Name: _____
Address: _____

Name: _____
Address: _____

COAL OWNER OR LESSEE

Name: _____
Address: _____

MINERAL OWNER(s)

Name: Carla E Rabel
Address: B10 Wetzel Tyler Ridge Road
New Marlinsville, WV 26155

*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	<u>WV</u>	Approx. Latitude & Longitude:	<u>39.684757, -80.640554</u>
County:	<u>Wetzel</u>	Public Road Access:	<u>Rt. 89</u>
District:	<u>Proctor</u>	Watershed:	<u>Fish Creek</u>
Quadrangle:	<u>Wileyville</u>	Generally used farm name:	<u>SWNAWTZ Pad</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 600 7th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

RECEIVED
Office of Oil and Gas

APR 30 2018

Notice is hereby given by:

Well Operator: SWN PRODUCTION COMPANY, LLC
Telephone: 304-884-1510
Email: dee_southall@swn.com or brittany_woody@swn.com

Address: PO BOX 1300
JANE LEW, WV 26378
Facsimile: _____
WV Department of
Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 10/18/2017 **Date of Planned Entry:** 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)

Name: _____
Address: _____

Name: _____
Address: _____

Name: _____
Address: _____

COAL OWNER OR LESSEE

Name: _____
Address: _____

MINERAL OWNER(s)

Name: Connie Jean Rowland
Address: 535 Briarduff Court
New Martinsville, WV 26155

*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	<u>WV</u>	Approx. Latitude & Longitude:	<u>39.684757, -80.640554</u>
County:	<u>Wetzel</u>	Public Road Access:	<u>Rt. 89</u>
District:	<u>Proctor</u>	Watershed:	<u>Fish Creek</u>
Quadrangle:	<u>Wileyville</u>	Generally used farm name:	<u>SWN A WTZ Pad</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: SWN PRODUCTION COMPANY, LLC
Telephone: 304-884-1610
Email: dee_southall@swn.com or brillany_woody@swn.com

Address: PO BOX 1300
JANE LEW, WV 26378
Facsimile: _____

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
APR 30 2018

471030323

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least **SEVEN (7)** days but no more than **FORTY-FIVE (45)** days prior to entry

Date of Notice: 10/18/2017 **Date of Planned Entry:** 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)
 Name: _____
 Address: _____

 Name: _____
 Address: _____

 Name: _____
 Address: _____

COAL OWNER OR LESSEE
 Name: _____
 Address: _____

MINERAL OWNER(s)
 Name: Cathy Williams
 Address: 426 Hook Street
Bridgeville, PA 15017
 *please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State: <u>WV</u>	Approx. Latitude & Longitude: <u>39.634757, -80.640554</u>
County: <u>Wetzel</u>	Public Road Access: <u>Rt. 89</u>
District: <u>Proctor</u>	Watershed: <u>Fish Creek</u>
Quadrangle: <u>Wieyville</u>	Generally used farm name: <u>SWNA WTZ Pad</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: <u>SWN PRODUCTION COMPANY, LLC</u>	Address: <u>PO BOX 1300</u>
Telephone: <u>304-884-1610</u>	<u>JANE LEW, WV 26378</u>
Email: <u>dee_southall@swn.com or brittany_woody@swn.com</u>	Facsimile: _____

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties for normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED

Office of Oil and Gas

APR 30 2018

4710303232

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 10/19/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)
 Name: _____
 Address: _____

 Name: _____
 Address: _____

 Name: _____
 Address: _____

COAL OWNER OR LESSEE
 Name: _____
 Address: _____

MINERAL OWNER(s)
 Name: Nancy G Metheny
 Address: 3948 N. Park Ave
Warren, OH 44481

RECEIVED
Office of Oil and Gas

APR 30 2018

WV Department of
Environmental Protection

*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	<u>WV</u>	Approx. Latitude & Longitude:	<u>39.634757, -80.640554</u>
County:	<u>Wetzel</u>	Public Road Access:	<u>Rt. 89</u>
District:	<u>Proctor</u>	Watershed:	<u>Fish Creek</u>
Quadrangle:	<u>Wileyville</u>	Generally used farm name:	<u>SWN A WTZ Pad</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator:	<u>SWN PRODUCTION COMPANY, LLC</u>	Address:	<u>PO BOX 1300</u>
Telephone:	<u>304-884-1610</u>		<u>JANE LEW, WV 26378</u>
Email:	<u>dea_southall@swn.com or brittany_woody@swn.com</u>	Facsimile:	_____

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

47 10303232

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's website to enable the surface owner to obtain copies from the secretary.

RECEIVED
Office of Oil and Gas
APR 30 2018

Notice is hereby provided to:

SURFACE OWNER(s)
Name: _____
Address: _____

Name: _____
Address: _____

Name: _____
Address: _____

COAL OWNER OR LESSEE
Name: _____
Address: _____

MINERAL OWNER(s)
Name: Vicki Forrester
Address: HC 74 Box 68
Alma, WV 26320
*please attach additional forms if necessary

WV Department of Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	<u>WV</u>	Approx. Latitude & Longitude:	<u>39.584757, -80.540554</u>
County:	<u>Wetzel</u>	Public Road Access:	<u>RL 69</u>
District:	<u>Proctor</u>	Watershed:	<u>Fish Creek</u>
Quadrangle:	<u>Wileyville</u>	Generally used farm name:	<u>SWN A WTZ Pad</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: SWN PRODUCTION COMPANY, LLC
Telephone: 304-884-1610
Email: dee_southall@swn.com or brittany_woody@swn.com

Address: PO BOX 1300
JANE LEW, WV 26378
Facsimile: _____

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

47 10303232

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.
Date of Notice: 03/08/2018 Date Permit Application Filed: 4/15/18

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND DELIVERY CERTIFIED MAIL RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: SWN Production Company, LLC
Address: PO Box 672625
Houston, TX 77267

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: West Virginia UTM NAD 83 Easting: 530,903.75
County: Wetzel Northing: 4,392,590.69
District: Proctor Public Road Access: Macedonia Ridge
Quadrangle: Wileyville, WV Generally used farm name: SWN A WTZ
Watershed: Upper Ohio South

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: SWN Production Company, LLC
Address: PO Box 1300, 179 Innovation Drive
Jane Lew, WV 26378
Telephone: 832-540-1136
Email: Steve_Teel@swn.com
Facsimile: 304-884-1891

Authorized Representative: Steve Teel
Address: PO Box 1300, 179 Innovation Drive
Jane Lew, WV 26378
Telephone: 832-540-1136
Email: Steve_Teel@swn.com
Facsimile: 304-884-1891

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

APR 10 2018
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least **TEN (10)** days prior to filing a permit application.
Date of Notice: 04/17/2018 **Date Permit Application Filed:** 4/21/18

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND DELIVERY **CERTIFIED MAIL RETURN RECEIPT REQUESTED**

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: CNX Gas Company, LLC
Address: 1000 Consol Energy Drive
Canonsburg, PA 15317

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83 Easting:	<u>530,903.75</u>
County:	<u>Wetzel</u>	UTM NAD 83 Northing:	<u>4,392,590.69</u>
District:	<u>Proctor</u>	Public Road Access:	<u>Macedonia Ridge</u>
Quadrangle:	<u>Wileyville, WV</u>	Generally used farm name:	<u>SWN A WTZ</u>
Watershed:	<u>Upper Ohio South</u>		

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: SWN Production Company, LLC
Address: PO Box 1300, 179 Innovation Drive
Jane Lew, WV 26378
Telephone: 832-540-1136
Email: Steve_Teel@swn.com
Facsimile: 304-884-1691

Authorized Representative: Steve Teel
Address: PO Box 1300, 179 Innovation Drive
Jane Lew, WV 26378
Telephone: 832-540-1136
Email: Steve_Teel@swn.com
Facsimile: 304-884-1691

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
APR 30 2018
WV Department of Environmental Protection

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF PLANNED OPERATION**

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 04/17/2018

Date Permit Application Filed: 4/21/18

47 103 03232

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

- CERTIFIED MAIL RETURN RECEIPT REQUESTED
- HAND DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)
(at the address listed in the records of the sheriff at the time of notice):

Name: CNX Gas Company, LLC
Address: 1000 Consol Energy Drive
Canonsburg, PA 15317

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>530,903.75</u>
County:	<u>Wetzel</u>		Northing:	<u>4,392,590.69</u>
District:	<u>Proctor</u>	Public Road Access:	<u>Macedonia Ridge</u>	
Quadrangle:	<u>Wileyville, WV</u>	Generally used farm name:	<u>SWN A WTZ</u>	
Watershed:	<u>Upper Ohio South</u>			

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator: SWN Production Company, LLC
Telephone: 832-540-1135
Email: Steve_Teel@SWN.com

Address: PO Box 1300, 179 Innovation Drive
Jane Lew, WV 26378
Facsimile: 304-884-1691

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
APR 30 2018

WV Department of
Environmental Protection

WW-6A5
(1/12)

Operator Well No. SWN A WTZ 3H

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF PLANNED OPERATION

47 10303232

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 03/08/2018 Date Permit Application Filed: 4/27/18

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

- CERTIFIED MAIL RETURN RECEIPT REQUESTED
- HAND DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)
(at the address listed in the records of the sheriff at the time of notice):

Name: SWN Production Company, LLC
Address: PO box 872825
Houston, TX 77267

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83 Easting: <u>530,903.75</u>
County: <u>Wetzel</u>	Northing: <u>4,392,590.69</u>
District: <u>Proctor</u>	Public Road Access: <u>Macedonia Ridge</u>
Quadrangle: <u>Wileyville, WV</u>	Generally used farm name: <u>SWN A WTZ</u>
Watershed: <u>Upper Ohio South</u>	

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator: SWN Production Company, LLC
Telephone: 832-540-1138
Email: Steve_Teel@SWN.com

Address: PO Box 1300, 179 Innovation Drive
Jane Lew, WV 26378
Facsimile: 304-884-1691

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

APR 30 2018

RECEIVED
Office of Oil and Gas
WV Department of
Environmental Protection



47 10303232

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E.
Secretary of Transportation/
Commissioner of Highways

March 26, 2018

Jill M. Newman
Deputy Commissioner

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

Subject: DOH Permit for the SWN A WTZ Pad, Wetzel County
SWN A WTZ 3H

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #06-2018-0223 for the subject site to Southwestern Energy for access to the State Road for the well site located off of Wetzel County Route 89 SLS.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

RECEIVED
Office of Oil and Gas
APR 30 2018

WV Department of
Environmental Protection
Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office Oil & Gas Coordinator

Cc: Brittany Woody
Southwestern Energy
CH, OM, D-6
File

FRAC ADDITIVES

4710303232

Product Name	Product Use	Chemical Name	CAS Number
EC6734A (Champion Technologies)	Biocide	Hydrogen Peroxide	7782-84-1
		Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
GYPTRON T-390 (Champion Technologies)	Scale Inhibitor	Methanol	67-56-1
		Nonylphenol Ethoxylate	Proprietary
Bactron K-139 (Champion Technologies)	Biocide	Glutaraldehyde	111-30-8
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
		Ethanol	64-17-5
Bactron K-219 (Champion Technologies)	Biocide	Methanol	67-56-1
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
EC6486A (Nalco Champion)	Scale Inhibitor	Amine Triphosphate	Proprietary
		Ethylene Glycol	107-21-1
WFRA-2000 (U.S. Well Services)	Anionic Friction Reducer	Hydrotreated light distillate (petroleum)	64742-47-8
		Propenoic acid, polymer with propenamide	9003-06-9
AI-303 (U.S. Well Services)	Mixture	Ethylene glycol	107-21-1
		Cinnamaldehyde	104-55-2
		Butyl cellosolve	111-76-2
		Formic acid	64-18-6
		Polyether	Proprietary
		Acetophenone, thiourea, formaldehyde polymer	68527-49-1
AP ONE (U.S. Well Services)	Breaker	Ammonium persulfate	7727-54-0
OPTI-FLEX (U.S. Well Services)	Viscosifying Agent	Distillates, petroleum, hydrotreated light	64742-47-8
Econo-CI200 (SWN Well Services)	Corrosion Inhibitor	Methanol	67-56-1
		Oxyalkylated fatty acid	68951-67-7
		Fatty acids	61790-12-3
		Modified thiourea polymer	68527-49-1
		Water	7732-18-5
		Hydrochloric acid	7647-01-0
		Potassium acetate	127-08-2
		Formaldehyde	50-00-0
Ecopol-FEAC (SWN Well Services)	Iron Control	Acetic Acid	64-19-7
		Citric Acid	77-92-9
		Water	7732-18-5
HCL (SWN Well Services)	Hydrochloric Acid	Hydrochloric Acid	7647-01-0
		Water	7732-18-5
FLOJET DRP 1130X (SWN Well Services)	Friction Reducer	Proprietary	Proprietary
FLOJET DR900 LPP (SWN Well Services)	Friction Reducer	Distillates (petroleum) hydrotreated light	64674-47-8
		Ethylene Glycol	107-21-1
		Alcohols, C12-16, Exoxylated propoxylated	68213-24-1
		Fatty Alcohols ethoxylated	Proprietary
FR-76 (Halliburton)	Friction Reducer	Water	7732-18-5
		Hydrotreated light petroleum distillate	64742-47-8
HAI-150E (Halliburton)	Corrosion Inhibitor	Inorganic Salt	Proprietary
		No hazardous substance	N/A
FDP-S1176-15 (Halliburton)	Friction Reducer	Polyacrylate	Proprietary
		Hydrotreated light petroleum distillate	64742-47-8
LP-65 MC (Halliburton)	Scale Inhibitor	Organic phosphonate	Proprietary
		Ammonium Chloride	12125-02-9
CarbonRT	Tracer	Ceramic Proppant	66402-68-4



REC
Office of Oil and Gas

APP
WV Department of Environmental Protection

NOTES:

1. THIS PLAN IS FOR GRADING, STORMWATER SYSTEMS, AND EROSION AND SEDIMENT CONTROL PURPOSES ONLY.
2. PROPERTY INFORMATION SHOWN HEREON IS FROM GIS DATA PROVIDED BY SOUTHWESTERN ENERGY PRODUCTION COMPANY AND HAS NOT BEEN FIELD VERIFIED.
3. THE CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS SET FOR OTHER PERTINENT INFORMATION. IT IS NOT THE ENGINEER'S INTENT THAT ANY SINGLE PLAN SET FULLY DEPICTS ALL WORK ASSOCIATED WITH THIS PROJECT.
4. SOIL TYPE BOUNDARY AND CHARACTERISTICS SHOWN HEREON WERE ACQUIRED FROM NRCS WEB SOIL SURVEY.
5. THE CONTRACTOR SHALL REFER TO THE GEOTECHNICAL ENGINEERING REPORT, DATED MARCH 21, 2017, PROVIDED BY GTA ENERGY, LLC FOR LIMIT SOIL STABILIZATION TECHNIQUES TO BE IMPLEMENTED IN CONSTRUCTION OF CUT AND FILL SLOPES.
6. THE TOPOGRAPHIC SURVEY USED FOR THIS BASE MAPPING INSIDE THE LOD WAS PERFORMED BY JHA COMPANIES FROM JANUARY 07, 2017 TO JUNE 28, 2019.
7. TOPOGRAPHIC MAPPING OUTSIDE OF THE LOD IS FROM LIDAR DATA FROM WV GIS TECHNICAL CENTER.
8. NO DISTURBANCE REMOVAL BETWEEN LIMIT OF CONSTRUCTION AND LIMIT OF DISTURBANCE VEGETATIVE BUFFER TO REMAIN.
9. FILL WILL BE COMPACTED TO 95% OF STANDARD PROCTOR DENSITY (ASTM-698). FILL LIFT THICKNESS WILL BE NO GREATER THAN 12", NOTHING FROZEN OR TOO WET WILL BE PLACED IN FILL AREAS. PARTICLE SIZE OF THE FILL WILL BE NO GREATER THAN 6" AND FREE OF OBJECTIONABLE MATERIAL.

EROSION AND SEDIMENT CONTROL PLAN FOR SWN PAD A PROCTOR DISTRICT, WETZEL COUNTY, WEST VIRGINIA WILEYVILLE 7.5 MINUTE QUAD MAPS



ENGINEER'S ESTIMATE OF QUANTITIES		
DESCRIPTION	ESTIMATED QUANTITY	UNIT
1" CONCRETE FLOOR SLAB	175	LF
2" CONCRETE FLOOR SLAB	42.0	LF
ROCK CONSTRUCTION ENTRANCE R-3 AGGREGATE	544	CY
CLASS A GEOTEXTILE MATTRESS UNDERLAYMENT	454	SF
DIFFUSION AREA	7.4	AC
PROPOSED STORM CATCHBASIN	5	EA
12" HDPE STORM PIPE (30' LENGTH)	142.5	LF
4" HDPE STORM PIPE (30' LENGTH)	40	LF
OUTLET PROTECTION	7	BA
4" PERFORATED PVC SCH 40 PIPE (PAD UNDERDRAIN)	7.75	LF
8" SOLID PVC SCH 40 PIPE (CATCH-BASIN OUTLET)	40.7	LF
WELL PAD PERIMETER BERM	7.75	LF
1" CATCH BASINS	5	EA
4" PERFORATED PVC SCH 40 PIPE (WELL BENCH DRAIN)	9.51	LF
4" SOLID PVC SCH 40 PIPE (BENCH DRAIN COLLECTION)	50.8	LF
ASBESTOS FLESH DRAIN REPAIRS	1,440	TONS
PAD HEAVY DUTY #47 STONE (8")	3,378	CY
PAD HEAVY DUTY #1 STONE (12")	2,406	CY
PAD STANDARD #40 STONE (4")	2,276	CY
PAD STANDARD #1 STONE (12")	8,285	CY
ACCESS ROAD #1 STONE (4")	356	CY
ACCESS ROAD #1 STONE (12")	645	CY
PAD CLASS 2 GEOTEXTILE	15,640	SF
ACCESS ROAD CLASS 3 GEOTEXTILE	1,300	SF
EARTHWORK VOLUMES CUT	97,625	CY
EARTHWORK VOLUMES FILL	84,068	CY
WELLS CELLS	7	EA
BERMS (MIRACRID 54" OR EQUIVALENT)	2440	SF
CLEARING AND GRUBBING	7.8	AC

PROJECT NARRATIVE
PROPOSED CONSTRUCTION TO BE PERFORMED IN ACCORDANCE WITH THIS DRAWING SET (43 PAGE SHEET SET, DATED 2018-07-17 & REVISIONS DATED 2018-08-03) AND THE GEOTECHNICAL ENGINEERING REPORT (GTA ENERGY, LLC REPORT) WHICH ARE COMPLEMENTARY AND HAVE THE SAME FORCE / EFFECT IN DEFINING THE REQUIREMENTS FOR THE PROJECT. IN THE EVENT OF DISCREPANCIES, IT IS REQUIRED TO IMMEDIATELY CONTACT THE ENGINEER (AGENCY) FOR INTERPRETATION.

PROJECT CONTACTS:
OPERATOR:
SOUTHWESTERN ENERGY, LLC
179 INNOVATION DRIVE
JANE LEW, WV 26378
PHONE: (304) 884-1618
WWW.SWN.COM

PROJECT COORDINATOR:
KALAB TAYLOR
SOUTHWESTERN ENERGY, LLC
OPERATIONS ANALYST
179 INNOVATION DRIVE
JANE LEW, WV 26378
PHONE: (304) 884-1696
EMAIL: KALAB.TAYLOR@SWN.COM

ENGINEER:
JHA COMPANIES
6801 VINEYARD ROAD
ST. CLAIRSVILLE, OHIO 43950
PHONE: (740) 655-6100
FAX: (740) 441-2141

PROJECT MANAGER:
JOHN DUBOWSKY

ENVIRONMENTAL:
WETLANDS OR SURFACE WATER INFORMATION WAS Delineated BY AJAY ENVIRONMENTAL CONSULTING, LLC DATED FEBRUARY 16, 2018 AND JULY 16, 2018.

TOPOGRAPHIC INFORMATION:
GROUND SURVEY DATED JANUARY 28, 2018
DATUM: NAD 83 WEST VIRGINIA NORTH
VERT. NAVD 88

APPROVED WVDEP OOG
8/21/2018 8/16/2018

COORDINATES:
PAD 1 SITE ENTRANCE (NAD 83)
LAT: 39.682481
LONG: -80.636975

CENTER OF PAD 1 (NAD 83)
LAT: 39.682509
LONG: -80.639728

STAGING PAD SITE ENTRANCE (NAD 83)
LAT: 39.683182
LONG: -80.637249

CENTER OF STAGING PAD (NAD 83)
LAT: 39.683770
LONG: -80.638525

SWN PAD A ONLY - 6.61 ACRES
SWN A STAGING PAD ONLY - 6.16 ACRES
SWN PAD A TOTAL PROJECT - 12.77 ACRES

LANDS N/F OF
SWN PRODUCTION COMPANY, LLC
TMP # 12-10-0029

BICKERSTAFF, JACOB AND ANNA
TMP # 12-10-0029.0002
LIMIT OF DISTURBANCE = 13.15 ACRES

DWG. NO.	DRAWING DESCRIPTION
C.001	COVER SHEET
C.002 - C.003	EVACUATION ROUTE / PREVAILING WINDS
C.101 - C.102	EXISTING CONDITIONS
C.201 - C.202	GRADING AND EROSION CONTROL PLANS
C.301 - C.302	RECLAMATION PLANS
C.401 - C.411	SLOPE STABILIZATION DETAILS & PROFILES
C.501 - C.503	DETAILS

LOCATION MAP NOT TO SCALE	
NO.	DESCRIPTION
1	REVISION PER DEP COMMENTS

2 WORKING DAYS BEFORE YOU DRY CALL TOLL FREE 800-245-4548 Miss Utility of West Virginia

PREPARED FOR:
SWN
Southwestern Energy[®]


SEAL
JOHN P. DUBOWSKY
REGISTERED PROFESSIONAL ENGINEER
17272
STATE OF WEST VIRGINIA

JHA COMPANIES
SURVEYORS ENGINEERS ENVIRONMENTAL GIS MAPPING
www.jhacompanies.com
6801 VINEYARD ROAD
ST. CLAIRSVILLE, OH 43950
(740) 695-6100
PA OH WV

PROJECT: 2017-001 SWN PAD A
DATE: 06/03/2018
SCALE: AS NOTED

CONSTRUCTION PLANS FOR SWN PAD A
(LOCATED IN PROCTOR DISTRICT, WETZEL COUNTY, WEST VIRGINIA)



TITLE: COVER SHEET
PLAN STATUS: FINAL
SHEET NO. C.001



APPROVED WVDEP OOG
WOS 5/6/2018

LEGEND

EXISTING BUILDING		PROP. EDGE OF GRAVEL	
EXISTING CONTOURS		PROP. CONTOURS	
EXISTING STORM PIPE		PROP. BERM	
EXISTING GAS LINE		PROP. PAD UNDERDRAIN	
EXISTING WATER LINE		PROP. STOCKPILE AREA	
EXISTING EDGE OF ROAD		PROP. STORM PIPE	
EXISTING EDGE OF GRAVEL		PROP. 18" CFS	
EXISTING FENCE		PROP. 24" CFS	
EXISTING TREE LINE		PROP. LIMIT OF CLEARING	
WETLAND AREA		PROP. LIMIT OF DIST.	
STREAM			



LOCATION MAP NOT TO SCALE

NO.	DATE	DESCRIPTION
1	06/03/18	REQUIRED PER DEPARTMENT'S
2		
3		
4		
5		

2 WORKING DAYS BEFORE YOU DAY
 CALL TOLL FREE 800-245-4848
 Mass Utility of West Virginia

PREPARED FOR:
SWN
 Southwestern Energy



JHA Companies
 SURVEYORS ENGINEERS ENVIRONMENTAL GIS MAPPING
 www.jhacompanies.com
 63011 VINEYARD ROAD
 ST. CLAIRSVILLE, OH 43950
 (740) 695-6100
 PA * OH * NY * WV

PROJECT #	2017-020	SCALE	CLM
DRAWN BY	SWN PAD A	DATE	08/03/2018
CHECKED BY		DESIGNER	CLM
DATE	08/03/2018	DRAWN BY	CLM
SCALE	AS NOTED	PROJECT	CLM
CONSTRUCTION PLANS FOR SWN PAD A			
LOCATED IN PROCTOR DISTRICT, WETZEL COUNTY, WEST VIRGINIA			
TITLE	GRADING AND EROSION CONTROL PLAN		
FILE	GRADING AND EROSION CONTROL PLAN		
PLM STATUS	FINAL	SHEET NO	C.201

THESE DRAWINGS SHALL NOT BE EFFECTIVE BY ANY MODIFICATION OF COPYRIGHTS WITHOUT THE EXPRESS WRITTEN PERMISSION OF JHA COMPANIES